QUESTION BOOKLET CODE



2011 CA

Test Paper Code: CA

Time: 3 Hours Max. Marks: 300

INSTRUCTIONS

A. General:

- 1. This Booklet is your Question Paper. It contains 20 pages and has 100 questions.
- 2. The Question Booklet **Code** is printed on the right-hand top corner of this page.
- 3. The Question Booklet contains blank spaces for your rough work. No additional sheets will be provided for rough work.
- 4. Clip board, log tables, slide rule, calculator, cellular phone or any other electronic gadget in any form are <u>NOT</u> allowed.
- 5. Write your **Name** and **Registration Number** in the space provided at the bottom.
- 6. All answers are to be marked only on the machine gradable Objective Response Sheet **(ORS)** provided along with this booklet, as per the instructions therein.
- 7. The Question Booklet along with the Objective Response Sheet **(ORS)** must be handed over to the Invigilator before leaving the examination hall.
- 8. Refer to **Special Instruction/Useful Data** on reverse of this sheet.

B. Filling-in the ORS:

- 9. Write your Registration Number in the boxes provided on the upper left-hand-side of the **ORS** and darken the appropriate bubble under each digit of your Registration Number using a **HB pencil**.
- 10. Ensure that the **code** on the **Question Booklet** and the **code** on the **ORS** are the same. If the codes do not match, report to the Invigilator immediately.
- 11. On the lower-left-hand-side of the **ORS**, write your Name, Registration Number, and Name of the Test Centre and put your signature in the appropriate box with ball-point pen. Do not write these anywhere else.

C. Marking of Answers on the ORS:

- 12. Each question has **4 choices** for its answer: (A), (B), (C) and (D). Only **ONE** of them is the correct answer.
- 13. On the right-hand-side of **ORS**, for each question number, darken with a **HB Pencil** ONLY one bubble corresponding to what you consider to be the most appropriate answer, from among the four choices.
- 14. There will be **negative marking** for wrong answers.

MARKING SCHEME:

- (a) For each correct answer, you will be awarded 3 (Three) marks.
- (b) For each wrong answer, you will be awarded -1 (Negative one) mark.
- (c) Multiple answers to a question will be treated as a wrong answer.
- (d) For each un-attempted question, you will be awarded **0 (Zero)** mark.

Name				
Registration Number				

Special Instructions/ Useful Data

- **N** denotes the set of natural numbers $\{1, 2, 3, \dots\}$
- **Q** denotes the set of rational numbers
- R denotes the set of real numbers

$$A \setminus B = \{x \in A | x \notin B\}$$
, for two sets A, B

f' denotes the first derivative of f

f''' denotes the second derivative of f

 $f_x = \frac{\partial f}{\partial x}$ denotes the partial derivative of f with respect to x

 f_{xx} , f_{xy} , f_{yx} , f_{yy} denote the usual second order partial derivatives of f ∇f denotes the gradient of f

P(X = n) denotes the probability of X = n

 \bar{x} denotes the complement of a Boolean variable x

LPP denotes Linear Programming Problem

 $\max f$ denotes maximum of f

 $\min f$ denotes $\min \min f$

For all C programs, assume that all standard library functions are accessible.

Q.1 Consider the following C program

```
#include <stdio.h>
int main() {
    int x = 01234;
    printf("%d", x);
    return 0;
}
```

The output of the program will be

- (A) 01234
- (B) 1234
- (C) 567
- (D) 668

Q.2 Consider the following C function

```
float f(float a, int m) {
    float x;
    if (m == 0) return 1;
    x = f(a, m/2);
    if (m%2 == 1) return x * x * a;
    else return x * x;
}
```

What will be the return value of the function f(2,3)?

- (A) 20.0
- (B) 16.0
- (C) 12.0
- (D) 8.0
- Q.3 When a computer is switched on, the BIOS is loaded from
 - (A) Hard Disk
- (B) RAM
- (C) ROM
- (D) CD-ROM

- Q.4 In a computer, TFT is related to
 - (A) Memory
- (B) Monitor
- (C) Input Device
- (D) Serial Port

Q.5 Consider the following lists:

List I

List II

- 1. Pen drive
- P. Optical Memory
- 2. Hard disk
- Q. Flash Memory
- 3. CD-ROM
- R. Magnetic Memory

4. Floppy

S. Volatile Memory

The correct match is

- (A) $1 \rightarrow P$, $2 \rightarrow R$, $3 \rightarrow P$, $4 \rightarrow S$
- (B) $1 \rightarrow Q$, $2 \rightarrow R$, $3 \rightarrow P$, $4 \rightarrow R$
- (C) $1 \rightarrow S, 2 \rightarrow P, 3 \rightarrow R, 4 \rightarrow Q$
- (D) $1 \rightarrow Q$, $2 \rightarrow R$, $3 \rightarrow S$, $4 \rightarrow R$

Q.6 Consider the following C program

```
#include <stdio.h>
int main(){
     int x = 5;
     int y = 2i
     while (x) {
         y += 2 * x;
         printf("%d", x);
     printf("%d", y);
     return 0;
}
```

What is printed when the above program is executed?

- (A) 5432132
- (B) 432132
- (C) 5432129
- (D) 432130
- **Q.7** If the speed of a computer is 2 GHz, then which one of the following statements must be TRUE?
 - (A) Its processor performs 2×10^9 operations per second

 - (B) Its clock cycles 2×10^9 times per second (C) Its RAM stores 2×10^9 bytes per second (D) Its printer prints 2×10^9 characters per second
- Q.8 Consider the following lists:

List i		List II		
1.	Linux	P.	Text File Editor	
2.	Mozilla	Q.	Image File Format	
3.	Notepad	R.	Operating System	
4.	JPEG	S.	Web Browser	

The correct match is

(A)
$$1 \rightarrow R, 2 \rightarrow S, 3 \rightarrow P, 4 \rightarrow Q$$

(B) $1 \rightarrow S, 2 \rightarrow R, 3 \rightarrow Q, 4 \rightarrow P$
(C) $1 \rightarrow R, 2 \rightarrow P, 3 \rightarrow S, 4 \rightarrow Q$
(D) $1 \rightarrow Q, 2 \rightarrow S, 3 \rightarrow P, 4 \rightarrow R$

Q.9 If $y = x \cos x$ is a solution of an *n*-th order linear differential equation

$$\frac{d^{n}y}{dx^{n}} + a_{1}\frac{d^{n-1}y}{dx^{n-1}} + \dots + a_{n-1}\frac{dy}{dx} + a_{n}y = 0$$

with real constant coefficients, then the least possible value of n is

(B) 2 (C) 3 (D) 4 (A) 1

Q.10 The general solution of the differential equation

$$\frac{dy}{dx} = (1+y^2)(e^{-x^2} - 2x \tan^{-1}y)$$

is

(A)
$$e^{x^2} \tan^{-1} y = x + c$$

(B)
$$e^{-x^2} \tan y = x + c$$

(C)
$$e^{x} \tan y = x^{2} + c$$

(D)
$$e^{-x} \tan^{-1} y = x^3 + c$$

If g(x, y)dx + (x+y)dy = 0 is an exact differential equation and if $g(x, 0) = x^2$, then the Q.11 general solution of the differential equation is

(A)
$$2x^3 + 2xy + y^2 = c$$

(B)
$$2x^3 + 6xy + 3y^2 = c$$

(C)
$$2x + 2xy + y^2 = c$$

(D)
$$x^2 + xy + y^2 = c$$

Q.12 The value of
$$\int_{0}^{1} \frac{dx}{\sqrt{x(1-x)}}$$
 is

(B)
$$\frac{\pi}{2}$$

(D)
$$2\pi$$

Q.13 Let
$$f(x) = \int_{0}^{x} (t-1)(t^2-5t+6) dt$$
 for all $x \in \mathbb{R}$. Then

- (A) f is continuous but not differentiable on **R**
- (B) f' is bounded on **R**
- (C) f' has exactly three zeroes
- (D) f is continuous and bounded on **R**

Q.14 If
$$f(x, y) = \frac{1}{x^2} \tan^{-1} \frac{x}{\sqrt{x^2 + y^2}} + \frac{x^{10}}{y^{12}} e^{\frac{x^2}{y^2}}$$
 for $x > 1$, $y > \frac{\pi}{2}$, then $x \frac{\partial f}{\partial x} + y \frac{\partial f}{\partial y} + 1000 f$ equals

(C)
$$1000f$$

Q.15 The general solution of the differential equation

$$\frac{d^2y}{dx^2} = \left(\frac{dy}{dx}\right)^2$$

is

(A)
$$x = c_1 e^{-y} + c_2 e^y$$
 (B) $x = c_1 e^y + c_2$ (C) $x = c_1 e^{-y} + c_2$ (D) $x = c_1 e^y + c_2 y$

(B)
$$x = c_1 e^y + c$$

(C)
$$x = c_1 e^{-y} + c_1$$

(D)
$$x = c_1 e^y + c_2 y$$

Q.16 Let
$$f(x, y) = \begin{cases} xy \frac{x^4 - y^4}{x^4 + y^4} & \text{if } (x, y) \neq (0, 0), \\ 0 & \text{if } (x, y) = (0, 0). \end{cases}$$

Which of the following is TRUE?

- (A) $f_{xy}(0,0) \neq f_{yx}(0,0)$
- (B) $f_{xy}(x, y) = f_{yx}(x, y)$ for all (x, y)
- (C) $f_x(x,0)$ does not exist for any real x
- (D) $\lim_{(x,y)\to(0,0)} f(x,y) = 1$
- Q.17 The value of $\int_{1/2}^{2} \frac{1}{x} \sin\left(x \frac{1}{x}\right) dx$ is
 - (A) 1

- (B) $\frac{\pi}{2}$
- (C) 0
- (D) $\sin\left(\frac{3}{2}\right)$
- Q.18 The area included between the curves $x^2 + y^2 = a^2$ and $b^2x^2 + a^2y^2 = a^2b^2$ (a > 0, b > 0), is
 - (A) $\frac{\pi a}{2} |a-b|$

(B) $\pi | a^2 - 3ab + b^2 |$

(C) $\pi a |a-b|$

- (D) $\pi |a^2 b^2|$
- Q.19 Changing the order of integration of $\int_{1}^{2} \int_{0}^{x} f(x, y) dy dx$ gives

(A)
$$\int_{0}^{y} \int_{1}^{2} f(x, y) dx dy + \int_{0}^{y} \int_{0}^{1} f(x, y) dx dy$$

(B)
$$\iint_{0}^{1} \int_{1}^{2} f(x, y) dx dy + \iint_{1}^{2} \int_{y}^{2} f(x, y) dx dy$$

(C)
$$\int_{0}^{1} \int_{y/2}^{y} f(x, y) dx dy + \int_{1}^{2} \int_{y}^{2y} f(x, y) dx dy$$

(D)
$$\iint_{0}^{1} \int_{y}^{1} f(x, y) dx dy + \iint_{1}^{2} \int_{1}^{y} f(x, y) dx dy$$

- Q.20 The volume of the closed region bounded by the surfaces $x^2 + y^2 = 2x$, z = -1 and z = 1 is
 - (A) 0

- (B) $\frac{\pi}{2}$
- (C) 2π
- (D) π

Q.21 Let
$$f(x) = \begin{cases} x+1 & \text{if } x < 0, \\ (x-1)^2 & \text{if } x \ge 0. \end{cases}$$

Which one of the following is TRUE?

- (A) f is differentiable on **R**
- (B) f has neither a local maximum nor a local minimum in **R**
- (C) f is bounded on **R**
- (D) f is not differentiable at x = 0 but has a local maximum at x = 0
- If $p_{ij} = 1$ for $1 \le i, j \le m$, then the characteristic equation of the matrix $P = (p_{ij})$ is Q.22

(A)
$$\lambda^m - \lambda^{m-1} + 1 = 0$$
 (B) $\lambda^m - m = 0$ (C) $\lambda^m - m\lambda^{m-1} = 0$ (D) $\lambda^m + 1 = 0$

(B)
$$\lambda^m - m = 0$$

(C)
$$\lambda^m - m\lambda^{m-1} = 0$$

(D)
$$\lambda^m + 1 = 0$$

Q.23 If
$$P = \begin{bmatrix} 1 & 1 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}$$
, then P^{50} equals

(A)
$$\begin{bmatrix} 1 & 100 & 500 \\ 0 & 1 & 100 \\ 0 & 0 & 1 \end{bmatrix}$$

(B)
$$\begin{bmatrix} 1 & 30 & 100 \\ 0 & 1 & 50 \\ 0 & 0 & 1 \end{bmatrix}$$

(C)
$$\begin{bmatrix} 50 & 100 & 150 \\ 0 & 50 & 100 \\ 0 & 0 & 50 \end{bmatrix}$$

(D)
$$\begin{bmatrix} 1 & 50 & 1275 \\ 0 & 1 & 50 \\ 0 & 0 & 1 \end{bmatrix}$$

Q.24 The dimension of the subspace

$$W = \{(x, y, z, w) \in \mathbf{R}^4 \mid x + y + z + w = 0, \quad x + y + 2z = 0, \quad x + 3y = 0\}$$

(A) 1

is

- (B) 2
- (C) 3
- (D) 4
- Let P be a matrix of size 3×3 with eigenvalues 1, 2 and 3. Then P is Q.25
 - (A) neither invertible nor diagonalizable
 - (B) both invertible and diagonalizable
 - (C) invertible but not diagonalizable
 - (D) not invertible but diagonalizable
- The integral $\int_{0}^{1} |x| dx$ is computed by the trapezoidal rule with step length h = 0.01. The Q.26 absolute error in the computed value is
 - (A) 0
- (B) 0.0001 (C) 0.0025
- (D) 0.005

- Q.27 An iteration scheme generates a sequence $\{x_n\}$. For some $\alpha, c \in \mathbf{R}$, $\{x_n\}$ satisfies $|\alpha - x_{n+1}| \le c |\alpha - x_n|$ for all $n \ge 0$. Which one of the following conditions on c ensures the convergence of $\{x_n\}$?
 - (A) c = 1
- (B) c > 1
- (C) c > 0
- (D) 0 < c < 1
- The integral $\int_{0}^{1} f(x) dx$ is approximated by the formula Q.28 $\int_{0}^{1} f(x) dx \approx \alpha_{1} f(0) + \alpha_{2} f(1) + \alpha_{3} f'(0) + \alpha_{4} f'(1).$

This approximation is exact for all the polynomials of degree ≤ 3 . Then (α_3, α_4) is

- (A) $\left(\frac{1}{6}, -\frac{1}{6}\right)$ (B) $\left(\frac{1}{12}, \frac{1}{12}\right)$ (C) $\left(\frac{1}{12}, -\frac{1}{12}\right)$ (D) $\left(\frac{1}{6}, \frac{1}{6}\right)$
- An approximate value of $\sqrt{3}$ is computed by the formula $x_{n+1} = x_n \frac{1}{4}(x_n^2 3)$. If $x_0 = 1.75$, Q.29 the value of x_1 correct to three decimal places is
 - (A) 1.734
- (B) 1.733
- (C) 1.732
- (D) 1.731

Q.30 Consider the following table:

х	1	2	3
y	-10	-6	0

The roots of the corresponding interpolating quadratic polynomial are

- (A) -4,3
- (B) 3, 4
- (C) -2,4
- (D) -1.3

Q.31 The optimal solution of the LPP

$$\max f = 2x + 3y + 20$$

subject to

$$x + y \le 1,$$

$$2x + 5y \le 3,$$

$$x \ge 0$$
, $y \ge 0$,

is

- (A) $\left(\frac{1}{3}, \frac{2}{3}\right)$ (B) $\left(\frac{2}{3}, \frac{1}{3}\right)$ (C) $\left(0, \frac{3}{5}\right)$

Q.32 The number of optimal solutions of the LPP

$$\max f = 2x + 3y$$

subject to

$$4x + 6y \le 5,$$

$$2x + 2y \ge 1,$$

$$x \ge 0$$
, $y \ge 0$,

is

(A) zero

(B) one

(C) two

(D) infinite

Q.33 The value of x in the sequence 2, 4, 10, 28, 82, x, ... is

- (A) 102
- (B) 168
- (C) 252
- (D) 244

Q.34 Consider the following segment of a C program

The output of the program segment will be

(A) 0

(B) 2

- (C) 3
- (D) 4

Q.35 Four different weights W_1 , W_2 , W_3 , W_4 can take only integral values. They can be used on one or both the pans of a balance to weigh objects having all possible integral weights from unit weight to W, where, $W = W_1 + W_2 + W_3 + W_4$. The vector (W_1, W_2, W_3, W_4) which maximizes W is

- (A) (1, 2, 5, 10)
- (B) (1, 3, 9, 27)
- (C) (1, 2, 4, 8)
- (D) (1, 3, 15, 25)

Q.36 In a C program, variables x and y are declared to be of type int. Consider the following four statements

S1:
$$y = x \& 1;$$
 S2: $y = x % 2;$ S3: $y = x / 2;$ S4: $y = x << 1;$

Which of the statements will result in the same value of y for every value of x?

- (A) S3 and S4
- (B) S1 and S3
- (C) S1 and S2
- (D) S2 and S4

- Q.37 IBM stands for
 - (A) Indian Business Machine
 - (B) International Business Manufacturer
 - (C) Indian Business Manufacturer
 - (D) International Business Machine

Q.38 Consider the following fragment of a C program

where ^ denotes bit-wise XOR operation. Then the value assigned to z will be

- (A) 20
- (B) 25
- (C) 23
- (D) 13

Q.39 An ASCII code contains

- (A) 8 bits
- (B) 4 bits
- (C) 7 bits
- (D) 6 bits

Q.40 Who among the following developed Linux?

- (A) Bill Gates
- (B) Sabeer Bhatia
- (C) Narayan Murthy
- (D) Linus Torvalds

Q.41 IPR stands for

- (A) Intelligence Performance Ratio
- (B) Intellectual Property Rights
- (C) Intelligence Production Rights
- (D) Intellectual Performance Research

Q.42 A software is termed an open source software if

- (A) the developer company is open 24 hours
- (B) its source code is available to share, study and modify
- (C) it can be downloaded from the Internet
- (D) it is available free of cost

Q.43 The rank of the matrix
$$\begin{bmatrix} 1 & 2 & 3 & 4 \\ 2 & 3 & 4 & 5 \\ 3 & 4 & 5 & 6 \\ 4 & 5 & 6 & 7 \end{bmatrix}$$
 is

(A) 1

(B) 2

(C) 3

(D) 4

Q.44 Consider the following LPP

$$\min f = 4x + 3y$$

subject to

$$x + y \ge 12$$
,

$$4x + 3y \ge 36$$
,

$$x \ge 2$$
, $y \ge 2$.

The minimum value of f is

- (A) 36
- (B) 48
- (C) 46
- (D) 38

Q.45 An LPP has the following constraints:

$$2x + 5y \ge 10,$$

$$3x + 4y \le 24,$$

$$x \ge y,$$

$$x \ge 0, \quad y \ge 0.$$

Which of the following is **NOT** a feasible solution to the LPP?

$$(C)\left(\frac{10}{7},\frac{10}{7}\right)$$

Q.46 Consider the following LPP:

subject to
$$5x + 6y \ge 15,$$

$$6x + 15y \le 90,$$

$$x \le 10,$$

$$x \ge 0, \quad y \ge 0.$$

The number of extreme points of the feasible region of the LPP is

$$(C)$$
 5

Q.47 A particular integral of the differential equation $\frac{d^2y}{dx^2} - 16y = 4\sinh^2 2x$ is

(A)
$$\frac{1}{8} \left(xe^{4x} + xe^{-4x} - 1 \right)$$

(B)
$$\frac{1}{8} \left(xe^{4x} - xe^{-4x} + 1 \right)$$

(C)
$$\frac{1}{4} \left(e^{4x} - xe^{-4x} + \frac{1}{2} \right)$$

(D)
$$\frac{1}{4} \left(xe^{4x} + e^{-4x} + \frac{1}{2} \right)$$

Q.48 The general solution of the differential equation $\frac{d^3y}{dx^3} - 3\frac{d^2y}{dx^2} + 4y = 0$ is

(A)
$$y = c_1 e^x + c_2 e^{2x} + c_3 x e^{2x}$$

(B)
$$y = c_1 e^{-x} + c_2 e^{2x} + c_3 x e^{2x}$$

(C)
$$y = c_1 e^{-x} + c_2 x e^{-x} + c_3 e^{2x}$$

(D)
$$y = c_1 e^{-x} + c_2 e^x + c_3 e^{4x}$$

Q.49 The area bounded by the curves $x^2 = 4 - 2y$ and $x^2 = y + 4$ is

Q.50 The volume of the region in \mathbb{R}^3 given by $3|x|+4|y|+3|z| \le 12$ is

Q.51	Let $F(x, y, z) = x^2 + y$	$z^2 + z^2 + xy + yz + zx . \text{ Th}$	ne value of $F_x + F_y + F_z$	at (1, 1, 1) is	
	(A) 12	(B) 10	(C) 16	(D) 8	
Q.52	Three unbiased dice of different colours are rolled. The probability that the same number appears on at least two of the three dice is				
	(A) $\frac{5}{36}$	(B) $\frac{1}{2}$	(C) $\frac{5}{12}$	(D) $\frac{4}{9}$	
Q.53	An unbiased coin is tossed eight times. The probability of obtaining at least one head and at least one tail is				
	(A) $\frac{255}{256}$	(B) $\frac{127}{128}$	(C) $\frac{63}{64}$	(D) $\frac{31}{32}$	
Q.54		Suppose the sum and the product of the mean and the variance of a binomial random varial are 10 and 24 respectively. Then the probability of success in a single trial is			
	(A) $\frac{1}{4}$	(B) $\frac{3}{4}$	(C) $\frac{2}{3}$	(D) $\frac{1}{3}$	
Q.55	A Poisson random variable X has unit mean. Then $P(X = odd)$ is				
	$(A) \ \frac{1}{2} \left(1 - \frac{1}{e} \right)$	(B) $1 - \frac{1}{e^2}$	(C) $\frac{1}{2} - \frac{1}{e^2}$	(D) $\frac{1}{2} \left(1 - \frac{1}{e^2} \right)$	
Q.56	The order of the permu	the order of the permutation $(12)(546)(3978)$ in the symmetric group S_9 is			
	(A) 6	(B) 9	(C) 12	(D) 24	
Q.57	If $\alpha = (13)(254)$ in the	f $\alpha = (13)(254)$ in the symmetric group S_5 , then α^{65} equals			
	(A) (13)(254)	(B) (12)(345)	(C) (32)(154)	(D) (31)(245)	
Q.58	Let S be a set with 10 elements. The number of subsets of S having odd number of elements is				
	(A) 256	(B) 512	(C) 752	(D) 1024	
Q.59	If $\vec{a}, \vec{b}, \vec{c}$ are three vec	tors in \mathbf{R}^3 , then $(\vec{a} - \vec{b} + \vec{a})$	$(\vec{c}) \cdot ((\vec{b} - \vec{c} + \vec{a}) \times (\vec{c} - \vec{a} + \vec{b}))$	(\vec{b}) equals	
	(A) 0	(B) $\vec{a} \cdot (\vec{b} \times \vec{c})$	(C) $4\vec{a}\cdot(\vec{b}\times\vec{c})$	(D) $6\vec{a} \cdot (\vec{b} \times \vec{c})$	

- If $\vec{r} = x \hat{i} + y \hat{j} + z \hat{k}$, then $\nabla |\vec{r}|^4$ equals
 - (A) $4|\vec{r}|$
- (B) $4|\vec{r}|^2 \vec{r}$ (C) $4|\vec{r}|\vec{r}$ (D) $4|\vec{r}|^3$
- The area of the parallelogram in \mathbb{R}^2 whose diagonals are $3\hat{i} + \hat{j}$ and $\hat{i} 3\hat{j}$ is Q.61
 - (A) 2.5
- (B) 5

- (C) $\sqrt{2.5}$
- (D) $\sqrt{5}$
- Let $a_0 + a_1 x + a_2 x^2 + a_3 x^3 + \cdots$ be the Taylor series for the function $\sin(x^2 + 3x)$ about Q.62 x = 0. Then a_3 equals

- (A) $-\frac{9}{2}$ (B) $\frac{9}{2}$ (C) $\frac{27}{2}$
- The number of real values of a for which the set $\{(a,a^2),(a^2,a)\}$ is **NOT** a basis of \mathbb{R}^2 , is Q.63
 - (A) 1

(B) 2

- (C) 3
- (D) 4

- Q.64 The set $(\mathbf{Q} \times \mathbf{Q}) \setminus (\mathbf{N} \times \mathbf{N})$ equals
 - (A) $(\mathbf{Q} \setminus \mathbf{N}) \times (\mathbf{Q} \setminus \mathbf{N})$

- (B) $[(\mathbf{Q} \setminus \mathbf{N}) \times \mathbf{Q}] \cup [\mathbf{Q} \times (\mathbf{Q} \setminus \mathbf{N})]$
- (C) $[(\mathbf{N} \times \mathbf{Q}) \setminus (\mathbf{Q} \times \mathbf{N})] \cup [(\mathbf{Q} \times \mathbf{N}) \setminus (\mathbf{N} \times \mathbf{Q})]$ (D) $(\mathbf{Q} \times \mathbf{N}) \setminus (\mathbf{N} \times \mathbf{Q})$
- Q.65 Let $f(x) = \frac{2}{1+x^2}$ for all $x \in \mathbb{R}$. Then $\lim_{n \to \infty} \frac{1}{n} \left(f'\left(\frac{1}{n}\right) + f'\left(\frac{2}{n}\right) + \dots + f'\left(\frac{n}{n}\right) \right)$ equals
 - (A) -2
- (B) -1
- (C) 1

(D) 2

Q.66 Let $f(x) = \begin{cases} x + x^2 & \text{if } x \ge 0, \\ x^2 & \text{if } x < 0. \end{cases}$

Which one of the following is TRUE?

- (A) f'(0) = 1 and f''(0) = 2
- (B) f'(0) = 1 but f''(0) is not defined
- (C) f'(0) does not exist
- (D) f is not continuous at x = 0
- Let $f(x) = 2x^3 + 3x^2 12x + 4$ for all $x \in \mathbb{R}$. Then Q.67
 - (A) f is not one-one on [-1, 1]
 - (B) f is one-one on [-1, 1] but not one-one on [-2, 2]
 - (C) f is one-one on [0, 2] but not one-one on [-2, 0]
 - (D) f is one-one on [-2, 2]

- Q.68 Let $f(x, y) = x^3 + y^3$ for all $(x, y) \in \mathbb{R}^2$. Then
 - (A) f has a local maximum at (0,0)
 - (B) f has a local minimum at (0,0)
 - (C) f has neither a local maximum nor a local minimum at (0,0)
 - (D) f has both a local maximum and a local minimum at (0,0)
- Q.69 Let F be a field with five elements and let $K = \{(a,b) \mid a,b \in F\}$ with the binary operations defined component-wise. Then
 - (A) K is not a field

- (B) K is a field with 5 elements
- (C) K is a field with 25 elements
- (D) K is a field with 32 elements

Q.70 Let
$$f(x, y) = \begin{cases} \frac{x}{|x|} \sqrt{x^2 + y^2} & \text{if } x \neq 0, \\ 0 & \text{if } x = 0. \end{cases}$$

Then $f_x(0,0) + f_y(0,0)$ equals

- (A) -2
- (B) -1
- (C) 0

- (D) 1
- Q.71 Let $a_1, a_2, ..., a_n$ be a finite sequence of numbers with the property $a_i \le a_{i+2}$ for all $i \in \{1, ..., n-2\}$. Which one of the following is always TRUE?
 - (A) The sequence is sorted
 - (B) First (n-2) elements of the sequence are sorted
 - (C) The first element of the sequence is the minimum
 - (D) Either a_{n-1} or a_n is the maximum of the sequence
- Q.72 Order the following memory types in increasing order of access time

M1: Cache, M2: CD-ROM, M3: Hard disk, M4: RAM, M5: Register

(A) M5 M1 M4 M3 M2

(B) M5 M1 M3 M4 M2

(C) M1 M5 M4 M3 M2

(D) M1 M4 M5 M3 M2

- Q.73 Consider the following statements about terminating (finite number of digits to the right of the point) representations
 - X: If the binary representation of a number terminates then its corresponding decimal representation also terminates.
 - Y: If the decimal representation of a number terminates then its corresponding binary representation also terminates.

Then

(A) X is true but Y is false

(B) Y is true but X is false

(C) both X and Y are true

- (D) neither X nor Y is true
- Q.74 The octal equivalent of decimal 204 is
 - (A) 304
- (B) 306
- (C) 314
- (D) 316

Q.75 Consider the following C program

```
int main() {
    char str[] = "leap";
    int len = strlen(str)-1;
    int i = 0;
    while (i <= len) {
        str[i] = str[len-i];
        i++;
    }
    printf("%s", str);
    return 0;
}</pre>
```

The output of the program will be

- (A) paal
- (B) pael
- (C) papa
- (D) paap
- Q.76 Let $f(A, B, C, D) = ABC + B(\overline{C} + \overline{D})$ be a Boolean function. The complement of f(A, B, C, D) is
 - (A) $\overline{B} + \overline{A} CD$

(B) $A \overline{B} + \overline{A} \overline{C} \overline{D} + \overline{B} \overline{C}$

(C) $B\overline{A} + \overline{B}\overline{A}\overline{D} + \overline{A}\overline{C}$

- (D) $\overline{C}\overline{D} + \overline{A}\overline{B}\overline{C}$
- Q.77 The number of three digit numbers greater than 100 in which digits appear in strictly increasing order is
 - (A) 36
- (B) 84
- (C) 90
- (D) 120

Q.78 Consider the following C function


```
int oddeven(int n) {
    int i = 0;
    while(n>1) {
        if (n%2)
            n = 3*n+1;
        else
            n = n/2;
        i++;
    }
    return i;
}
```

If n = 12 is given as input, what is the return value?

(A) 8

(B) 9


- (C) 10
- (D) 12
- Q.79 The next number in the sequence of binary numbers 0, 10, 100, 110, ... is
 - (A) 101
- (B) 1000
- (C) 1001
- (D) 1010
- Q.80 Following graph shows distances between six cities A through F.



If x and y are minimum and maximum distances from A to F where no city is visited more than once, then (x, y) is

- (A) (6, 11)
- (B) (5, 12)
- (C) (4, 13)
- (D) (6, 12)
- Q.81 The number of reflexive relations on a set with four elements is
 - (A) 10
- (B) 1024
- (C) 4096
- (D) 8192


Q.82 Consider the following logic circuit:



The output w is

- (A) $\overline{y} + \overline{x} \overline{z}$
- (B) $\overline{x} + \overline{y} \overline{z}$
- (C) $\overline{z} + \overline{x} \overline{y}$
- (D) $\overline{x}(\overline{y}+\overline{z})$

Q.83 Consider the following logic circuit:



The output *F* is

- (A) *x*
- (B) xy
- (C) x + y
- (D) *xz*

- Q.84 WWW stands for
 - (A) World Wide Wire
 - (C) World Wide Web

- (B) World With Web
- (D) World Wise Web
- Q.85 The first Prime Minister of India was
 - (A) Indira Gandhi
 - (C) Rajendra Prasad

- (B) Lal Bahadur Shastri
- (D) Jawaharlal Nehru
- Q.86 Consider the following two lists:

List I

- 1. DOS
- 2. P4
- 3. Java
- 4. PC

List II

- P. Sun Microsystems
- Q. Microsoft Corporation
- R. IBM
- S. Intel Corporation

The correct match is

- (A) $1 \rightarrow Q$, $2 \rightarrow S$, $3 \rightarrow P$, $4 \rightarrow R$
- (C) $1 \rightarrow S$, $2 \rightarrow P$, $3 \rightarrow Q$, $4 \rightarrow R$
- (B) $1 \rightarrow Q$, $2 \rightarrow R$, $3 \rightarrow S$, $4 \rightarrow P$
- (D) $1 \rightarrow R$, $2 \rightarrow P$, $3 \rightarrow Q$, $4 \rightarrow S$

Q.87	The song "Vande Mataram" was written by				
	(A) Bankim Chandra (C) A. R. Rahman	Chatterjee	(B) Rabindranath Tag (D) Satyajit Ray	gore	
Q.88	The number of gold m 2010 is	aber of gold medals won by India in the commonwealth games held in New Delhi in			
	(A) 36	(B) 37	(C) 38	(D) 40	
Q.89	When $28^{30} - 15^{30}$ is d	30 –15 30 is divided by 13, the remainder is			
	(A) 0	(B) 1	(C) 11	(D) 12	
Q.90	O 1	Let H be a subgroup of order 60 of a group G of order 120. If $a \in G \setminus H$, then which of the following is NOT a subgroup of G ?			
	(A) $\{ah \mid h \in H\}$		(B) $\{h^{-1} \mid h \in H\}$		
	(C) $\{aha^{-1} \mid h \in H\}$		(D) $H \bigcup \{a^{-1}h \mid h \in H\}$! }	
Q.91	Consider the following	g system of equations			
$2x+3y+4z = 13$ $5x+7y+7z = 26$ $9x+13y+15z = 13\lambda$					
	The value of λ for which the system has infinitely many solutions is				
	(A) 1	(B) 2	(C) 3	(D) 4	
Q.92	Let $x * y = 3xy$ for all	= $3xy$ for all $x, y \in \mathbb{R} \setminus \{0\}$. The inverse of the element 2 in the group $(\mathbb{R} \setminus \{0\}, *)$ is			
	(A) $\frac{1}{2}$	(B) $\frac{1}{3}$	(C) $\frac{1}{6}$	(D) $\frac{1}{18}$	
Q.93	The number of subset	f subsets of $\{1, 2,, 10\}$ which are disjoint from $\{3,7,8\}$ is			
	(A) 128	(B) 1021	(C) 1016	(D) 7	
Q.94		ne outputs during the currowing is its characteristic		ycles of a JK flip-flop,	

(A) $Q^+ = J \overline{Q} + \overline{K} Q$ (B) $Q^+ = J Q + \overline{K} \overline{Q}$ (C) $Q^+ = \overline{J} Q + \overline{K} Q$ (D) $Q^+ = \overline{J} \overline{Q} + K Q$

- 0.95 The number of functions taking two Boolean variables as input and providing three Boolean variables as output is (A) 12 (B) 32 (C) 4096 (D) 65536 Q.96 The Boolean expression $(X + Y)(\overline{X} + Z)$ equals (B) $ZY + Z\overline{X}$ (C) $\overline{X}Z + Y\overline{Z}$ (D) $XZ + \overline{X}Y$ (A) $XY + \overline{X}Z$ Q.97 Consider the following algorithm gcd(a, b) begin if b equals 0 then return a else return gcd(b, X) Which of the following expressions for X returns the gcd of positive integers a and b? (A) a/b (B) b/a(C) a mod b (D) b mod a Q.98 Let P, Q, R and S be statements, each of which can be either true or false. It is known that if P is true or Q is true then R is true and S is false. Suppose it is given that R is false. Then which one of the following will certainly be TRUE? (A) Both P and Q are true (B) P is true and Q is false (C) P is false and Q is true (D) Both P and Q are false 0.99 A JK flip-flop runs on a clock of period 20 KHz. If we set J = K = 1, the output Q is a (A) constant LOW (B) constant HIGH (C) 10 KHz wave (D) 20 KHz wave
- Q.100 HIV stands for
 - (A) Human Immunodeficiency Virus
 - (B) Hypersensitive Internal Vein
 - (C) Human Interactive Virus
 - (D) Human Immune Virus

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK