

- (1) Hinge joint in the following-
- (a) Knee
  - (b) Elbow
  - (c) Thumb
  - (d) All the above
- (2) Australian antigen test is done for-
- (a) HIV
  - (b) Typhoid
  - (c) AIDS
  - (d) HBV
- (3) Widal test is done in-
- (a) Typhoid
  - (b) Malaria
  - (c) Hepatitis
  - (d) flu
- (4) Dapsone and Rifampicin 'interaction' is-
- (a) Rifampicin decrease the blood dapsone level
  - (b) Rifampicin increase the blood dapsone level
  - (c) None of the above
  - (d) All the above
- (5) Bromhexidine is a -
- (a) Bronchodilator
  - (b) Antitussive
  - (c) Mucolytic
  - (d) None of the above
- (6) Theophylline is a -
- (a) Bronchodilator
  - (b) Antitussive
  - (c) Mucolytic
  - (d) All the above
- (7) Sulphasalazine is used for-
- (a) Ulcerative colitis
  - (b) Amoebiasis
  - (c) Giardiasis
  - (d) Nephritis
- (8) Uraemia has following symptoms except-
- (a) G.I. bleeding
  - (b) Pruritis
  - (c) Raised urea
  - (d) Raised creatinine

(9) The daily dose of Diazepam is-

- (a) 5-10 mg
- (b) 5-50 mg
- (c) 40-100 mg
- (d) 200 mg

(10) These cells are not having phagocytic activity-

- (a) Monocytes
- (b) Lymphocytes
- (c) Neutrophils
- (d) Basophils

(11) Helper cells are-

- (a) B- lymphocytes
- (b) T- Lymphocytes
- (c) Platelets
- (d) None

(12) Bitot spots are present on the-

- (a) Conjunctiva
- (b) Cornea
- (c) Sclera
- (d) Iris

(13) Imipramine is used in-

- (a) Inflammatory bowel syndrome
- (b) Both a and b
- (c) Irritable bowel syndrome
- (d) None

(14) The commonest Carcinoma of the parotid gland is-

- (a) Squamous cell
- (b) Benign
- (c) Malignant
- (d) Adeno carcinoma

(15) Tonsils are supplied by-

- (a) Lingual artery
- (b) Superior palatine artery
- (c) inferior palatine artery
- (d) None of the above

(16) Heat regulation centers are present in-

- (a) Hypothalamus
- (b) Thalamus
- (c) Pons
- (d) Medulla

(17) The incubation period of the Whooping cough is-

- (a) 2-5 days
- (b) 3-7 days
- (c) 7-10 days
- (d) 10-15 days

(18) Spasmodic dysmenorrhoea occurs in age-

- (a) 15-35 years
- (b) 1-25 years
- (c) 35-50 years
- (d) All the above

(19) The gall bladder is stimulated by-

- (a) Secretin
- (b) Cholecystokinin
- (c) Bradykinin
- (d) Adrenaline

(20) Rasa is known by-

- (a) Rasanendriya
- (b) Cholecystokinin
- (c) Bradykinin
- (d) Adrenaline

(21) Pseudo diabetes is seen in-

- (a) Old age
- (b) Uraemia & disturbed metabolism
- (c) Pancreatitis
- (a) Young age

(22) Dual blood supply is seen in case of-

- (a) Liver
- (b) Pancreas
- (c) Scrotum
- (d) Duodenum

(23) Bile salts are derived from-

- (a) Bilirubin
- (b) Proteins
- (c) Fatty acids
- (d) Cholesterol

(24) Biliary stones are commonly seen at-

- (a) Ampulla
- (b) Bladder
- (c) Common bile duct
- (d) None

(25) The absorption of Vit.B12 occurs from which place ?

- (a) Gastrum
- (b) Jejunum
- (c) Ileum
- (d) Liver

(26) The height of the normal child at one year of age is-

- (a) 75 cm
- (b) 175 cm
- (c) 50 cm
- (d) 150 cm

- (27) The side effect of paracetamol is-
- (a) Gastritis
  - (b) Blood dyscrasias
  - (c) Platelet aggregation
  - (d) All the above
- (28) Haloperidol is a -
- (a) Hypotensive
  - (b) Anti-psychotic
  - (c) Anti-pyretic
  - (d) Anaesthetic
- (29) The primary symptoms of intestinal obstruction is-
- (a) Vomiting
  - (b) Visual peristalsis
  - (c) Spasmodic pain
  - (d) All the above
- (30) Potassium is found in maximum quantity in-
- (a) Citrus fruits
  - (b) Banana
  - (c) Liver
  - (d) Vegetables
- (31) Common complication of histamine is-
- (a) Allergy
  - (b) Infection
  - (c) Fever
  - (d) None
- (32) Multiple sclerosis is a disorder-
- (a) CVS
  - (b) CNS
  - (c) GIT
  - (d) Vasospastic
- (33) Nephrotic syndrome is caused by-
- (a) Hypercholestraemia
  - (b) Hypochlestraemia
  - (c) Anaemia
  - (d) SLE
- (34) The commonest among the abscess-
- (a) Collersted's abscess
  - (b) Pyaemic abscess
  - (c) Perianal abscess
  - (d) All the above
- (35) I.V. dose is comparatively ..... than oral dose-
- (a) More
  - (b) Less
  - (c) Equal
  - (d) Not known

(36) Bulk increasing laxative among the following-

- (a) Jyotishmati
- (b) Haritakat
- (c) Isabgol
- (d) Eranda

(37) Conduction is more at-

- (a) Synapse
- (b) Nerve ending
- (c) Nucleus
- (d) Nerve fibers

(38) Ramstede operation is done in case of-

- (a) Congenital pyloric stenosis
- (b) Patent ductus arteriosus
- (c) ASD
- (d) VSD

(39) Vomiting centre is-

- (a) Near the respiratory centre
- (b) Near the CTZ
- (c) Near medulla oblongata
- (d) None

(40) Deficiency of B12 leads to-

- (a) Stomatitis
- (b) Beri- beri
- (c) Night blindness
- (d) Neuritis

(41) In Muscle glucose is supplied in the form of-

- (a) Fatty acid
- (b) Amino acid
- (c) Glycogen
- (d) Pentose

(42) During exercise, blood flow is not reduced for-

- (a) Lungs
- (b) Heart
- (c) Kidney
- (d) Brain

(43) The percentage of saturated iron concentration in lactoferrin in **human milk** is -

- (a) 10 – 30 %
- (b) 50 – 30 %
- (c) 10 – 15 %
- (d) 40 – 50 %

(44) Amnion is formed from-

- (a) Cytotrophoblast
- (b) Ectodermal germ layer
- (c) Both A and B
- (d) Placenta

- (45) Aspirin was first discovered in the year-
- (a) 1899 (b) 1889  
(b) 1890 (d) 1980
- (46) Charaka samhita Pratisamskarta is-
- (a) Charaka (b) Agnivesa  
(c) Dridhabala (d) both a and c
- (47) Hypothyroidism leads to-
- (a) Myxodema (b) Thyrotoxicosis  
(c) Cushing's syndrom (d) None
- (48) Which is linked with cell mediated immunity ?
- (a) T- lymphocyte (b) B-lymphocyte  
(c) Complementary system (d) None
- (49) One of the following does not cause permanent hardness-
- (a)  $\text{CaSO}_4$  (b)  $\text{MgSO}_4$   
(c) Nitrates (d) Calcium carbonate
- (50) Azotomic diabetes means-
- (a) Albuminuria (b) Uremia  
(c) Proteinemia (d) None
- (51) Hyperventilation is seen in-
- (a) Anxiety (b) Metabolic acidosis  
(c) Asthma (d) None
- (52) Kussumal beathing is seen in-
- (a) Metabolic acidosis (b) Sleep  
(c) Asthma (d) Bronchitis
- (53) Increased protein levels in CSF are seen with-
- (a) CVA (b) CHD  
(c) Encephalitis (d) T.B. Meningitis

(54) In Japanese encephalitis ..... is vector

- (a) Man
- (c) Mosquito

- (b) Pig
- (d) Fly

(55) In gout which is found to be elevated ?

- (a) Serum glucose
- (c) Serum Uric Acid

- (b) Serum cholesterol
- (d) None

(56) Which of the following is not a water-borne disease ?

- (a) Chorea
- (c) Hepatitis- B

- (b) Bronchitis
- (d) Amoebiasis

(57) Pelvic diaphragm is formed by-

- (a) Levator ani muscle
- (c) Both

- (b) Coccygeus muscle
- (d) None

(58) Cancer of parathyroid gland is associated with-

- (a) Acinar cells
- (c) Mucoperitoneal epithelium

- (b) Squamous cells
- (d) None

(59) Percentage of incidence of eclampsia is-

- (a) 55 %
- (c) 78 %

- (b) 70 %
- (d) 75 %

(60) Borax is known as-

- (a) Tankana
- (c) Vatsanabha

- (b) Utangana
- (d) Navasara

(61) Which is known as SutendraVirya Prada ?

- (a) Parada
- (c) Rasaka

- (b) Chapala
- (d) Gandhaka

(62) Karpura Ras is-

- (a) Kupipakwa
- (c) Parpati

- (b) Khalviya
- (d) Khajjali



(63) Tamra is extracted from-

- (a) Vaikranta
- (c) Garika

- (b) Kasisa
- (d) Makshika

(64) Kacchapa yantra is used for-

- (a) Abhyantara Jarana
- (c) Patana

- (b) Bahya Jarana
- (d) Mardana

(65) Chapalatwa nivritti of parad is possible by-

- (a) Murchana
- (c) Bandhana

- (b) Swedana
- (d) Niyamana

(66) Parada acts as rujahara after samskara-

- (a) Murchana
- (c) Mardana

- (b) Swedan
- (d) None

(67) The specific gravity of Lead is -

- (a) 7.29
- (c) 7.92

- (b) 11.7
- (d) 14.7

(68) The atomic weight of Gold is-

- (a) 162
- (c) 79

- (b) 244
- (d) 261

(69) Parpati is ..... Bandhana of parada.

- (a) Pot
- (c) Jaluka

- (b) Arot
- (d) Bal

(70) Khara sneha is used for.....Prayoga.

- (a) Abhyantara
- (c) Bahya

- (b) Nasya
- (d) None

(71)  $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$  is-

- (a) Borax
- (c) Gypsum

- (b) Alum
- (d) None



(72) Hrinnala is a variety of-

- (a) Teekshan Loh (b) Kant Loh  
(c) Mund Loh (d) Loh Kitta

(73) Arogyavardhini consists of-

- (a) Katuki (b) Tamra  
(c) Guggulu (d) All the above

(74) Which Anjana consist of lead-

- (a) Suranjana (b) Kalanjana  
(c) Rasanjana (d) Neelanjana

(75) Mandala Kushta is caused by-

- (a) Pinakabhraka (b) Nagabhraka  
(c) Vajrabhraka (d) All the above

(76) Ferro-magnesium mica is-

- (a) Krishna and raktabhraka (b) Swetabhraka  
(c) Both (d) None

(77) This is a corrosive material-

- (a) Suphur (b) Ochre  
(c) Alum (d) CuSO<sub>4</sub>

(78) The variety of sulphur according to Rasendra chunamani is -

- (a) 2 (b) 3  
(c) 4 (d) 7

(79) Au is readily soluble in-

- (a) H<sub>2</sub>SO<sub>4</sub> (b) Aqua resia  
(c) Silver nitrate (d) HCl

(80) Simhanada guggulu consist of-

- (a) Kapikacchu (b) Karaveera  
(c) Katuki (d) Eranda

- (81) Evaporation of Smritisagar Ras is done with -  
(a) Jyotismahi Oil (b) Brahmi  
(c) Vacha (d) All
- (82) Bhavana of smritisagarras is done with-  
(a) Bhringraja swarasa (b) Nimba swarasa  
(c) Jambira swarasa (d) None
- (83) Vatsanabhi is the ingredient in-  
(a) Seetamsu Ras (b) Vatagajankusa Ras  
(c) Anandabhairav ras (d) All the above
- (84) Rasa Ranjana is achieved by pitta-  
(a) Sadhaka (b) Bhrajaka  
(c) Ranjaka (d) Pachaka
- (85) Phena shanti is the test for-  
(a) Taila (b) Ghrita  
(c) Asava (d) Avaleha
- (86) Nirdhuma is the test for-  
(a) Parada (b) Karpoora shilajit  
(c) Gomutra shilajit (d) Chapala
- (87) Girisindhura has how much percentage of mercury?  
(a) 1:1 (b) 1:2  
(c) 2:1 (d) 2:3
- (88) Master of all agnis is-  
(a) Bhutagni (b) Dhatwagni  
(c) Jatharagni (d) Malagani
- (89) The useful part of Jeevaka is-  
(a) Root (b) Stem  
(c) Tuber (d) None

(90) Calotropis Procera is the botanical name of-

- (a) Sweta arka (b) Rakta arka  
(c) Both (d) None

(91) Which of the following is having tikta rasa?

- (a) Haritaki (b) Amalaki  
(c) Katuka (d) Bhunimba

(92) This is Vatahara-

- (a) Bala (b) Yashtimadhu  
(c) Mudga (d) Jambu

(93) On the basis of guna, vipaka is----- types

- (a) One (b) Two  
(c) Three (d) Five

(94) According to use the drugs are divided into----- varieties.

- (a) Two (b) Four  
(c) Three (d) Five

(95) Number of Dravyagata padardhas-

- (a) 3 (d) 5  
(c) 7 (d) Innumerable

(96) Nipata is useful for the assessment of-

- (a) Rasa (b) Virya  
(c) Vipaka (d) Guna

(97) Virya is-

- (a) Potency (b) Active principle  
(c) Both a and b (d) None

(98) Total number of gunas according to Yogendranath Sen-

- (a) 20 (b) 40  
(c) 10 (d) 41

(99) Morphine is derived from-

- (a) Mineral (b) Plant  
(c) Synthetic (d) Animal

(100) Oshadhi is called because of its effect on-

- (a) Roga (b) Ushna  
(c) Oshadhi (d) Oushadi

(101) Vayu+ Prithvi will form Rasa-

- (a) Katu (b) Tikta  
(c) Kashaya (d) Madhura

(102) Amrita is the synonym of-

- (a) Guduchi (b) Vatsanabhi  
(c) Amalaki (d) All the above

(103) Kashaya rasa sevana leads to-

- (a) Vatavridddhi (b) Kaphavridddhi  
(c) Pitta vridddhi (d) All the above

(104) Bhumyamalaki is used in-

- (a) Gulma (b) Hepatitis A and B  
(c) Pandu (d) Granthi

(105) Kala khanda is the synonym of-

- (a) Yakrit (b) Tila  
(c) Pleeha (d) Kloma

(106) Vedotpatti is the chapter found in-

- (a) Charaka sutra (b) Susruta sutra  
(c) Vagbhata sutra (d) Vagbhata sareera

(107) Charaka samhita contains chapters-

- (a) 6/120 (b) 8/120  
(c) 8/150 (d) 6/150

- (108) Shatkriyakalayas are explained in the context of-
- (a) Vrana sophā (b) Salyaharana  
(c) Yogya sutriya (d) None
- (109) Bhikshugovinda is the author of-
- (a) Kharanada samhita (b) Parahita samhita  
(c) Yogaratnakaram (d) None
- (110) Sadhaka pitta sthana is-
- (a) Brain (b) Liver  
(c) GIT (d) Heart
- (111) Sthana of tarpaka sleshma is-
- (a) Sirah (b) Urah  
(c) Jihwa (d) Sandhi
- (112) Mala of rakta is-
- (a) Artava (b) Stanya  
(c) Kandara and sira (d) Ojus
- (113) Kaphaja sotha may be due to-
- (a) CCF (b) Renal failure  
(c) Inflammation (d) None
- (114) Satmya is the synonym of-
- (a) Chikitsa (b) Anupasaya  
(c) Upasaya (d) Samprapti
- (115) Who is the author of dhanwantari Nighantu.
- (a) Narahari (b) Madhava  
(c) Vopadeva (d) Mahendra Bhogik
- (116) Sthanya parimana according to Vagbhata-
- (a) 2 anjali (b) 1 anjali  
(c) 4 anjali (d) 6 anjali

- (117) How many adharaniya vegas are there?  
(a) 11 (b) 10  
(c) 12 (d) 13
- (118) Ojokshaya occurs in-  
(a) Romantika (b) Kumbhika  
(c) Prameha (d) Visarpa
- (119) Dasavidhpariksha are described in sthana of charaka samhita-  
(a) Nidana 8<sup>th</sup> chapter (b) Vimana 8<sup>th</sup> chapter  
(c) Sutra 8<sup>th</sup> chapter (d) Siddhi 8<sup>th</sup> chapter
- (120) Achaya prakopa occurs in ----- Roga.  
(a) Nija (b) Agantuja  
(c) Both (d) None
- (121) The Avrita vata which is incurable is-  
(a) Vata avrita (b) Rasa avrita  
(c) Medas avrita (d) both a and b
- (122) Upanaha is a -  
(a) Sneha (b) Sweda  
(c) Langhana (d) Bhrimhana
- (123) Raktaja netraroga of the following-  
(a) Ajakajata (b) Gambhirika  
(c) Parvani (d) Pothaki
- (124) Vitamin-A deficiency may cause-  
(a) Night blindness (b) Cataract  
(c) Parvani (d) Pothaki
- (125) Vagbhata advocated vasa to Garbhini upto----- month.  
(a) 3<sup>rd</sup> (b) 5<sup>th</sup>  
(c) 7<sup>th</sup> (d) 9<sup>th</sup>

(126) Sakshi is-

- (a) Ojus
- (c) Sukra

- (b) Artava
- (d) Atma

(127) Nigraha sthanas are included under-

- (a) Padartha
- (c) Tantra Dosha

- (b) Tantra Yukti
- (d) Vad Marga

(128) Danta sanku is used for-

- (a) Nirharana
- (c) Bhedana

- (b) Aharana
- (d) Lekhana

(129) Arma Roga is-

- (a) Chedya
- (c) Lekhya

- (b) Bhedya
- (d) Asadhya

(130) Susruta used ----- sastra for mudhagarbha

- (a) Kutharika
- (c) Kurcha

- (b) Karapatra
- (d) Vrihimukha

(131) In Shalya tantra, number of bones are in number-

- (a) 203
- (c) 300

- (b) 360
- (d) 320

(132) The yoga which is very useful in Yonya arsas is-

- (a) Jatyadi ghrita
- (c) Langali lepa

- (b) Udumbaralepa
- (d) None

(133) Naimittika rasayana used in prameha is-

- (a) Bakuchi
- (c) Guggulu

- (b) Amalaki
- (d) Shilajatu

(134) Madhumeha may be called as-

- (a) Kshoudrameha
- (c) Ksharameha

- (b) Ojomeha
- (d) Both a and b



(135) Pachana drayas are mainly indicated for-

- (a) Agnimandya
- (b) Amlapitta
- (c) Grahani
- (d) All the above

(136) Piccha vasti is used in-

- (a) Rakta arsas
- (b) Raktapitta
- (c) Rakta pradara
- (d) Rakta atisara

(137) According to Charaka Mutraghatas are-

- (a) 6
- (b) 8
- (c) 12
- (d) 13

(138) Sonita varnaniya chapter is present in book-

- (a) Susruta sutra
- (b) Charaka sutra
- (c) Vagbhata sutra
- (d) None

(139) Bhu dhaatri is according to Charaka-

- (a) Bhumyamalaki
- (b) Amalaki
- (c) Vasa
- (d) Tamalaki

(140) The sastra used for craniotomy is-

- (a) Ara
- (b) Sarari
- (c) Tri kurhaka
- (d) Karapatra

(141) Asadhya type used for craniotomy is-

- (a) Hina karna
- (b) Paripota
- (c) Deergha karna
- (d) Parilehi

(142) Anumiti karanam is-

- (a) Prama
- (b) Pramata
- (c) Prameya
- (d) Anumanam

(143) Sneha is contraindicated in-

- (a) Gridhrasi
- (b) Amavata
- (c) Sandhivata
- (d) Urusthambha

- (144) Bhoutik composition of buddhi according to Harita-
- (a) Akasa+vayu (b) Prithvi+ akasa  
(c) Prithvi+ vayu (d) Akasa+ Tejah
- (145) According to Kashyapa'Sisoh kaksha-Griva-Sphik-Kukshisira tanutwam are seen in-
- (a) Balasosha (b) Raja yakshma  
(c) Sosha (d)Urahkshata
- (146) In which condition food is not allowed before surgery?
- (a) For local anaesthesia (b) For electric cautery  
(c) For thermocoagulation (d) While giving G.A.
- (147)'Vyortalwantargatah...' is described in the context of-
- (a) Yoshapasmara (b) Skandapasmara  
(c) Mastulungakshaya (d) All the above
- (148) Yuktipramana is accepted by-
- (a) Charaka (b) Sushruta  
(c) Vagbhatta (d) All the above
- (149) How many aharavidhivishesha ayatanas are there?
- (a) 6 (b) 8  
(c) 10 (d) 12
- (150) Distention of abdomen below umbilicus, discharge from anus with colicky pain are characteristic features in-
- (a) SukrajaUdavarta (b) Purishaja Udavarta  
(c) Annaja udavarta (d) None of the above
- (151) Karana for samyoga and vibhaga is-
- (a) Dravya (b) Karma  
(c) Prabhava (d) Vipaka
- (152) The main dushya in prameha is-
- (a) Medas (b) Ojus  
(c) Lasika (d) Vasa

- (153) The specific drug among Vishahara group is-
- (a) Langali (b) Vatsanabhi  
(c) Sirisha (d) Iswari
- (154) The second day diet for new born baby is-
- (a) Lakhmana panji ghrita (b) Matru stanya  
(c) Aja ksheera (d) None
- (155) Garbhini palitya is due to-
- (a) Vata (b) Pitta  
(c) Kapha (d) Kapha-vata
- (156) Udavarta is-
- (a) Mutraroga (b) Netraroga  
(c) Yoni roga (d) Balaroga
- (157) According to Kimsuka pushpa sam Yoni Srava is meant for-
- (a) Female child (b) Male child  
(c) Both (d) None
- (158) Asadhya type of bhagandara is-
- (a) Sataponaka (b) Sambuka avarta  
(c) Ustragreeva (d) All the above
- (159) Mano doshas are-
- (a) Sattwa-Rajah-Tamah (b) Rajah-Tamah  
(c) Tamah-Sattwa (d) Rajah-Sattwa
- (160) Bola parpati is used in-
- (a) Grahani (b) Raktapitta  
(c) Atisara (d) Arsas
- (161) Anna- ajeerna is due to-
- (a) Visuchika (b) Alasaka  
(c) Vilambika (d) None

(162) Bandhana is not advocated for-

- (a) Gudapaka
- (b) Snayuvana
- (c) Agni dagdha
- (d) Ksharadagdha

(163) Manah is specifically considered as-

- (a) Karmendriya
- (b) Jnanendriya
- (c) Both a and b
- (d) Atindriya

(164) Supreme court of India prohibited practice of modern medicine by ayurvedic doctors?

- (a) True
- (b) False
- (c) Yet to be decided
- (d) None

(165) Akasmat Vayodgama Krisou..... Indicates

- (a) Chardi
- (b) Hikka
- (c) Swasa
- (d) Kasa

BHU 2000				
1. D	38. A	75. D	112. C	149. A
2. D	39. B	76. A	113. B	150. B
3. A	40. D	77. D	114. C	151. B
4. B	41. C	78. C	115. A	152. B
5. C	42. D	79. B	116. B	153. C
6. A	43. A	80. D	117. D	154. A
7. A	44. C	81. D	118. C	155. D
8. A	45. A	82. A	119. B	156. C
9. B	46. D	83. C	120. B	157. B
10. D	47. A	84. C	121. C	158. B
11. B	48. A	85. B	122. B	159. B
12. C	49. D	86. C	123. D	160. B
13. B	50. B	87. A	124. A	161. A
14. D	51. B	88. C	125. D	162. B
15. A	52. A	89. C	126. D	163. C
16. A	53. D	90. B	127. D	164. B
17. C	54. B	91. B	128. D	165. A
18. A	55. C	92. A	129. A	
19. B	56. C	93. B	130. A	
20. B	57. C	94. C	131. C	
21. C	58. A	95. B	132. B	
22. A	59. D	96. A	133. D	
23. A	60. A	97. C	134. D	
24. C	61. D	98. D	135. C	
25. A	62. B	99. B	136. D	
26. A	63. D	100. A	137. B	
27. D	64. C	101. B	138. A	
28. D	65. D	102. D	139. A	
29. D	66. A	103. A	140. D	
30. A	67. A	104. B	141. A	
31. A	68. A	105. A	142. D	
32. D	69. A	106. B	143. D	
33. D	70. A	107. B	144. B	
34. B	71. A	108. A	145. A	
35. B	72. A	109. A	146. D	
36. C	73. D	110. D	147. C	
37. B	74. B	111. A	148. A	