

PHYSICS, CHEMISTRY & MATHEMATICS

(For Admission into 1st Semester of 3 Years Diploma Course)

Candidate's Roll Number

--	--	--	--	--	--	--	--

Undertaking :

I have carefully gone through the instructions given below and hereby agree to follow them.

Application Number

--	--	--	--	--	--	--

Full Signature of the Candidate

OMR Serial Number

--	--	--	--	--	--	--

Full Signature of the Invigilator

INSTRUCTIONS TO CANDIDATE

- After receiving the question booklet, gently pull out the answer sheet without breaking the paper seal of the Question Booklet.
- Check that the SET CODE printed on the top of this question booklet is same as that printed on the OMR sheet. In case it is different, please get it replaced with a question booklet with the same SET CODE as that of the OMR answer sheet from the invigilator.
- Fill in the boxes given in the OMR sheet by using Blue or Black Ball-point pen.
- OPEN THE SEAL OF THE QUESTION BOOKLET ONLY AFTER THE ANNOUNCEMENT BY THE INVIGILATOR TO DO SO.**
- Use HB Pencil/Blue or Black Ball-point Pen to darken the appropriate circles in the OMR sheet. Darken only one circle for a question which you consider to be most correct. If more than one circle(s) are darkened for any question, it will be treated as the incorrect answer. A faintly darkened circle may be interpreted as wrong method of marking and may be rejected by the optical scanner.
- All Questions are compulsory.
- Each correct answer will fetch 04 marks whereas each incorrect answer will lead to deduction of 01 mark. Each unattempted question will fetch zero mark.
- Use blank spaces provided in the question booklet for rough work. Doing the rough work on the answer sheet is forbidden.
- The Answer sheet consists of two pages, the top one is the original answer sheet whereas the annexed one is carbon copy. Do not detach the carbon copy of the answer sheet by yourself. If the carbon copy is detached, the answer sheet will be rejected.
- If you finish answering, remain seated in your seat till the Answer Sheet and other materials are collected by the invigilator from you.
- The carbon copy of the Answer sheet will be detached by the invigilator at the end of the examination and returned to you.
- You are warned not to adopt any unfair means during the examination.
- Do not carry any cellular/mobile phone/electronic gadget into the Examination Hall.



This Question Booklet contains 56 pages excluding the cover page. There are 100 Questions [Part-I (Chemistry-25) + Part-II (Mathematics-50) + Part-III (Physics-25)] in all. Check every page of this Question Booklet carefully. If you find it defective in any manner, ask for another Question Booklet of the same set within 10 minutes of the commencement of Examination.

PART-I
(CHEMISTRY)

1. (a) Carbonates of Ca and Mg cause hardness of water.
- (b) Lime removes only temporary hardness
- (c) Washing soda removes only permanent hardness.
- (A) (a) is correct and (b) and (c) are wrong
- (B) (b) is correct and (c) and (a) are wrong.
- (C) (c) is correct and (a) and (b) are wrong
- (D) (a), (b) and (c) are wrong
1. (a) କାଲସିଯମ୍ ଓ ମାରେସିଯମ୍ର କାର୍ବୋନେଟ୍ ଯୋଗୁଁ ଜଳ ଖର ହୋଇଥାଏ
- (b) ବୁନ କେବଳ ଅସ୍ଥାୟୀ ଖରତ୍ତ ଦୂର କରେ ।
- (c) ଲୁଗାଧୁଆସୋଡ଼ା କେବଳ ପ୍ଲାୟୀ ଖରତ୍ତ ଦୂର କରେ
- (A) (a) ଠିକ୍ ଏବଂ (b) ଓ (c) ଭୁଲ
- (B) (b) ଠିକ୍ ଏବଂ (c) ଓ (a) ଭୁଲ
- (C) (c) ଠିକ୍ ଏବଂ (a) ଓ (b) ଭୁଲ
- (D) (a), (b) ଓ (c) ଭୁଲ
2. The formula of a metallic oxide is M_2O_3 . The metal would belong to which group of the modern periodic table ?
- (A) IA
- (B) IIA
- (C) IIIA
- (D) IVA

(Space For Rough Work)

5. (a) Air pollution causes acid rain.
 (b) Acid rain causes water pollution.
 (c) Water pollution causes soil pollution.
- (A) (a) and (b) are correct and (c) is wrong
 (B) (b) and (c) are correct and (a) is wrong
 (C) (c) and (a) are correct and (b) is wrong
 (D) (a), (b) and (c) are correct
5. (a) ବାସ୍ତ ପ୍ରଦୂଷଣ ଯୋଗୁଁ ଅମ୍ବବର୍ଷା ହୁଏ ।
 (b) ଅମ୍ବବର୍ଷା ଯୋଗୁଁ ଜଳ ପ୍ରଦୂଷଣ ହୁଏ ।
 (c) ଜଳପ୍ରଦୂଷଣ ଯୋଗୁଁ ମୃତ୍ତିକା ପ୍ରଦୂଷଣ ହୁଏ ।
- (A) (a) ଓ (b) ଠିକ୍ ଏବଂ (c) ଭୁଲ
 (B) (b) ଓ (c) ଠିକ୍ ଏବଂ (a) ଭୁଲ
 (C) (c) ଓ (a) ଠିକ୍ ଏବଂ (b) ଭୁଲ
 (D) (a), (b) ଓ (c) ଠିକ୍
6. The ore of which metal is not suitable for electrolytic reduction ?
- (A) Mg
 (B) Zn
 (C) Al
 (D) Li
6. କେଉଁ ଧାତୁର ଓର ବୈଦ୍ୟତିକ ବିଜାରଣ ପାଇଁ ଅନୁପ୍ରୟୁକ୍ତ ?
- (A) Mg
 (B) Zn
 (C) Al
 (D) Li

(Space For Rough Work)

8. How many electrons take part in the formation of a carbondioxide molecule ?

(A) 2
(B) 4
(C) 6
(D) 8

8. କାର୍ବନ୍ ଡାଇଅକସାଇଡ଼ ଅଣ୍ୟ ଗଠନରେ କେତୋଟି ଲେକ୍ଷନ୍ ଭାଗ ନେଇଥାଏ ?

(A) 2
(B) 4
(C) 6
(D) 8

9. The mass of 1.12 litres of carbon-dioxide at NTP would be

(A) 2.05 g
(B) 2.10 g
(C) 2.15 g
(D) 2.20 g

9. ମାନକ ତାପ ଓ ତାପମାତ୍ରାରେ 1.12 ଲିଟର କାର୍ବନ୍ ଡାଇଅକସାଇଡ଼ର ବ୍ୟୁଦ୍ଧ ହେବ

(A) 2.05 ଗ୍ରା.
(B) 2.10 ଗ୍ରା.
(C) 2.15 ଗ୍ରା.
(D) 2.20 ଗ୍ରା.

(Space For Rough Work)

12. (a) Electrovalent bonds are generally formed between the elements at the two ends of the modern periodic table.

(b) Covalent bonds are generally formed between the non-metals.

(c) Electrovalent compounds have low melting points and covalent compounds have high melting points.

(A) (a) and (b) are correct and (c) is wrong

(B) (b) and (c) are correct and (a) is wrong

(C) (c) and (a) are correct and (b) is wrong

(D) (a), (b) and (c) are correct

12. (a) ସାଧାରଣତଃ ଆଧୁନିକ ପର୍ଯ୍ୟାୟ ସାରଣୀର ଭୁଲ ପ୍ରାତିରେ ଥିବା ମୌଳିକଗୁଡ଼ିକ ମଧ୍ୟରେ ବିଦ୍ୟୁତ ସଂଯୋଜ୍ୟ ବନ୍ଦ ଗଠିତ ହୋଇଥାଏ ।

(b) ସାଧାରଣତଃ ଅଧାତୁରୁତ୍ତିକ ମଧ୍ୟରେ ସହସଂଯୋଜ୍ୟ ବନ୍ଦ ଗଠିତ ହୋଇଥାଏ ।

(c) ବିଦ୍ୟୁତସଂଯୋଜୀ ଯୌଗିକଗୁଡ଼ିକର ଗଲନାଙ୍କ କମ ଥାଏ ଏବଂ ସହସଂଯୋଜୀ ଯୌଗିକ-ଗୁଡ଼ିକର ଗଲନାଙ୍କ ଅଧିକ ଥାଏ ।

(A) (a) ଓ (b) ଠିକ ଏବଂ (c) ଭୁଲ

(B) (b) ଓ (c) ଠିକ ଏବଂ (a) ଭୁଲ

(C) (c) ଓ (a) ଠିକ ଏବଂ (b) ଭୁଲ

(D) (a), (b) ଓ (c) ଠିକ

(Space For Rough Work)

14. Which one belongs to another class ?

- (A) Bitumen/Asphalt
- (B) Pitch/Coaltar
- (C) Coal
- (D) Coke

15. Which one is different from the other three ?

- (A) Lime
- (B) Lime stone
- (C) Quick lime
- (D) Slaked lime

14. କେଉଁଟି ଅନ୍ୟ ଶ୍ରେଣୀଭୁକ୍ତ ?

- (A) ବିରୁମେନ୍/ଆସପାଲର
- (B) ପିଚ୍/ଆଲକତାରା
- (C) କୋଇଲା
- (D) କୋକ୍

15. କେଉଁଟି ଅନ୍ୟ ତିନୋଟି ଠାରୁ ଭିନ୍ନ ?

- (A) ବୁନ
- (B) ବୁନପଥର
- (C) କଲିରୁନ
- (D) ଶମିତ ବୁନ

(Space For Rough Work)

18. The symbol of which one is different from that of the other three according to a certain principle ?

- (A) Chlorine
- (B) Cadmium
- (C) Caesium
- (D) Chromium

19. One milligram of hydrogen will contain how many atoms ?

- (A) 6.023×10^{20}
- (B) 6.023×10^{21}
- (C) 6.023×10^{22}
- (D) 6.023×10^{23}

18. এক নিচের নিয়ম অনুযায়ী কেন্দ্রিক প্রতীক
অন্য তিনোটির প্রতীকটা কী ?

- (A) ক্লোরিন
- (B) কাডমিয়ম
- (C) এক্সেজিয়ম
- (D) ক্রোমিয়ম

19. এক মিলিগ্রাম হাইড্রোজেনের কেতোটি
পরমাণু থুব ?

- (A) 6.023×10^{20}
- (B) 6.023×10^{21}
- (C) 6.023×10^{22}
- (D) 6.023×10^{23}

(Space For Rough Work)

22. Which one of the following is a neutralisation chemical reaction?

- (A) $\text{NaOH} + \text{HCl} = \text{NaCl} + \text{H}_2\text{O}$
- (B) $\text{NaCl} + \text{AgNO}_3 = \text{AgCl} + \text{NaNO}_3$
- (C) $\text{Zn} + \text{H}_2\text{SO}_4 = \text{ZnSO}_4 + \text{H}_2$
- (D) $\text{Fe} + \text{CuSO}_4 = \text{FeSO}_4 + \text{Cu}$

23. Out of the following in which case chemical change doesn't occur?

- (A) Fire wood oven is glowing
- (B) Kerosene stove is glowing
- (C) Electric oven is glowing
- (D) Gobargas oven is glowing

22. ନିମ୍ନୋକ୍ତ ମଧ୍ୟରୁ କେଉଁଚି ପ୍ରଶମନ ରାସାୟନିକ ପ୍ରତିକ୍ରିୟା ଅଣେ ?

- (A) $\text{NaOH} + \text{HCl} = \text{NaCl} + \text{H}_2\text{O}$
- (B) $\text{NaCl} + \text{AgNO}_3 = \text{AgCl} + \text{NaNO}_3$
- (C) $\text{Zn} + \text{H}_2\text{SO}_4 = \text{ZnSO}_4 + \text{H}_2$
- (D) $\text{Fe} + \text{CuSO}_4 = \text{FeSO}_4 + \text{Cu}$

23. ନିମ୍ନୋକ୍ତ ମଧ୍ୟରୁ କେଉଁ ଷେତ୍ରରେ ରାସାୟନିକ ପରିବର୍ତ୍ତନ ସଂଘରିତ ହୁଏ ନାହିଁ ?

- (A) କାଠ ରୁଲି ଜଳୁଆଛି
- (B) କିରୋସିନ ଷ୍ଟୋର ଜଳୁଆଛି
- (C) ଇଲେକ୍ଟ୍ରିକ ରୁଲି ଜଳୁଆଛି
- (D) ଗୋବରଗ୍ୟାସ୍ ରୁଲି ଜଳୁଆଛି

(Space For Rough Work)

PART-II**(MATHEMATICS)**

[Take π as $\frac{22}{7}$ if nothing else is said about it.]

[অন্য কোণসী সূচনা ন থলে π লাগি $\frac{22}{7}$ ব্যবহার কর।]

26. If the ratio of a pair of corresponding medians of two similar triangles is $p : q$, then what is the ratio of the areas of those two triangles?

- (A) $p : q$
- (B) $q : p$
- (C) $p^2 : q^2$
- (D) $q^2 : p^2$

27. In a circle, \overline{PQ} is a diameter and \overline{AB} is a Chord. $\overline{PQ} \perp \overline{AB}$ and \overline{PQ} intersects \overline{AB} at K . If $PQ = 26$ cm and $KQ = 8$ cm. What is the length of \overline{AB} in cm?

- (A) 10
- (B) 12
- (C) 20
- (D) 24

26. দুটি সমরূপ ত্রিভুজের অনুরূপ মধ্যমা দুটির অনুপাত $p : q$ হলে, তাঁর ত্রিভুজভয়র ষেত্রফলের অনুপাত কেতে ?

- (A) $p : q$
- (B) $q : p$
- (C) $p^2 : q^2$
- (D) $q^2 : p^2$

27. গোটি বৃত্তের ব্যাস \overline{PQ} এবং \overline{AB} এক জোড়া। $\overline{PQ} \perp \overline{AB}$ এবং \overline{PQ} ও \overline{AB} র ছেদকিন্তু K । যদি $PQ = 26$ সে.মি. ও $KQ = 8$ সে.মি. হো, তবে \overline{AB} র দৈর্ঘ্য কেতে সে.মি. ?

- (A) 10
- (B) 12
- (C) 20
- (D) 24

(Space For Rough Work)

30. If $(4x^2 + xy) : (3xy - y^2) = 12 : 5$,

what is $\frac{x}{y}$ equal to ?

- (A) $\frac{3}{4}$ or $\frac{4}{5}$
- (B) $\frac{4}{5}$ or $\frac{5}{6}$
- (C) $\frac{5}{6}$ or $\frac{6}{7}$
- (D) $\frac{6}{7}$ or $\frac{7}{8}$

31. The ratio between two numbers is $5 : 6$ and their L.C.M. is 150. What is the difference between the numbers ?

- (A) 5
- (B) 7
- (C) 8
- (D) 10

30. $(4x^2 + xy) : (3xy - y^2) = 12 : 5$

হেলে, $\frac{x}{y}$ র মান কেতে ?

- (A) $\frac{3}{4}$ বা $\frac{4}{5}$
- (B) $\frac{4}{5}$ বা $\frac{5}{6}$
- (C) $\frac{5}{6}$ বা $\frac{6}{7}$
- (D) $\frac{6}{7}$ বা $\frac{7}{8}$

31. দুটি সংখ্যা মধ্যের অনুপাত $5 : 6$ । এবং সংখ্যা দুটির লঃসা:গু: 150 হেলে, সংখ্যা দুটি মধ্যের পার্থক্য কেতে ?

- (A) 5
- (B) 7
- (C) 8
- (D) 10

(Space For Rough Work)

34. Given that $\log 8 = p$ and $\log 9 = q$.
Which of the following cannot be determined using the above data ?

- (A) $\log 15$
- (B) $\log 16$
- (C) $\log 17$
- (D) $\log 18$

35. If $a : b = 5 : 3$, what is the value of $(5a + 8b) : (6a - 7b)$?

- (A) $40 : 11$
- (B) $49 : 9$
- (C) $51 : 7$
- (D) $55 : 6$

34. ଦର ଅଛି, $\log 8 = p$ ଓ $\log 9 = q$ । ଉପରିଷ୍ଠ ତଥ୍ୟକୁ ବ୍ୟବସ୍ଥାର କରି ନିମ୍ନଲ୍ଲିଖିତ କେଉଁଚି ନିର୍ଣ୍ଣୟ କରାଯାଇ ପାରିବ ନାହିଁ ?

- (A) $\log 15$
- (B) $\log 16$
- (C) $\log 17$
- (D) $\log 18$

35. $a : b = 5 : 3$ ହେଲେ,

$(5a + 8b) : (6a - 7b)$ ର
ମାନ କେତେ ?

- (A) $40 : 11$
- (B) $49 : 9$
- (C) $51 : 7$
- (D) $55 : 6$

(Space For Rough Work)

37. If $\log 2 = a$ and $\log 3 = b$, what is the value of $\log 1\frac{1}{5}$?

- (A) $2a + b - 1$
- (B) $2a - b + 1$
- (C) $a - 2b + 1$
- (D) $a + 2b - 1$

38. Which of the following is equal to

$$\frac{\log_3 25 + \log_3 50 - \log_3 2}{\log_3 125}?$$

- (A) $\frac{4}{5}$
- (B) $\frac{3}{4}$
- (C) $1\frac{1}{3}$
- (D) $1\frac{1}{4}$

37. $\log 2 = a$ এবং $\log 3 = b$ হলে,
 $\log 1\frac{1}{5}$ র মান কেটে ?

- (A) $2a + b - 1$
- (B) $2a - b + 1$
- (C) $a - 2b + 1$
- (D) $a + 2b - 1$

38. কিম্বা কেଉচি

$$\frac{\log_3 25 + \log_3 50 - \log_3 2}{\log_3 125} \text{ এহ ঘমান ?}$$

- (A) $\frac{4}{5}$
- (B) $\frac{3}{4}$
- (C) $1\frac{1}{3}$
- (D) $1\frac{1}{4}$

(Space For Rough Work)

41. For what integral value of x ,

$$2^{2x+1} - 9 \times 2^x + 10 = 0 ?$$

- (A) 2
- (B) -2
- (C) 1
- (D) -1

42. If $a^m = b^n = p$ and $b^x = a^y = q$, then which of the following is true ?

- (A) $pq = mn + xy$
- (B) $pq = mn - xy$
- (C) $mx - ny = 0$
- (D) $mx + ny = 0$

41. x ର କେଉଁ ପୂର୍ଣ୍ଣସଂଖ୍ୟା ମାନ ଲାଗି

$$2^{2x+1} - 9 \times 2^x + 10 = 0 ?$$

- (A) 2
- (B) -2
- (C) 1
- (D) -1

42. $a^m = b^n = p$ ଏବଂ $b^x = a^y = q$, ହେଲେ,
ନିମ୍ନଲ୍ଲିଖିତ କେଉଁଟି ସତ୍ୟ ?

- (A) $pq = mn + xy$
- (B) $pq = mn - xy$
- (C) $mx - ny = 0$
- (D) $mx + ny = 0$

(Space For Rough Work)

45. If a block of wood in the shape of a right circular cylinder, with diameter equal to height, is reshaped into a sphere of maximum size, what will be the ratio of the surface areas of the original shape and the new shape?

- (A) 4 : 3
- (B) 3 : 2
- (C) 2 : 3
- (D) 3 : 4

46. One diagonal of a rhombus and a side of it are equal in length. If the area of the rhombus is $72\sqrt{3} \text{ cm}^2$, what is its perimeter in cm. ?

- (A) 36
- (B) 48
- (C) 54
- (D) 60

45. ଗୋଟିଏ ସରଳ ବୃତ୍ତ ଭୂମିକ ସିଲିଣ୍ଡର ଆକୃତି ବିଶିଷ୍ଟ କାଠ ଖଣ୍ଡର ବ୍ୟାସ ଓ ଉଚ୍ଚତା ସମାନ । ଏଥରୁ ଏକ ଦୃହତମ ଗୋଲକ ଆକୃତି ବିଶିଷ୍ଟ ବସ୍ତୁ ପ୍ରସ୍ତୁତ କଲେ, ପୂର୍ବରୁ ଥିବା ସମଗ୍ର ପୃଷ୍ଠାତଳ ଓ ପରେ ଉପନ୍ତ ହୋଇଥିବା ସମଗ୍ର ପୃଷ୍ଠାତଳର କ୍ଷେତ୍ରଫଳର ଅନୁପାତ କେତେ ?

- (A) 4 : 3
- (B) 3 : 2
- (C) 2 : 3
- (D) 3 : 4

46. ଏକ ଭୟସର ଗୋଟିଏ କର୍ଣ୍ଣର ଦୈର୍ଘ୍ୟ, ଏହାର ଏକ ବାହୁର ଦୈର୍ଘ୍ୟ ସହ ସମାନ ଏବଂ ଏହାର କ୍ଷେତ୍ରଫଳ $72\sqrt{3}$ ବର୍ଗ ସେ.ମି. ହେଲେ, ଏହାର ପରିସୀମା କେତେ ସେ.ମି. ?

- (A) 36
- (B) 48
- (C) 54
- (D) 60

(Space For Rough Work)

49. What is the ratio between the area of an equilateral triangle and that of a square if their perimeters are equal?

- (A) $4\sqrt{3} : 3$
- (B) $4 : 3\sqrt{3}$
- (C) $3\sqrt{3} : 4$
- (D) $3 : 4\sqrt{3}$

50. What is the median of the odd numbers that lie between 25 and 61?

- (A) 42
- (B) 43
- (C) 44
- (D) 45

51. What is the mean of the integers from -8 to +14?

- (A) 7
- (B) 6
- (C) 4
- (D) 3

49. ସମାନ ପରିସୀମା ବିଶିଷ୍ଟ ଗୋଟିଏ ସମବାହୁ ତ୍ରିଭୁଜ ଓ ଗୋଟିଏ ବର୍ଗକ୍ଷେତ୍ରର କ୍ଷେତ୍ରଫଳର ଅନୁପାତ କେତେ?

- (A) $4\sqrt{3} : 3$
- (B) $4 : 3\sqrt{3}$
- (C) $3\sqrt{3} : 4$
- (D) $3 : 4\sqrt{3}$

50. 25 ଓ 61 ମଧ୍ୟରେ 1 ଅୟୁଗ୍ର ସଂଖ୍ୟାମାନଙ୍କର ମଧ୍ୟମା କେତେ?

- (A) 42
- (B) 43
- (C) 44
- (D) 45

51. -8 ଠାରୁ +14 ପର୍ଯ୍ୟନ୍ତ ପୂର୍ଣ୍ଣସଂଖ୍ୟାମାନଙ୍କର ମାଧ୍ୟମାନ କେତେ?

- (A) 7
- (B) 6
- (C) 4
- (D) 3

(Space For Rough Work)

54. What is the rational equivalence of $0.\overline{321}$

- (A) $\frac{47}{135}$
- (B) $\frac{49}{145}$
- (C) $\frac{51}{155}$
- (D) $\frac{53}{165}$

55. Which of the following does not lie between $\frac{3}{4}$ and $\frac{4}{5}$

- (A) $\frac{31}{40}$
- (B) $\frac{49}{60}$
- (C) $\frac{61}{80}$
- (D) $\frac{91}{120}$

54. $0.\overline{321}$ රුපරිවේද මාන කෙතේ ?

- (A) $\frac{47}{135}$
- (B) $\frac{49}{145}$
- (C) $\frac{51}{155}$
- (D) $\frac{53}{165}$

55. නිමුෂ කෙරුණ $\frac{3}{4}$ සහ $\frac{4}{5}$ මධ්‍යවර්ග තුළේ ?

- (A) $\frac{31}{40}$
- (B) $\frac{49}{60}$
- (C) $\frac{61}{80}$
- (D) $\frac{91}{120}$

(Space For Rough Work)

58. If $\log_{10} p^2 = a - \log_{10} q^3$, then what is the value of p^{-2} ?

- (A) $\frac{q^3}{10^{-a}}$
- (B) $q^3 \cdot 10^{-a}$
- (C) $q^3 + 10^{-a}$
- (D) $q^3 - 10^{-a}$

59. If $x^2 - 7xy + y^2 = 0$, then which of the following is equal to $\frac{1}{2}(\log x + \log y)$?

- (A) $\log(x - y)^3$
- (B) $\log(x + y)^3$
- (C) $\log \frac{x - y}{3}$
- (D) $\log \frac{x + y}{3}$

58. $\log_{10} p^2 = a - \log_{10} q^3$ হলে, p^{-2} র মান কেতে ?

- (A) $\frac{q^3}{10^{-a}}$
- (B) $q^3 \cdot 10^{-a}$
- (C) $q^3 + 10^{-a}$
- (D) $q^3 - 10^{-a}$

59. $x^2 - 7xy + y^2 = 0$ হলে, $\frac{1}{2}(\log x + \log y)$ এর সমান ?

- (A) $\log(x - y)^3$
- (B) $\log(x + y)^3$
- (C) $\log \frac{x - y}{3}$
- (D) $\log \frac{x + y}{3}$

(Space For Rough Work)

62. The product of two consecutive positive even numbers is 224. What is the odd number between them ?

- (A) 11
- (B) 13
- (C) 15
- (D) 17

63. The hypotenuse of a right-triangle is 20 m long. If the difference between the lengths of the other two sides is 4 m, what is length of the shortest side in metres ?

- (A) 12
- (B) 10
- (C) 8
- (D) 6

62. ଦୁଇଟି କ୍ରମିକ ଧନୀମୂଳ ସୁରକ୍ଷାତ୍ତ୍ୱାର ଗୁଣଫଳ 224 ହେଲେ, ସେ ସଂଖ୍ୟାଦ୍ୱୟାର ମଧ୍ୟବତୀ ଅମୁଗ୍ର ସଂଖ୍ୟାଟି କେତେ ?

- (A) 11
- (B) 13
- (C) 15
- (D) 17

63. ଏକ ସମକୋଣୀ ତ୍ରିଭୁଜର କଣ୍ଠର ଦେଇଁ 20 ମି. ଓ ଅନ୍ୟ ଦୁଇ ବାହୁର ଦେଇଁର ପାର୍ଥକ୍ୟ 4 ମି. ହେଲେ, ତ୍ରିଭୁଜର କ୍ଷତ୍ରଫଳ ବାହୁର ଦେଇଁର କେତେ ମିଟର ?

- (A) 12
- (B) 10
- (C) 8
- (D) 6

(Space For Rough Work)

66. What is the discriminant of the equation

$$ax^2 + (c+2a)x + (b+c) = 0 ?$$

(A) $a^2 - 4ab + 4c^2$

(B) $a^2 + 4ab + 4c^2$

(C) $4a^2 + 4ab + c^2$

(D) $4a^2 - 4ab + c^2$

66. $ax^2 + (c+2a)x + (b+c) = 0$

ସମୀକରଣର ପ୍ରତ୍ୟେଦକ କେତେ ?

(A) $a^2 - 4ab + 4c^2$

(B) $a^2 + 4ab + 4c^2$

(C) $4a^2 + 4ab + c^2$

(D) $4a^2 - 4ab + c^2$

67. If one root of the equation $x^2 - px + q = 0$ is two times the other one, then which of the following is true ?

(A) $p^2 - 9q = 0$

(B) $2p^2 - 9q = 0$

(C) $p^2 + 9q = 0$

(D) $2p^2 + 9q = 0$

67. $x^2 - px + q = 0$ ସମୀକରଣର ଗୋଟିଏ ମୂଳ ଅନ୍ୟଟିର ଦୁଇଗୁଣ ହେଲେ, ନିମ୍ନଲ୍ଲି କେଉଁଠି ଠିକ ?

(A) $p^2 - 9q = 0$

(B) $2p^2 - 9q = 0$

(C) $p^2 + 9q = 0$

(D) $2p^2 + 9q = 0$

(Space For Rough Work)

70. In an examination, the mean mark of the boys of a class is 87 and that of the girls is 3 less. If the boys and the girls in the class are 18 and 12 respectively, what is the mean mark of the whole class

- (A) 84.4
- (B) 84.8
- (C) 85.4
- (D) 85.8

71. In $\triangle ABC$, $\angle ABC$ is a right angle and $\overline{BD} \perp \overline{AC}$. If $AD = a$ cm and $CD = b$ cm, what is the length of \overline{BD} ?

- (A) $\sqrt{a+b}$
- (B) $\sqrt{a} + \sqrt{b}$
- (C) $\sqrt{a \times b}$
- (D) $\sqrt{a^2 + b^2}$

70. এক পরীক্ষারে গোটিখে শ্রেণীরে থাবা বালকমানজনের নম্বরর মাধ্যমান থুলা 87 এবং বালিকামানজনের নম্বরর মাধ্যমান থুলা 3 কম। যদি উক্ত শ্রেণীর বালক 3 বালিকা সংখ্যা যথাক্রমে 18 ও 12 হোল্থাএ, তেবে ষেহি শ্রেণীর সমগ্র পিলাঙ্কর নম্বরর মাধ্যমান কেতে ?

- (A) 84.4
- (B) 84.8
- (C) 85.4
- (D) 85.8

71. $\triangle ABC$ রে, $\angle ABC$ ঘমকোণ এবং $\overline{BD} \perp \overline{AC}$ । যদি $AD = a$ ষে.মি. ও $CD = b$ ষে.মি হুৱে, তেবে \overline{BD} র দৈৰ্ঘ্য কেতে ?

- (A) $\sqrt{a+b}$
- (B) $\sqrt{a} + \sqrt{b}$
- (C) $\sqrt{a \times b}$
- (D) $\sqrt{a^2 + b^2}$

(Space For Rough Work)

74. Given $f: x \rightarrow$ highest prime factor of x . Which of the following is the range of ' f ', when the domain is $\{12, 13, 14, 15, 16\}$?

- (A) $\{2, 3, 5, 7, 13\}$
- (B) $\{6, 13, 7, 15, 2\}$
- (C) $\{3, 13, 7, 5, 8\}$
- (D) $\{3, 1, 7, 5, 2\}$

75. Which of the following values of x and y do not satisfy the equation $\log_a x - 2y = 0$ when $a = 2$?

- (A) $x = 1, y = 0$
- (B) $x = 4, y = 1$
- (C) $x = 16, y = 2$
- (D) $x = 32, y = 4$

74. ଦରି ଅଛି $f: x \rightarrow$ x ର ବୃଦ୍ଧତମ ମୌଳିକ ସୁଣନୀୟକ । ନିମ୍ନେ କେଉଁଟି f ର ବିପ୍ରାର, ଯଦି ପରିସର $\{12, 13, 14, 15, 16\}$ ହୁଏ ?

- (A) $\{2, 3, 5, 7, 13\}$
- (B) $\{6, 13, 7, 15, 2\}$
- (C) $\{3, 13, 7, 5, 8\}$
- (D) $\{3, 1, 7, 5, 2\}$

75. x ଓ y ର ନିମ୍ନେ କେଉଁ ମାନ ହାରା ସମୀକରଣ $\log_a x - 2y = 0$ ସିଦ୍ଧ ହୁଏ ନାହିଁ ଯେଉଁଠି $a = 2$?

- (A) $x = 1, y = 0$
- (B) $x = 4, y = 1$
- (C) $x = 16, y = 2$
- (D) $x = 32, y = 4$

(Space For Rough Work)

77.(a) Pressure exerted by a body of mass 20 kg supported by a base area of 250 cm^2 is $8 \times 10^3 \text{ N/m}^2$

(b) Liquid pressure depends on the shape and size of the container.

(c) The pressure at a point within the liquid depends on its depth from the surface of the liquid.

(A) (a) and (b) are correct, (c) is wrong

(B) (b) and (c) are wrong, (a) is correct

(C) (b) is wrong, (a) and (c) are correct

(D) (a), (b) and (c) are correct

78. The weight of a stone is 100g in air. When it is dipped in kerosene, it weighs 75g and in salt solution 60g. The relative density of salt solution with respect to that of kerosene would be

(A) 1.6

(B) 6.1

(C) 2.6

(D) 6.0

77.(a) এক 20 kg বস্তুর বিশিষ্ট বস্তুর 250 cm^2 আধার উপরে রশ্মিলো সৃষ্টি চাপ হবে $8 \times 10^3 \text{ N/m}^2$

(b) তরল পদার্থের চাপ ধারক (পাত্র)র আকৃতি ও আকার উপরে নির্ভর করে।

(c) তরল পদার্থের এক বিদ্যুরে সৃষ্টি চাপ তরল পদার্থের পৃষ্ঠার বিদ্যুর গভীরতা উপরে নির্ভর করে।

(A) (a) ও (b) ঠিক, (c) ছুল

(B) (b) ও (c) ছুল, (a) ঠিক

(C) (b) ছুল, (a) ও (c) ঠিক

(D) (a), (b) ও (c) ঠিক

78. খণ্ডে পথের বায়ুরে ওজন 100 গ্রাম, আটে।

তাহাকে কিরোসিনে দুড়াললে ওজন 75 গ্রাম

এবং লুণ পাণিরে দুড়াললে 60 গ্রাম হুঁ।

তেবে কিরোসিন এবং লুণপাণির আপেক্ষিক
সাপ্তরিতা হবে,

(A) 1.6

(B) 6.1

(C) 2.6

(D) 6.0

(Space For Rough Work)

80.Which one/are of the following represent(s) acceleration?

$$(a) \frac{v^2 - u^2}{2s}$$

$$(b) \frac{2(s - ut)}{t^2}$$

$$(c) \frac{v-u}{t}$$

- (A) (a) is wrong, (b) and (c) are correct
- (B) (a) and (c) are correct, (b) is wrong
- (C) (c) is correct, (a) and (b) are wrong
- (D) (a), (b) and (c) are correct

80.ନିମ୍ନୋକ୍ତ ମଧ୍ୟରେ କେଉଁଚି/କେଉଁଗୁଡ଼ିକ ଭରଣକୁ ସୂଚାଏ ?

$$(a) \frac{v^2 - u^2}{2s}$$

$$(b) \frac{2(s - ut)}{t^2}$$

$$(c) \frac{v-u}{t}$$

- (A) (a) ଭୁଲ, (b) ଓ (c) ଠିକ
- (B) (a) ଓ (c) ଠିକ, (b) ଭୁଲ
- (C) (c) ଠିକ, (a) ଓ (b) ଭୁଲ
- (D) (a), (b) ଓ (c) ଠିକ

(Space For Rough Work)

82. What time would be required to fill completely a tank of 18,000 litres capacity by water pulled from a depth of 7.46 m by a motor of 1.5 H.P?

- (A) 10 minutes
- (B) 15 minutes
- (C) 18 minutes
- (D) 20 minutes

83. If two bodies A and B of masses M_1 and M_2 respectively ($M_1 > M_2$) have the same momentum, then

- (a) Energy of $A >$ Energy of B
 - (b) Velocity of $A >$ Velocity of B
 - (c) Energy of $B >$ Energy of A
 - (d) Velocity of $B >$ Velocity of A
- (A) (a) and (d) are correct, (b) and (c) are wrong
(B) (a) and (b) are wrong, (c) and (d) are correct
(C) (b) and (c) are correct, (a) and (d) are wrong
(D) (a) and (c) are correct, (b) and (d) are wrong

82. 18,000 লিটার জলধরুথবা এক গাঞ্জিৰে 7.46 মিটাৰ তকু পাণিচাণি সংপূর্ণভাৱে ভৰিবাকু এক 1.5 অশুষমতা বিশিষ্ট মোচৰকু কেনে মমম লানিত ?

- (A) 10 মিনিট
- (B) 15 মিনিট
- (C) 18 মিনিট
- (D) 20 মিনিট

83. দুজটি বস্তু A ও B র বস্তুত যথাক্রমে M_1 ও M_2 ($M_1 > M_2$) অৱে। যদি ঘেৰুভিকৰ সংৰেগ ঘমান হুৱে, তেবে

- (a) A র শক্তি $>$ B র শক্তি
 - (b) A র পৰিবেগ $>$ B র পৰিবেগ
 - (c) B র শক্তি $>$ A র শক্তি
 - (d) B র পৰিবেগ $>$ A র পৰিবেগ
- (A) (a) ও (d) ঠিক, (b) ও (c) ভুল
(B) (a) ও (b) ভুল, (c) ও (d) ঠিক
(C) (b) ও (c) ঠিক, (a) ও (d) ভুল
(D) (a) ও (c) ঠিক, (b) ও (d) ভুল

(Space For Rough Work)

86. A 1.0 m long metallic wire of uniform cross-section is drawn into a 3.0 m long wire of uniform cross-section. What would be the resistance of the new wire compared to that of the original wire?

(A) 3 times

(B) 9 times

(C) $\frac{1}{3}$ times

(D) $\frac{1}{9}$ times

86. এক সমমোচের বিশিষ্ট 1.0 মিটর লম্ব
ধাতব তারকু গাণি সমমোচের বিশিষ্ট
3.0 মিটর লম্ব করাগলা। দৃঢ়ন তারর
প্রতিরোধ মূল তারর প্রতিরোধৰ কেতে গুণ
হোব ?

(A) 3 গুণ

(B) 9 গুণ

(C) $\frac{1}{3}$ গুণ

(D) $\frac{1}{9}$ গুণ

(Space For Rough Work.)

88. (a) A fuse-wire is made of an alloy of copper and tin.
- (b) The house-hold wirings are parallel ones.
- (c) Out of the two bulbs, the one which has filament resistance more, will glow more brightly.
- (A) (a) and (c) are wrong, (b) is correct
- (B) (a) and (b) are correct, (c) is wrong
- (C) (a) is correct, (b) and (c) are wrong
- (D) (a), (b) and (c) are correct

88. (a) ପିଇର୍ ତାର ତମା ଓ ଟିନ୍ ଏକ ମିଶ୍ର-ଧାରୁରେ ନିର୍ମିତ ।
- (b) ଗୃହ ଔଯରିଂଗ୍ରଡ଼ିକ ସମାଜରାଳ ପରିପଥ ଅଟେ ।
- (c) ଦୁଇଟି ବୈଦ୍ୟୁତିକ ବତୀମଧ୍ୟରୁ ଯାହାର ପିଲାମେଣ୍ଟର ପ୍ରତିରୋଧ ଅଧିକ, ତାହା ଅଧିକ ଉଚ୍ଚଳ ହୋଇ ଜଳିବ ।
- (A) (a) ଓ (c) ଭୁଲ, (b) ଠିକ
- (B) (a) ଓ (b) ଠିକ, (c) ଭୁଲ
- (C) (a) ଠିକ, (b) ଓ (c) ଭୁଲ
- (D) (a), (b) ଓ (c) ଠିକ

(Space For Rough Work)

90. A force when acts on a body east-wards, the body is displaced 40 m. When the force of same magnitude acts on the same body (from its new position) south-wards, the body is displaced 30 m. The magnitude of the resultant displacement of the body would be

- (A) 10 m
- (B) 50 m
- (C) 70 m
- (D) 1200 m

91. The momentum of a body of mass 2 kg changes from 80 kg m/s to 50 kg m/s. The change in its kinetic energy would be

- (A) 625 J
- (B) 975 J
- (C) 1200 J
- (D) 1600 J

90. ଗୋଟିଏ ବସ୍ତୁ ଉପରେ ବଳ ପୂର୍ବଦିଶ ଆଢ଼କୁ ପ୍ରୟୋଗ କରିବାରୁ ତାହା 40 ମିଟର ବିପ୍ଳାପିତ ହେଲା । ପୁଣି ବସ୍ତୁର ନୂତନ ଅବସ୍ଥାନାହୁ ସେହି ପରିମାଣର ବଳ ଦକ୍ଷିଣ ଦିଶ ଆଢ଼କୁ ପ୍ରୟୋଗ କରିବାରୁ ବସ୍ତୁଟି 30 ମିଟର ବିପ୍ଳାପିତ ହେଲା । ତେବେ ବସ୍ତୁର ପରିଣାମୀ ବିପ୍ଳାପନ ହେବ

- (A) 10 ମିଟର
- (B) 50 ମିଟର
- (C) 70 ମିଟର
- (D) 1200 ମିଟର

91. ଗୋଟିଏ 2 kg ବସ୍ତୁର ବିଶିଷ୍ଟ ବସ୍ତୁର ସଂବେଗ 80 kg m/s ରୁ 50 kg m/s ରୁ ପରିବର୍ତ୍ତନ ହେଲେ, ତାହାର ଗତିକ ଶକ୍ତିର ପରିବର୍ତ୍ତନ ହେବ

- (A) 625 ଜୁଲ୍
- (B) 975 ଜୁଲ୍
- (C) 1200 ଜୁଲ୍
- (D) 1600 ଜୁଲ୍

(Space For Rough Work)

94. For what properties, mercury is used as the thermometric substance?

- (a) Due to its high thermal expansion.
 - (b) Due to its high density.
 - (c) Due to its greater specific heat.
 - (d) Due to its property of non-sticking to glass.
- (A) (a) and (d) are wrong, (b) and (c) are correct
- (B) (b) and (d) are correct, (a) and (c) are wrong
- (C) (a) and (b) are wrong, (c) and (d) are correct
- (D) (b) and (c) are wrong, (a) and (d) are correct

95. What would be the temperature of the mixture when 2 litres of water at 10°C is mixed with 5 litres of water at 80°C ?

- (A) 35°C
- (B) 45°C
- (C) 60°C
- (D) 70°C

94. পারদর কেৱল কেৱল গুণ যোগু় তাৰাকু তাপমান পতৰে ব্যবহাৰ কৰায়াৰ ?

- (a) এহাৰ অধূক তাপীয় প্ৰসাৱণ গুণ যোগু়
- (b) এহাৰ অধূক সান্তুতা যোগু়
- (c) এহাৰ অধূক বিশিষ্ট তাপ যোগু়
- (d) এহা কাৰে লাগিবহে নাহি

(A) (a) ও (d) ভুল, (b) ও (c) ঠিক

(B) (b) ও (d) ঠিক, (a) ও (c) ভুল

(C) (a) ও (b) ভুল, (c) ও (d) ঠিক

(D) (b) ও (c) ভুল, (a) ও (d) ঠিক

95. 10°C তাপমাত্ৰা বিশিষ্ট 2 লিট্ৰ জলসহ 80°C তাপমাত্ৰা বিশিষ্ট 5 লিট্ৰ জল মিশাইলে মিশুনৰ তাপমাত্ৰা কেতো হৈব ?

- (A) 35°C
- (B) 45°C
- (C) 60°C
- (D) 70°C

(Space For Rough Work)

97. Two electric-bulbs P and Q have filament resistance in the ratio of $1 : 2$. When they will be connected in parallel to the same source, the ratio of the powers dissipated by them shall respectively be

- (A) $2 : 1$
- (B) $1 : 2$
- (C) $4 : 1$
- (D) $1 : 4$

98. A house with mains supply of 220 volts uses five fans each of 100 watt, an electric iron of 500 watt, five bulbs each of 20 watt. The minimum capacity of the fuse wire to be used at the main switch of the house should be

- (A) 15 Amperes
- (B) 10 Amperes
- (C) 5 Amperes
- (D) 2.5 Amperes

97. P ଓ Q ଦୁଇଟି ବଲବର ଫିଲାମେଣ୍ଟସ୍କିକର ପ୍ରତିରୋଧର ଅନୁପାତ $1 : 2$ ଅଟେ । ସେହି ଦୁଇ ବଲବରୁ ସମାନରାଜ ପରିପଥରେ ଏକା ବୈଦ୍ୟୁତିକ ଉତ୍ସ ସହ ସଂଯୋଗ କଲେ ସେମାନଙ୍କର ପାଞ୍ଚାର ଶମ୍ଭଳ ଯଥାକ୍ରମେ ଅନୁପାତ ହେବ

- (A) $2 : 1$
- (B) $1 : 2$
- (C) $4 : 1$
- (D) $1 : 4$

98. ଗୋଟିଏ ଘରକୁ 220 ଭୋଲରର ବିଦ୍ୟୁତ ଯୋଗାଣ ହେଉଛି ସେହିଘରେ 100 ଓର ବିଶିଷ୍ଟ 5 ଟି ପଂଖା, 500 ଓର ବିଶିଷ୍ଟ ଏକ ଲଲେକତ୍ରିକ ଲସ୍ତୀ, 20 ଓର ବିଶିଷ୍ଟ 5 ଟି ବଲବ ବ୍ୟବହୃତ ହେବା-ପାଇଁ ସର୍ବନିମ୍ନ କେତେ ମାନର ପ୍ଲ୍ୟାଟ ମୁଖ୍ୟ ବ୍ୟବହୃତ ହେବା ଆବଶ୍ୟକ ?

- (A) 15 ଆମିଯର
- (B) 10 ଆମିଯର
- (C) 5 ଆମିଯର
- (D) 2.5 ଆମିଯର

(Space For Rough Work)

3. On heating 10g of calcium carbonate how much carbondioxide at NTP would be formed ?
- 22.4 l.
 - 11.2 l.
 - 4.48 l.
 - 2.24 l.
3. 10 گرام کالسیم کاربونات کو جوش پختے کلے مانک ٹاپ و ٹاپ مانڈارے کے تھے کاربند-ڈاکسید کا چھپنے کا ہے ؟
- 22.4 لی.
 - 11.2 لی.
 - 4.48 لی.
 - 2.24 لی.
4. Which one was discovered by using perforated cathode in the crooke's tube ?
- Electron
 - Proton
 - Neutron
 - Nucleus
4. کروک نکل 1 رے گھر پیٹھ کیا اٹھا کر بخواہ کریں اور کہاں سے آبیشنا کھلے ؟
- لکھکڑہ
 - پروٹن
 - نیٹرون
 - نوكس

(Space For Rough Work)

7. (a) Hydrogen has the highest calorific value as compared to that of other gaseous fuels.
- (b) It can be obtained cheaply from water.
- (c) It is not used as a domestic fuel due to its explosive nature.
- (A) (a) and (b) are correct and (c) is wrong
- (B) (b) and (c) are correct and (a) is wrong
- (C) (c) and (a) are correct and (b) is wrong
- (D) (a), (b) and (c) are correct

7. (a) ଅନ୍ୟାନ୍ୟ ଗ୍ୟାସୀୟ ଜନନ ତୁଳନାରେ
ହାଇଡ୍ରୋଜେନ୍ର କ୍ୟାଲୋରୀମ୍ୟ ସର୍ବଧୂକ
ଥିଲେ ।
- (b) ଶ୍ଵାରେ ଏହା ଜଳରୁ ପ୍ରସ୍ତୁତ କରା
ଯାଇପାରିବ ।
- (c) ଏହାର ବିଷ୍ଣୋରକ ଧର୍ମ୍ୟୋଗୁଁ ଏହାକୁ
ଘରୋଇ ଜନନ ରୂପେ ବ୍ୟବହାର
କରାଯାଉ ନାହିଁ ।
- (A) (a) ଓ (b) ଠିକ ଏବଂ (c) ତୁଳ
- (B) (b) ଓ (c) ଠିକ ଏବଂ (a) ତୁଳ
- (C) (c) ଓ (a) ଠିକ ଏବଂ (b) ତୁଳ
- (D) (a), (b) ଓ (c) ଠିକ

(Space For Rough Work)

10. Which sequence of the scientists associated with the sequential discovery of the sub-atomic particles is correct?
- Thomson-Rutherford-Goldstein-Chadwick
 - Rutherford-Bohr-Thomson-Millikan
 - Thomson-Goldstein-Rutherford-Chadwick
 - Millikan-Goldstein-Bohr-Rutherford.
11. In the modern periodic table, the number of valency electrons of the elements
- increases along a group
 - increases along a period
 - decreases along a group
 - decreases along a period
10. ପରମାଣୁଷ କଣିକାରୁଡ଼ିକର କ୍ରମାବୟ ଆବିଷାର ସହ ଜଡ଼ିତ ବୈଜ୍ଞାନିକମାନଙ୍କର କେଉଁ କ୍ରମଟି ଠିକ୍ ?
- ଅମସନ୍-ରଥରଫୋର୍ଡ-ଗୋଲ୍ଡଷ୍ଟାଇନ୍-ଚାଦ୍ଵିକ
 - ରଥରଫୋର୍ଡ-ବୋହର-ଅମସନ୍-ମିଲିକାନ୍
 - ଅମସନ୍-ଗୋଲ୍ଡଷ୍ଟାଇନ୍-ରଥରଫୋର୍ଡ-ଚାଦ୍ଵିକ
 - ମିଲିକାନ୍-ଗୋଲ୍ଡଷ୍ଟାଇନ୍-ବୋହର-ରଥରଫୋର୍ଡ
11. ଆଧୁନିକ ପର୍ଯ୍ୟାୟ ସାରଣୀରେ ମୌଳିକରୁଡ଼ିକର ସଂଯୋଜକ ଇଲେକ୍ଟ୍ରନ୍ ସଂଖ୍ୟା
- ଏକ ଗ୍ରୂପରେ ବୃଦ୍ଧି ହୋଇଥାଏ
 - ଏକ ପର୍ଯ୍ୟାୟରେ ବୃଦ୍ଧି ହୋଇଥାଏ
 - ଏକ ଗ୍ରୂପରେ ହ୍ରାସ ହୋଇଥାଏ
 - ଏକ ପର୍ଯ୍ୟାୟରେ ହ୍ରାସ ହୋଇଥାଏ

(Space For Rough Work)

13. (a) One molecule of Ammonium phosphate.
 (b) Two molecules of Potassium dichromate
 (c) Three molecules of Sodium silicate

Considering the total number of atoms in each of the above cases, which one of the following sequences is correct ?

- (A) $a b c$
 (B) $b c a$
 (C) $c a b$
 (D) None of these

13. (a) ଏମୋନିଆମ୍ ଫସଫେଟର ଏକ ଅଣୁ
 (b) ପୋଟାସିଆମ୍ ଡାଇକ୍ରୋମେଟର ଦୂଳଟି ଅଣୁ
 (c) ସୋଡ଼ିଆମ୍ ସିଲିକେଟର ତିମୋଟି ଅଣୁ

ଉପରୋକ୍ତ ପ୍ରତ୍ୟେକ ଶୈତାରେ ମୋଟ ପରମାଣୁ ସଂଖ୍ୟାକୁ ଭରି କରି ନିମ୍ନୋକ୍ତ ମଧ୍ୟରୁ କେଉଁ କ୍ରମଟି ଠିକ୍ ?

- (A) $a b c$
 (B) $b c a$
 (C) $c a b$
 (D) ଏଥୁମଧ୍ୟରୁ କୌଣସିଟି ନୁହେଁ

(Space For Rough Work)

16. Which one yields least number of hydrogen ions in aqueous solution?

- (A) Carbonic acid
- (B) Sulphuric acid
- (C) Nitric acid
- (D) Hydro-chloric acid

17. (a) Sodium Chloride is available as a mineral.

(b) Sodium Chloride is used as a medicine.

(c) Sodium Chloride is available only from sea-water.

(A) (a) and (b) are correct and (c) is wrong

(B) (b) and (c) are correct and (a) is wrong

(C) (c) and (a) are correct and (b) is wrong

(D) (a), (b) and (c) are correct

16. କେଉଁଟି ଜଳୀୟ ଦ୍ରୁବଣରେ ସର୍ବନିମ୍ନ ସଂଖ୍ୟକ ହାଇଡ୍ରୋଜେନ ଆଯନ ସୃଷ୍ଟି କରେ ?

- (A) କାର୍ବୋନିକ ଏସିଡ
- (B) ସଲପୁରିକ ଏସିଡ
- (C) ନାଇଟ୍ରିକ ଏସିଡ
- (D) ହାଇଡ୍ରୋକ୍ଲୋରିକ ଏସିଡ

17. (a) ସୋଡ଼ିଆମ କୋରାଇଡ ଖଣିକରୁଥେ ଉପଲବ୍ଧ ହୋଇଥାଏ ।

(b) ସୋଡ଼ିଆମ କୋରାଇଡ ଅଷ୍ଟଧରୁଥେ ବ୍ୟବହୃତ ହୁଏ ।

(c) ସୋଡ଼ିଆମ କୋରାଇଡ କେବଳ ସମ୍ମୁଦ୍ର ଜଳରୁ ଉପଲବ୍ଧ ହୋଇଥାଏ ।

(A) (a) ଓ (b) ଠିକ୍ ଏବଂ (c) ଭୁଲ


(B) (b) ଓ (c) ଠିକ୍ ଏବଂ (a) ଭୁଲ

(C) (c) ଓ (a) ଠିକ୍ ଏବଂ (b) ଭୁଲ


(D) (a), (b) ଓ (c) ଠିକ୍

(Space For Rough Work)

DET/CHEM (3)




- (a) This is a combination reaction.
 - (b) This is a redox reaction.
 - (c) This is not a redox reaction.
- (A) (a) and (b) are correct and (c) is wrong
- (B) (a) and (c) are correct and (b) is wrong
- (C) only (a) is correct
- (D) only (b) is correct




'E' is an element and 'm' and 'n' carry their usual meanings. E will have

- (A) m number of protons and n number of neutrons
- (B) n number of protons and m number of neutrons
- (C) m number of protons and $(n - m)$ number of neutrons
- (D) n number of protons and $(m - n)$ number of neutrons



- (a) এহা এক সংশ্লেষণ প্রতিক্রিয়া অটে।
 - (b) এহা এক রেডাক্ষন প্রতিক্রিয়া অটে।
 - (c) এহা এক রেডাক্ষন প্রতিক্রিয়া নুহে।
- (A) (a) ও (b) ঠিক এবং (c) ভুল
- (B) (a) ও (c) ঠিক এবং (b) ভুল
- (C) কেবল (a) ঠিক
- (D) কেবল (b) ঠিক



'E' এক মৌলিক অটে এবং 'm' ও 'n' দেমানকর স্বাভাবিক অর্থ বহন কৰত। E রে থুব

- (A) m সংখ্যক প্রোটন এবং n সংখ্যক নিউক্লিন
- (B) n সংখ্যক প্রোটন এবং m সংখ্যক নিউক্লিন
- (C) m সংখ্যক প্রোটন এবং $(n - m)$ সংখ্যক নিউক্লিন
- (D) n সংখ্যক প্রোটন এবং $(m - n)$ সংখ্যক নিউক্লিন

(Space For Rough Work)

24. (a) Nichrome is a non-ferrous alloy.
 (b) An amalgam is an alloy
 (c) 22 carat gold is an alloy.
- (A) (a) and (b) are correct and (c) is wrong
 (B) (b) and (c) are correct and (a) is wrong
 (C) (c) and (a) are correct and (b) is wrong
 (D) (a), (b) and (c) are correct

25. (a) LPG is a primary fuel
 (b) CNG is a secondary fuel
 (c) Kerosene is a primary fuel
- (A) (a) and (c) are correct and (b) is wrong
 (B) (b) is correct and (a) and (c) are wrong
 (C) (a), (b) and (c) are correct
 (D) (a), (b) and (c) are wrong

24. (a) ନିକ୍ରୋମ୍ ଏକ ଲୋହହୀନ ଏଲୟ ଅଟେ ।
 (b) ଆମାଲଗାମ୍ ଏଲୟ ଅଟେ ।
 (c) 22 କ୍ୟାରେଟ୍ ମୁନା ଏକ ଏଲୟ ଅଟେ ।
- (A) (a) ଓ (b) ଠିକ୍ ଏବଂ (c) ଭୁଲ
 (B) (b) ଓ (c) ଠିକ୍ ଏବଂ (a) ଭୁଲ
 (C) (c) ଓ (a) ଠିକ୍ ଏବଂ (b) ଭୁଲ
 (D) (a), (b) ଓ (c) ଠିକ୍

25. (a) LPG ଏକ ପ୍ରାଥମିକ ଜନନ ଅଟେ ।
 (b) CNG ଏକ ଦ୍ୱିତୀୟକ ଜନନ ଅଟେ ।
 (c) କିରୋସିନ୍ ଏକ ପ୍ରାଥମିକ ଜନନ ଅଟେ ।
- (A) (a) ଓ (c) ଠିକ୍ ଏବଂ (b) ଭୁଲ
 (B) (b) ଠିକ୍ ଏବଂ (a) ଓ (c) ଭୁଲ
 (C) (a), (b) ଓ (c) ଠିକ୍
 (D) (a), (b) ଓ (c) ଭୁଲ

(Space For Rough Work)

DET/MATH (3)

28. Which of the following is a rational number ?
- (A) $1.0233233323333 \dots$
- (B) $2.3055055055 \dots$
- (C) $3 + \sqrt{2}$
- (D) $2\pi + 1$
28. ନିମ୍ନଲ୍ୟ କେଉଁଟି ଏକ ପରିମେୟ ସଂଖ୍ୟା ?
- (A) $1.0233233323333 \dots$
- (B) $2.3055055055 \dots$
- (C) $3 + \sqrt{2}$
- (D) $2\pi + 1$
29. Which of the following is a rational number that does not lie between $\sqrt{2}$ and $\sqrt{3}$?
- (A) 1.4
- (B) 1.5
- (C) 1.6
- (D) 1.7
29. ନିମ୍ନଲ୍ୟ କେଉଁଟି $\sqrt{2}$ ଓ $\sqrt{3}$ ମଧ୍ୟରେ ଅବସ୍ଥିତ ନ ଥିବା ଏକ ପରିମେୟ ସଂଖ୍ୟା ?
- (A) 1.4
- (B) 1.5
- (C) 1.6
- (D) 1.7

(Space For Rough Work)

'DET/MATH (3)

32. Which of the following is equal to

$$\frac{x^{-1}y^{-1} + y^{-1}z^{-1} + z^{-1}x^{-1}}{x+y+z}?$$

- (A) $x^{-1}y^{-1}z^{-1}$
- (B) $xy^{-1}z^{-1}$
- (C) $x^{-1}y^{-1}z$
- (D) $x^{-1}yz^{-1}$

33. For what value of x

$$\sqrt[3]{\left(\frac{p}{q}\right)} = \left(\frac{q}{p}\right)^{1-2x}?$$

- (A) $\frac{2}{3}$
- (B) $\frac{3}{2}$
- (C) $\frac{4}{5}$
- (D) $\frac{5}{4}$

32. ନିମ୍ନ କେଉଁଟି $\frac{x^{-1}y^{-1} + y^{-1}z^{-1} + z^{-1}x^{-1}}{x+y+z}$

ସହ ସମାନ ?

- (A) $x^{-1}y^{-1}z^{-1}$
- (B) $xy^{-1}z^{-1}$
- (C) $x^{-1}y^{-1}z$
- (D) $x^{-1}yz^{-1}$

33. x ର କେଉଁ ମାନ ପାଇଁ

$$\sqrt[3]{\left(\frac{p}{q}\right)} = \left(\frac{q}{p}\right)^{1-2x}?$$

- (A) $\frac{2}{3}$
- (B) $\frac{3}{2}$
- (C) $\frac{4}{5}$
- (D) $\frac{5}{4}$

(Space For Rough Work)

36. Which of the following is equal to

$$\left(x^{\frac{2}{3}} - x^{-\frac{2}{3}} \right) \left(x^{-\frac{4}{3}} + 1 + x^{\frac{4}{3}} \right) ?$$

(A) $\frac{1-x^4}{x^2}$

(B) $\frac{x^4-1}{x^2}$

(C) $\frac{1+x^2}{x^4}$

(D) $\frac{1-x^2}{x^4}$

36. ନିୟମ କେଉଁଟି $\left(x^{\frac{2}{3}} - x^{-\frac{2}{3}} \right) \left(x^{-\frac{4}{3}} + 1 + x^{\frac{4}{3}} \right)$

ସହ ସମାନ ?

(A) $\frac{1-x^4}{x^2}$

(B) $\frac{x^4-1}{x^2}$

(C) $\frac{1+x^2}{x^4}$

(D) $\frac{1-x^2}{x^4}$

(Space For Rough Work)

DET/MATH (3)

39. If $x + a$ is a common factor of $x^2 + px + q$ and $x^2 + mx + n$, then what is the value of 'a'?

- (A) $\frac{n+q}{m-p}$
- (B) $\frac{n-q}{m+p}$
- (C) $\frac{n+q}{m+p}$
- (D) $\frac{n-q}{m-p}$

40. $f(x) = 2x + 3, x \in R$.
What is the value of 'a' if $f(a) = -5$

- (A) 1
- (B) -2
- (C) 3
- (D) -4

39. $x^2 + px + q$ ଓ $x^2 + mx + n$ ର $x + a$ ଏକ
ସାଧାରଣ ଉପାଦକ ହେଲେ, a ର ମାନ
କେତେ ?

- (A) $\frac{n+q}{m-p}$
- (B) $\frac{n-q}{m+p}$
- (C) $\frac{n+q}{m+p}$
- (D) $\frac{n-q}{m-p}$

40. $f(x) = 2x + 3, x \in R$ ।
 a ରେ କେଉଁ ମାନ ପାଇଁ $f(a) = -5$ ହେବ ?

- (A) 1
- (B) -2
- (C) 3
- (D) -4

(/Space For Rough Work)

DET/MATH (3)

43. If one root of the equation $x^2 - 5x + q = 0$ is 3 more than the other, what is the value of 'q'?

- (A) 2
- (B) -2
- (C) 4
- (D) -4

44. For what value of 'k', the equations $7x - y = 5$ and $21x - 3y = k$ will be mutually consistent and dependent?

- (A) 7
- (B) 10
- (C) 12
- (D) 15

43. যমীকরণ $x^2 - 5x + q = 0$ র গোটি মূল, অন্যটি অপেক্ষা 3 অধুক হৈলে, q র মান কৈতে ?

- (A) 2
- (B) -2
- (C) 4
- (D) -4

44. k র কৈত মান পাই $7x - y = 5$ এবং $21x - 3y = k$ যমীকরণ দুয় পরম্পর সংজ্ঞা ও নির্ভুরণীক হৈবে ?

- (A) 7
- (B) 10
- (C) 12
- (D) 15

(Space For Rough Work)

DET/MATH (3)

47. If each side of an equilateral triangle inscribed in a circle is 12 cm long, what is the diameter of the circle in cm?

- (A) $8 + \sqrt{3}$
- (B) $8\sqrt{3}$
- (C) $4 + \sqrt{3}$
- (D) $4\sqrt{3}$

48. Three circles, each of radius 7 cm, touch each other externally. How much is the area of the sectors, in cm^2 , enclosed in the triangle formed by joining the centres?

- (A) $\frac{77}{2}$
- (B) $\frac{77}{3}$
- (C) 77
- (D) 154

47. এক বৃত্তের অন্তর্লক্ষ্মি এক সমবাহু ত্রিভুজের প্রত্যেক বাহুর দৈর্ঘ্য 12 এম.মি. হলে, উক্ত বৃত্তের ব্যাস কেতে এম.মি. ?

- (A) $8 + \sqrt{3}$
- (B) $8\sqrt{3}$
- (C) $4 + \sqrt{3}$
- (D) $4\sqrt{3}$

48. 7 এম. দৈর্ঘ্য ব্যাসার্ক বিশিষ্ট তিনোটি বৃত্ত পরস্পরকূ বহিঃস্থর্গ করছি। কেন্দ্র তিনোটিকু যোগ করিবাদ্বারা উপর হোলথুবা ত্রিভুজ মধ্যে অন্তর্ভুক্ত বৃত্তকলাগুଡ়িকর ক্ষেত্রফল কেতে বর্গ এম.মি. ?

- (A) $\frac{77}{2}$
- (B) $\frac{77}{3}$
- (C) 77
- (D) 154

(Space For Rough Work)

DET/MATH (3)

52. If the equation $\frac{x^2 - bx}{ax - c} = \frac{m-1}{m+1}$ has roots which have equal absolute values but are of opposite sign, what is the value of 'm'?

(A) $\frac{a+b}{a-b}$

(B) $\frac{a-b}{a+b}$

(C) $\frac{2a+b}{a-b}$

(D) $\frac{2a-b}{a+b}$

53. What is the area, in sq.cm, of the largest triangle that can be inscribed in a semicircle of radius 3.5 cm?

(A) $7\frac{1}{4}$

(B) $9\frac{1}{4}$

(C) $12\frac{1}{4}$

(D) $15\frac{1}{4}$

52. $\frac{x^2 - bx}{ax - c} = \frac{m-1}{m+1}$ ସମୀକରଣର ମୂଳଦୟର ପରମାନ ସମାନ, ମାତ୍ର ମୂଳ ଦୟ ବିପରୀତ ଚିହ୍ନ ବିଶିଷ୍ଟ । ତେବେ m ର ମାନ କେତେ ?

(A) $\frac{a+b}{a-b}$

(B) $\frac{a-b}{a+b}$

(C) $\frac{2a+b}{a-b}$

(D) $\frac{2a-b}{a+b}$

53. 3.5 ସେ.ମି. ବ୍ୟାସାର୍ତ୍ତ ବିଶିଷ୍ଟ ଅର୍ଦ୍ଧଭରେ ଅତିଲ୍ଲୁପ୍ତ ଦୃହିଜମ ତ୍ରିଭୁଜର କ୍ଷେତ୍ରଫଳ କେତେ ବର୍ଗ ସେ.ମି. ?

(A) $7\frac{1}{4}$

(B) $9\frac{1}{4}$

(C) $12\frac{1}{4}$

(D) $15\frac{1}{4}$

(Space For Rough Work)

56. For what value of 'k',

$$x^3 - 5x^2 + kx - 2$$

has $x - 2$ as a factor of it ?

- (A) 4
- (B) 7
- (C) -4
- (D) -7

57. If $4x^3 - bx^2 + x - c$ leaves remainders 0 and 30 when divided by $x + 1$ and $2x - 3$ respectively, what is the value of $c - b$?

- (A) 11
- (B) 9
- (C) -11
- (D) -9

56. k ର କେଉଁ ମାନ ପାଇଁ

$$x^3 - 5x^2 + kx - 2$$

$x - 2$ ଏକ

ଉଦ୍‌ଧବକ ହେବ ?

- (A) 4
- (B) 7
- (C) -4
- (D) -7

57. ଯଦି $4x^3 - bx^2 + x - c$ କୁ $x + 1$ ଓ $2x - 3$ ଦ୍ୱାରା ଭାଗ କଲେ, ଭାଗଶେଷ ଯଥାକ୍ରମେ 0 ଓ 30 ରହେ, ତେବେ $c - b$ ର ମାନ କେତେ ?

- (A) 11
- (B) 9
- (C) -11
- (D) -9

(Space For Rough Work)

DET/MATH (3)

60. A bag contains one-rupee coins, 50 paise coins and 20 paise coins and their numbers are in the ratio $3 : 5 : 8$. If the total money in the bag is 142 rupees, what is the total number of coins in the bag?

- (A) 240
- (B) 260
- (C) 300
- (D) 320

61. If $\frac{m+n}{m+3n} = \frac{2}{3}$, what is the value of $\frac{2n^2}{3m^2 + mn}$?

- (A) $\frac{1}{7}$
- (B) $\frac{1}{9}$
- (C) $\frac{1}{12}$
- (D) $\frac{1}{15}$

60. ഗോതിക്ക് ഥലിരേ ഏകചന്ദ്രാ മുദ്രാ, 50 പഈസി മുദ്രാ ഓ 20 പഈസി മുദ്രാരുൾ സംഖ്യയാർ അനുപാതം $3 : 5 : 8$. ഥലിരേ യടി മോത് 142 ചന്ദ്രാ മൂലധര മുദ്രാ ആണ്, തേവേ മുദ്രാമുള്ളിക്കര മോത് സംഖ്യയാ കേടേ ?

- (A) 240
- (B) 260
- (C) 300
- (D) 320

61. $\frac{m+n}{m+3n} = \frac{2}{3}$ എബ്ലേ, $\frac{2n^2}{3m^2 + mn}$ റാൻ കേടേ ?

- (A) $\frac{1}{7}$
- (B) $\frac{1}{9}$
- (C) $\frac{1}{12}$
- (D) $\frac{1}{15}$

(Space For Rough Work)

DET/MATH (3)

64. A car travels 120 km from A to B with a speed of 30 km/hr and returns back with a speed of 40 km/hr. What is the average speed of the car in km/hr ?

(A) 35

(B) $35\frac{2}{7}$

(C) 34

(D) $34\frac{2}{7}$

65. What is the value of x in binary form if $(x)_2 \div (1001)_2 = (101)_2$?

(A) $(111001)_2$

(B) $(110101)_2$

(C) $(100111)_2$

(D) $(101101)_2$

64. ଗୋଟିଏ କାର A ରୁ B ପର୍ଯ୍ୟନ୍ତ 120 କି.ମି. ଦୂରତାକୁ ଘଣ୍ଟାପ୍ରତି 30 କି.ମି. ବେଗରେ ଯାଇ ପୁଣି B ରୁ A ପର୍ଯ୍ୟନ୍ତ ଘଣ୍ଟାପ୍ରତି 40 କି.ମି. ବେଗରେ ଫେରି ଆସିଲା । ତେବେ କାରଟିର ଉତ୍ତର ଯାତ୍ରାର ହାରାହାରି ଘଣ୍ଟାପ୍ରତି ବେଗ କେତେ କି.ମି. ?

(A) 35

(B) $35\frac{2}{7}$

(C) 34

(D) $34\frac{2}{7}$

65. $(x)_2 \div (1001)_2 = (101)_2$ ହେଲେ, x ମାନ ଦ୍ୱାରାପରେ କେତେ ?

(A) $(111001)_2$

(B) $(110101)_2$

(C) $(100111)_2$

(D) $(101101)_2$

(Space For Rough Work)

DET/MATH (3)

68. What is the binary equivalence of the 10-base number 43?

- (A) 101011
- (B) 101101
- (C) 110011
- (D) 110101

69. The circumference of the base of a right circular cylinder is increased by 10 % and the height is decreased by 20 %. What is the percentage decrease caused in its volume?

- (A) 0.032
- (B) 0.32
- (C) 3.2
- (D) 32

68. ଦଶ-ଆଧାର ଭିତ୍ତିକ ସଂଖ୍ୟା 43ର ଦ୍ୱିତୀୟ ମାନ କେତେ ?

- (A) 101011
- (B) 101101
- (C) 110011
- (D) 110101

69. ଏକ ସ୍ଵରଳ ବୃତ୍ତ ଭୂମିକ ସିଲିଣ୍ଡରର ଭୂମିର ପରିଧିକୁ 10 % ବୃଦ୍ଧି କଲେ ଏବଂ ଉଚ୍ଚତାକୁ 20 % କମାଇ ହେଲେ, ଏହାର ଆୟତନ ଶତକତା କେତେ ହ୍ରାସ ପାଇବ ?

- (A) 0.032
- (B) 0.32
- (C) 3.2
- (D) 32

(Space For Rough Work)

72. What is the smallest value of the polynomial

$$4x^2 + 6x - 3 ?$$

(A) $5\frac{1}{4}$

(B) $-5\frac{1}{4}$

(C) $3\frac{1}{2}$

(D) $-3\frac{1}{2}$

73. For which of the following values of ' p ', $4+px+2x^2+x^3$ leaves a remainder '2p' when divided by $2x+1$?

(A) $2\frac{3}{8}$

(B) $1\frac{3}{8}$

(C) $2\frac{3}{4}$

(D) $1\frac{3}{4}$

72. $4x^2 + 6x - 3$ ପଲିନୋମିଆଲର କ୍ଷୁଦ୍ରତମ ମାନ କେତେ?

(A) $5\frac{1}{4}$

(B) $-5\frac{1}{4}$

(C) $3\frac{1}{2}$

(D) $-3\frac{1}{2}$

73. p ର ନିମ୍ନ କେଉଁ ମାନ ପାଇଁ $4+px+2x^2+x^3$ କୁ $2x+1$ ଦ୍ୱାରା ଭାଗକଲେ, $2p$ ଭାଗଶେଷ ରହିବ?

(A) $2\frac{3}{8}$

(B) $1\frac{3}{8}$

(C) $2\frac{3}{4}$

(D) $1\frac{3}{4}$

(Space For Rough Work)

PART – III
(PHYSICS)

76. (a) During conduction of heat, the particles of the conductor only transfer energy to the neighbouring particles without changing their positions.
- (b) Electrical resistance of a cylindrical conductor is inversely proportional to the square of its radius.
- (c) Rise of temperature in a metallic conductor decreases its electrical conductivity.

- (A) (b) and (c) are correct, (a) is wrong
- (B) (a) and (b) are wrong, (c) is correct
- (C) (b) is wrong, (a) and (c) are correct
- (D) (a), (b) and (c) are correct


76. (a) କୌଣସି ସୁପରିବାହୀ ମଧ୍ୟରେ ତାପ ସଂଚରଣ ଦେଲେ ତାହାର କଣିକାରୁଡ଼ିକ ସ୍ଥାନାତ୍ମକ ନହୋଇ କେବଳ ଶତ୍ରୁକୁ ପଡ଼ୋଶୀ କଣିକା ମାନଙ୍କୁ ପ୍ରଦାନ କରିଥାଏଅଛି ।
- (b) ଏକ ସିଲିଣ୍ଡର ଆକୃତିକଣିକା ବିଦ୍ୟୁତ ପରିବାହୀର ପ୍ରତିରୋଧ ତାହାର ବ୍ୟାସାର୍ଦ୍ଦର ବର୍ଗର ପ୍ରତିଲୋମାନ୍ୟପାତି ଅଟେ ।
- (c) ତାପମାତ୍ରା ବୃଦ୍ଧି ହେଲେ ଧାତବ ପରିବାହୀର ବିଦ୍ୟୁତ ପରିବହନ କ୍ଷମତା ହ୍ରାସ ହୋଇଥାଏ ।

- (A) (b) ଓ (c) ଠିକ, (a) ଭୁଲ
- (B) (a) ଓ (b) ଭୁଲ, (c) ଠିକ
- (C) (b) ଭୁଲ, (a) ଓ (c) ଠିକ
- (D) (a), (b) ଓ (c) ଠିକ

(Space For Rough Work)

DET/PHY (3)


79.



In the given graph

- (a) BC, represents uniform velocity.
- (b) AB, represents non-uniform velocity.
- (c) CD, represents uniform acceleration.
- (A) (a) is correct, (b) and (c) are wrong
- (B) (a) and (b) are correct, (c) is wrong
- (C) (a) and (c) are wrong, (b) is correct
- (D) (b) is wrong, (a) and (c) are correct

79.



ଦରି ରେଖାଚିତ୍ରରେ

- (a) BC-ସମପରିବେଗକୁ ସୁଚାଉଛି ।
- (b) AB-ଅସମ ପରିବେଗକୁ ସୁଚାଉଛି ।
- (c) CD-ସମତରଣକୁ ସୁଚାଉଛି ।
- (A) (a) ଠିକ୍, (b) ଓ (c) ଭୁଲ
- (B) (a) ଓ (b) ଠିକ୍, (c) ଭୁଲ
- (C) (a) ଓ (c) ଭୁଲ, (b) ଠିକ୍
- (D) (b) ଭୁଲ, (a) ଓ (c) ଠିକ୍

(Space For Rough Work)

81.(a) Always velocity = $\frac{\text{Distance}}{\text{Time}}$

(b) Always acceleration

$$= \frac{\text{Uniform velocity}}{\text{Time}}$$

(c) Always retardation = change of
 $\frac{\text{Velocity}}{\text{Time}}$

(A) (a) and (b) are correct (c) is wrong

(B) (c) is correct, (a) and (b) are wrong

(C) (a) and (c) are correct, (b) is wrong

(D) (b) and (c) are wrong, (a) is correct

81.(a) সর্বদা পরিবেগ = $\frac{\text{তুরত}}{\text{সময়}}$

(b) সর্বদা ত্বরণ = $\frac{\text{সম পরিবেগ}}{\text{সময়}}$

(c) সর্বদা মনদন = $\frac{\text{পরিবেগের পরিবর্তন}}{\text{সময়}}$

(A) (a) & (b) ঠিক, (c) ভুল

(B) (c) ঠিক, (a) & (b) ভুল

(C) (a) & (c) ঠিক, (b) ভুল

(D) (b) & (c) ভুল, (a) ঠিক

(Space For Rough Work)

84. (a) Radiation of heat does not need a medium always
 (b) The temperature range of a clinical thermometer is (95°C to 110°C)
 (c) The normal temperature of a healthy human body is usually 37°C .
- (A) (a) and (b) are correct, (c) is wrong
 (B) (b) is wrong, (a) and (c) are correct
 (C) (a) and (c) are wrong, (b) is correct
 (D) (a), (b) and (c) are wrong

85. What quantity of heat is required to convert 10 ml of pure water at 0°C to steam at 100°C under normal-pressure?
 (A) 1000 calories
 (B) 6400 calories
 (C) 10,000 calories
 (D) 26,880 calories

84. (a) ତାପ ବିକିରଣ ପାଇଁ ସର୍ବଦା ମାଧ୍ୟମର ଆବଶ୍ୟକ ହୁଏ ନାହିଁ ।

(b) ଏକ ଡାକ୍ତରଙ୍କ ଥର୍ମୋମିଟରର ତାପମାତ୍ରା ସୀମା 95°C ରୁ 110°C ମଧ୍ୟରେ ଥାଏ ।

(c) ସୁନ୍ଦର ମାନବ ଶରୀରର ସାଧାରଣ ତାପମାତ୍ରା ସାଧରଣତଃ 37°C ଅଟେ ।

(A) (a) ଓ (b) ଠିକ୍, (c) ଭୁଲ

(B) (b) ଭୁଲ, (a) ଓ (c) ଠିକ୍

(C) (a) ଓ (c) ଭୁଲ, (b) ଠିକ୍

(D) (a), (b) ଓ (c) ଭୁଲ

85. 0°C ରେ ଥିବା 10 ମିଲିଲିଟର ବିଶୁଦ୍ଧ ଜଳକୁ 100°C ତାପମାତ୍ରା ବିଶ୍ଵିଷ୍ଟ ବାମରେ (ମାନକ ତାପରେ ବା ନରମାଳ ପ୍ରେସରରେ) ପରିବର୍ତ୍ତନ କରିବା ପାଇଁ କେତେ ତାପ ଆବଶ୍ୟକ ?

(A) 1000 କେଲୋରି

(B) 6400 କେଲୋରି

(C) 10,000 କେଲୋରି

(D) 26,880 କେଲୋରି

(Space For Rough Work)

87. (a) We come to know about the direction of electromagnetic field created around a current carrying conductor by the right -hand thumb rule.

(b) We come to know about the direction of motion of a current carrying conductor in a magnetic field by Fleming's right-hand rule.

(c) When current passes through a circular conductor, the direction of the magnetic field is along the tangent to the circular conductor.

(d) The filament of electric bulb is made of tungsten metal.

(A) (a), (b) and (d) are correct, (c) is wrong

(B) (a) and (c) are correct, (b) and (d) are wrong

(C) (b) is wrong, (a), (c) and (d) are correct

(D) (b) and (c) are wrong, (a) and (d) are correct

87. (a) ଏକ ବିଦ୍ୟୁତ ପ୍ରବାହୀ ତାରର ଚାରିପରେ ଯେଉଁ ବିଦ୍ୟୁତ-ବୁମକୀୟ କ୍ଷେତ୍ର ସୃଷ୍ଟି ହୁଏ, ତାହାର ଦିଗ ଦଶିଣ-ହସ୍ତ ବୃକ୍ଷାଙ୍କୁଳି ନିଯମ ଦ୍ୱାରା ଜାଣିହୁଏ ।

(b) ଗୋଟିଏ ବିଦ୍ୟୁତ ପ୍ରବାହୀ ତାରକୁ ବୁମକୀୟ କ୍ଷେତ୍ରରେ ରଖିଲେ ତାହା କେଉଁ ଦିଗକୁ ଚାଲି କରିବ, ତାହା ଫ୍ଲେମିଂକର ଦଶିଣ ହସ୍ତନିୟମ ଦ୍ୱାରା ଜାଣିହୁଏ ।

(c) ଯେତେବେଳେ ଏକ ବୃତ୍ତାକାର ପରିବାହୀ ମଧ୍ୟରେ ବିଦ୍ୟୁତ ପ୍ରବାହିତ ହୁଏ, ସୃଷ୍ଟି ବୁମକୀୟ କ୍ଷେତ୍ରର ଦିଗ ବୃତ୍ତାକାର ପରିବାହୀର ସର୍ବଜ ଦିଗରେ ଥାଏ ।

(d) ଇଲେକ୍ଟ୍ରିକ ବଲବରେ ବ୍ୟବହୃତ ପିଲାମେଣ୍ଡ ଟଙ୍କେଷ୍ନ ଧାତୁରେ ତିଆରି ହୋଇଥାଏ ।

(A) (a), (b) ଓ (d) ଠିକ, (c) ଭୁଲ

(B) (a) ଓ (c) ଠିକ, (b) ଓ (d) ଭୁଲ

(C) (b) ଭୁଲ, (a), (c) ଓ (d) ଠିକ

(D) (b) ଓ (c) ଭୁଲ, (a) ଓ (d) ଠିକ

(Space For Rough Work)

89. If the radius of the lunar orbit is ' x ' units, then in 15 days the angular and linear displacement of moon would be respectively,

- (a) $90^\circ, \pi x$
- (b) $180^\circ, 2\pi x$
- (c) $180^\circ, 2x$

- (A) (a) and (b) are wrong, (c) is correct
- (B) (b) and (c) are wrong, (a) is correct
- (C) (b) is correct, (a) and (c) are wrong
- (D) (a), (b) and (c) are wrong

89. ଯଦି ଚନ୍ଦ୍ର କଷର ବ୍ୟାସାର୍ଥ 'x' ଏକକ ହୁଏ, ତେବେ 15 ଦିନରେ ଚନ୍ଦ୍ରର କୌଣ୍ଠିକ ବିପ୍ଲାପନ ଓ ରୈଞ୍ଜିକ ବିପ୍ଲାପନ ଯଥାକ୍ରମେ ହେବ,

- (a) $90^\circ, \pi x$
- (b) $180^\circ, 2\pi x$
- (c) $180^\circ, 2x$

- (A) (a) ଓ (b) ଭୁଲ, (c) ଠିକ
- (B) (b) ଓ (c) ଭୁଲ, (a) ଠିକ
- (C) (b) ଠିକ, (a) ଓ (c) ଭୁଲ
- (D) (a), (b) ଓ (c) ଭୁଲ

(Space For Rough Work)

92. Force is

- (a) a vector quantity
 - (b) the product of mass and acceleration
 - (c) Energy spent per unit mass
- (A) (a) and (c) are wrong, (b) is correct
- (B) (c) is correct, (a) and (b) are wrong
- (C) (a) and (b) are correct, (c) is wrong
- (D) (a), (b) and (c) are correct

93.(a) When 20 N force is applied on a body of mass 8 kg, the acceleration produced is 2.5 m/s^2

- (b) Gravitation is an isolated force
- (c) The energy required in lifting a body of 5 kg mass to a height of 2 m is 100 J

$$(g = 10 \text{ m/s}^2)$$

- (A) (a) and (c) are correct, (b) is wrong
- (B) (b) and (c) are wrong, (a) is correct
- (C) (b) is correct, (a) and (c) are wrong
- (D) (c) is wrong, (a) and (b) is correct

92. ବଳ ହେଉଛି

- (a) ଏକ ସଦିଶ ରାଶି
 - (b) ବସ୍ତୁର ଓ ତ୍ରିଭଣୀର ଗୁଣପଦ୍ଧତି
 - (c) ପ୍ରତି ଏକକ ବସ୍ତୁର ପାଇଁ ବ୍ୟୟନିତ ଶକ୍ତି
- (A) (a) ଓ (c) ଭୁଲ, (b) ଠିକ
- (B) (c) ଠିକ, (a) ଓ (b) ଭୁଲ
- (C) (a) ଓ (b) ଠିକ, (c) ଭୁଲ
- (D) (a), (b) ଓ (c) ଠିକ

93.(a) 8 kg (କିଲୋଗ୍ରାମ) ବସ୍ତୁର ବିଶିଷ୍ଟ ଏକ ବସ୍ତୁ ଉପରେ 20 ନିଉଟନ ବଳ ପ୍ରଯୋଗ କଲେ, ତ୍ରିଭଣୀ 2.5 ମିଟର/ବର୍ଗସେକେଣ୍ଟ ହେବ ।


- (b) ମହାକର୍ଷଣ ଏକ ଏକାକୀ ବଳ ଅଟେ ।
- (c) 5 କିଲୋଗ୍ରାମ ବସ୍ତୁର ବିଶିଷ୍ଟ ବସ୍ତୁକୁ 2 ମିଟର ଉଚ୍ଚକୁ ଉଠାଇବା ପାଇଁ 100 J ଶକ୍ତି ଆବଶ୍ୟକ ।

$$(g = 10 \text{ ମିଟର/ବର୍ଗସେକେଣ୍ଟ})$$

- (A) (a) ଓ (c) ଠିକ, (b) ଭୁଲ
- (B) (b) ଓ (c) ଭୁଲ, (a) ଠିକ
- (C) (b) ଠିକ, (a) ଓ (c) ଭୁଲ
- (D) (c) ଭୁଲ, (a) ଓ (b) ଠିକ

(Space For Rough Work)


96.



In the given circuit diagram, on closing the key.

- (a) The reading of the ammeter would be 6 Ampere.
 - (b) The reading of the voltmeter would be 6 volt.
 - (c) Effective Resistance across A and B would be 2 ohm.
 - (d) Effective Resistance across B and A would be 1 ohm.
- (A) (a), (b) and (c) are correct, (d) is wrong
- (B) (b) and (c) are correct, (a) and (d) are wrong
- (C) (a), (b) and (d) are correct, (c) is wrong
- (D) (b), (c) and (d) are wrong, (a) is correct

96.



ଦର ପରିପଥ ଚିତ୍ର ଅନୁସାରେ ସ୍ଵିର(key)କୁ ବନ୍ଦ କଲେ


- (a) ଏମିଟର ପାଠ୍ୟାଳ୍କ 6 ଆମିଗ୍ରାମ ହେବ ।
 - (b) ଭୋଲରମିଟର ପାଠ୍ୟାଳ୍କ 6 ଭୋଲର ହେବ ।
 - (c) A ଓ B ମଧ୍ୟରେ ସମ୍ମୁଦ୍ର ପ୍ରତିରୋଧ 2 ଓମ ହେବ ।
 - (d) B ଓ A ମଧ୍ୟରେ ସମ୍ମୁଦ୍ର ପ୍ରତିରୋଧ 1 ଓମ ହେବ ।
- (A) (a), (b) ଓ (c) ଠିକ, (d) ଭୁଲ
- (B) (b) ଓ (c) ଠିକ, (a) ଓ (d) ଭୁଲ
- (C) (a), (b) ଓ (d) ଠିକ, (c) ଭୁଲ
- (D) (b), (c) ଓ (d) ଭୁଲ, (a) ଠିକ

(Space For Rough Work)

99. When a resistance wire is connected to a battery of 12 volt, the ammeter reads 4 Amperes. Then the resistance of the wire would be

- (A) 3 ohm
- (B) 8 ohm
- (C) 16 ohm
- (D) 48 ohm

100.




A and *B* are two circular conductors of the same material and thickness carry the same amount of current. The number of turns in '*B*' is twice that of *A*, but radius of '*B*' is half of that of *A*. The ratio of the strength of the magnetic field at the center of '*B*' and that of '*A*' is

- (A) 4 : 1
- (B) 1 : 4
- (C) 1 : 2
- (D) 2 : 1

99. ଏକ ପ୍ରତିରୋଧ ତାରକୁ 12 ଭୋଲଗୁ ବିଶିଷ୍ଟ ଏକ ବ୍ୟାଟେରୀ ସହ ସଂଯୋଗ କରିବାରୁ ପରିପଥରେ ଥୁବା ଆମିଗର ପାଠ୍ୟାଙ୍କ 4 ଅମିଯର ହେଲା । ତେବେ ତାରର ପ୍ରତିରୋଧ ହେବ

- (A) 3 ଓମ
- (B) 8 ଓମ
- (C) 16 ଓମ
- (D) 48 ଓମ

100.



A ଓ *B* ଦୁଇଟି ବୃତ୍ତାକାର ପରିବାହୀ । ଉତ୍ସ ଏକା ଉପାଦାନ ଓ ମୋଟରେ ବିଶିଷ୍ଟ ଏବଂ ସମାନ ପରିମାଣର ବିଦ୍ୟୁତ୍ ଉତ୍ସ ତାରରେ ପ୍ରବାହିତ ହେଉଛି । '*B*' ରେ '*A*'ର ଦୁଇ ଗୁଣ ତାର ଘେରା ଅଛି, ମାତ୍ର '*B*'ର ବ୍ୟାସାଙ୍କ 'A'ର ବ୍ୟାସାଙ୍କର ଅଧିକ । '*B*'ର କେନ୍ଦ୍ରରେ ସୃଷ୍ଟି ବୁଝକୀୟ କ୍ଷେତ୍ରର ସାମର୍ଥ୍ୟ ଏବଂ '*A*'ର କେନ୍ଦ୍ରରେ ସୃଷ୍ଟି ବୁଝକୀୟ କ୍ଷେତ୍ରର ସାମର୍ଥ୍ୟର ଅନୁପାତ ହେବ,

- (A) 4 : 1
- (B) 1 : 4
- (C) 1 : 2
- (D) 2 : 1

(Space For Rough Work)

MATHEMATICS, CHEMISTRY & PHYSICS

(For Admission into 3rd Semester of 3 Years Diploma Course)

Candidate's Roll Number

--	--	--	--	--	--

Application Number

--	--	--	--	--	--

Undertaking :

I have carefully gone through the instructions given below and hereby agree to follow them.

Full Signature of the Candidate

OMR Serial Number

--	--	--	--	--	--

Full Signature of the Invigilator

INSTRUCTIONS TO CANDIDATE

1. After receiving the question booklet, gently pull out the answer sheet without breaking the paper seal of the Question Booklet.
2. Check that the SET CODE printed on the top of this question booklet is same as that printed on the OMR sheet. In case it is different, please get it replaced with a question booklet with the same SET CODE as that of the OMR answer sheet from the invigilator.
3. Fill in the boxes given in the OMR sheet by using Blue or Black Ball-point pen.
4. **OPEN THE SEAL OF THE QUESTION BOOKLET ONLY AFTER THE ANNOUNCEMENT BY THE INVIGILATOR TO DO SO.**
5. Use HB Pencil/Blue or Black Ball-point Pen to darken the appropriate circles in the OMR sheet. Darken only one circle for a question which you consider to be most correct. If more than one circle(s) are darkened for any question, it will be treated as the incorrect answer. A faintly darkened circle may be interpreted as wrong method of marking and may be rejected by the optical scanner.
6. All Questions are compulsory.
7. Each correct answer will fetch 04 marks whereas each incorrect answer will lead to deduction of 01 mark. Each unattempted question will fetch zero mark.
8. Use blank spaces provided in the question booklet for rough work. Doing the rough work on the answer sheet is forbidden.
9. The Answer sheet consists of two pages, the top one is the original answer sheet whereas the annexed one is carbon copy. Do not detach the carbon copy of the answer sheet by yourself. If the carbon copy is detached, the answer sheet will be rejected.
10. If you finish answering, remain seated in your seat till the Answer Sheet and other materials are collected by the invigilator from you.
11. The carbon copy of the Answer Sheet will be detached by the invigilator at the end of the examination and returned to you.
12. You are warned not to adopt any unfair means during the examination.
13. Do not carry any cellular/mobile phone/electronic gadget into the Examination Hall.



This Question Booklet contains 26 pages excluding the cover page. There are 100 Questions [Part-I (Physics-25) + Part-II (Chemistry-25) + Part-III (Math-50)] in all. Check every page of this Question Booklet carefully. If you find it defective in any manner, ask for another Question Booklet of the same set within 10 minutes of the commencement of Examination.

PART—I
PHYSICS

1. The SI unit of Gravitational constant G is
 - (A) Nm kg^{-1}
 - (B) $\text{Nm}^2 \text{kg}^{-1}$
 - (C) Nm kg^{-2}
 - (D) $\text{Nm}^2 \text{kg}^{-2}$
2. If a car at rest accelerates uniformly to a speed of 144 km/hour in 20 sec., it covers a distance of,
 - (A) 20 m
 - (B) 400 m
 - (C) 1440 m
 - (D) 2980 m
3. What is the dot product of two vectors of magnitude 3 and 5, if the angle between them is 60° ?
 - (A) 9.5
 - (B) 8.4
 - (C) 7.5
 - (D) 5.2
4. A javeline is thrown at an angle θ with the horizontal and the range is maximum. The value of $\tan \theta$ is
 - (A) 1
 - (B) $\sqrt{3}$
 - (C) $\frac{1}{\sqrt{3}}$
 - (D) 2

(Space For Rough Work)

7. Choose the false statement :

The acceleration due to gravity (g) decreases if,

- (A) We go down from the surface of earth towards its centre.
- (B) We go up from the surface of the earth.
- (C) We go from equator towards the poles on the surface of the earth.
- (D) The rotational velocity of the earth is increased.

9. A metallic bar is heated from 0°C to 100°C . The coefficient of linear expansion is $10^{-5}/^{\circ}\text{K}$. What will be the percentage increase in length ?

- (A) 0.01%
- (B) 0.1%
- (C) 1%
- (D) 10%

8. If M_e and R_e be the mass and radius of earth, then the value of escape velocity is

- (A) $\sqrt{\frac{GM_e}{R_e}}$
- (B) $\sqrt{2 \frac{GM_e}{R_e}}$
- (C) $\sqrt{GM_e R_e}$
- (D) $\sqrt{2 GM_e R_e}$

10. Which of the following causes more severe burns ?

- (A) Boiling water
- (B) Steam
- (C) Hot air
- (D) Sun rays

(Space For Rough Work)

15. Optical fibres are based on

- (A) Total internal reflection
- (B) Less scattering
- (C) Refraction
- (D) Reflection

17. The capacitance of a parallel plate capacitor does not depend upon

- (A) Area of the plate
- (B) Medium between the plates
- (C) Distance between the plates
- (D) Metal of the plates

16. Two thin lenses are in contact and the focal length of the combination is 80 cm. If the focal length of one of the lenses is 20 cm, the power of the other lens is

- (A) 1.66 D
- (B) 4.00 D
- (C) -1.00 D
- (D) -3.75 D

18. The resistivity of a wire depends on its

- (A) Length
- (B) Area of cross-section
- (C) Shape
- (D) Material

(Space For Rough Work)

23. Control rods used in nuclear reactors are made of

- (A) Stainless steel
- (B) Graphite
- (C) Cadmium
- (D) Plutonium

25. An atomic nucleus contains neutrons and protons. The sum of masses of the neutrons and protons in free space is

- (A) equal to the mass of nucleus
- (B) less than the mass of nucleus
- (C) greater than the mass of nucleus
- (D) sometimes less and sometimes more.

24. γ -rays passing through a strong uniform electric field get deflected :

- (A) in the direction of electric field
- (B) in the direction opposite to the electric field
- (C) in the direction perpendicular to the electric field
- (D) do not get deflected at all.

(Space For Rough Work)

28. Which configuration is impossible ?

(A) $3\ s^2$

(B) $3\ p^5$

(C) $2\ d^5$

(D) $4\ f^3$

30. M-shell can accommodate maximum




(A) 02 nos. of electrons

(B) 08 nos. of electrons



(C) 18 nos. of electrons

(D) 32 nos. of electrons

29. The orbital diagram in which Aufbau's principle is violated is



31. Which of the following molecule is in linear shape ?



(Space For Rough Work)

38. Limestone is a mineral of

- (A) Magnesium
- (B) Calcium
- (C) Sodium
- (D) Potassium

40. Cartridges are made from

- (A) Bronze
- (B) Brass
- (C) Bell metal
- (D) Nickel

42. $\text{H}_2\text{C} = \text{CH}$ – group is known as

- (A) Vinyl
- (B) Propyl
- (C) Methyl
- (D) Ethyl

39. During extraction of metal which of the following method produces slag ?

- (A) Concentration
- (B) Calcination
- (C) Roasting
- (D) Smelting

41. In alkanes, carbon atoms are linked by

- (A) single covalent bond
- (B) double covalent bond
- (C) triple covalent bond
- (D) single ionic bond

43. In Ion-exchange method, the exhausted cation exchange resin will be regenerated by the treatment with

- (A) moderately concentrated acetic acid
- (B) moderately concentrated oxalic acid
- (C) moderately concentrated phosphoric acid
- (D) moderately concentrated sulphuric acid

(Space For Rough Work)

48. Combination of identical monomers form

- (A) copolymer
- (B) homopolymer
- (C) heteropolymer
- (D) polymer

49. Man is the receptor of CO gas which causes

- (A) Blindness
- (B) Cardiac arrest
- (C) Arthritis
- (D) Meningitis

50. Which of the following gas in atmosphere absorbs IR radiation ?

- (A) Oxygen
- (B) Hydrogen
- (C) Nitrogen
- (D) Carbon dioxide

(Space For Rough Work)

55. The middle term in the expansion of

$$\left(x + \frac{1}{x} \right)^{10}$$

- (A) ${}^{10}C_1 \frac{1}{x}$
- (B) ${}^{10}C_5$
- (C) ${}^{10}C_6$
- (D) ${}^{10}C_7 x$

57. Find the values of x and y if

$$(1-i)x + (1+i)y = 1 - 3i$$

- (A) $x = -1, y = 2$
- (B) $x = 2, y = -1$
- (C) $x = 2, y = 2$
- (D) $x = 1, y = -1$

56. The no. of terms in the expansion of

$$\sqrt{(3x^2 + 2y^2)^{16}}$$

- (A) 9
- (B) 17
- (C) 10
- (D) 16

58. If $1, \omega, \omega^2$ are imaginary cube-roots of unity, then the value of

$$(1-\omega+\omega^2)^7 + (1+\omega-\omega^2)^7$$

- (A) -128
- (B) 218
- (C) 128
- (D) None of these.

(Space For Rough Work)

63. The radius of the circle

$$x^2 + y^2 - 2x + 4y + 1 = 0$$

- (A) 1
- (B) 4
- (C) 2
- (D) $\sqrt{19}$

65. The projection of the line segment
(1, 3, -1) and (3, 2, 4) on Z-axis is

- (A) 1
- (B) 3
- (C) 4
- (D) 5

64. The equation of the circle which passes through the points (0, 1), (1, 0) and (2, 1) is

- (A) $x^2 + y^2 - 2x - 2y + 1 = 0$
- (B) $x^2 - y^2 + 2x - 2y - 1 = 0$
- (C) $x^2 + y^2 + 2x + 2y - 1 = 0$
- (D) None of these.

66. If a line makes angles α, β, γ with X, Y and Z-axis respectively, then the value of $\sin^2 \alpha + \sin^2 \beta + \sin^2 \gamma$ is

- (A) 1
- (B) 2
- (C) 0
- (D) None of these.

(Space For Rough Work)

71. The value of $\frac{\cos 15^\circ - \sin 15^\circ}{\cos 15^\circ + \sin 15^\circ}$ is

- (A) $\frac{1}{\sqrt{2}}$
- (B) $\sqrt{3}$
- (C) $\frac{1}{\sqrt{3}}$
- (D) $\frac{1}{2}$

73. The general solution of the equation $\tan ax = \tan bx$ is

- (A) $\frac{\pi \left(n + \frac{1}{2} \right)}{a+b}$
- (B) $\frac{n\pi}{a+b}$
- (C) $n\pi - (a+b)$
- (D) None of these.

72. The principal solution of the equation $\cos^2 \theta + \sin \theta + 1 = 0$ is

- (A) $\frac{2\pi}{3}$
- (B) $\frac{3\pi}{2}$
- (C) $\frac{5\pi}{2}$
- (D) $\frac{\pi}{3}$

74. In any triangle ABC , if $A : B : C = 1 : 2 : 3$ then $\sin A : \sin B : \sin C$ is

- (A) $2:1:\sqrt{3}$
- (B) $1:\sqrt{2}:3$
- (C) $1:\sqrt{3}:2$
- (D) $\sqrt{3}:1:2$

(Space For Rough Work)

79. For what value of k the function given

by $f(x) = \begin{cases} kx^2, & \text{if } x > 2 \\ 3, & \text{if } x \leq 2 \end{cases}$ is continuous

at $x = 2$

(A) 3

(B) $\frac{4}{3}$

(C) 4

(D) $\frac{3}{4}$

80. If $y = \sqrt{1 + \sin 2x}$, then $\frac{dy}{dx}$ is

(A) $\sin x - \cos x$

(B) $\sin x + \cos x$

(C) $\cos x - \sin x$

(D) None of these.

81. If $y = \tan^{-1} \left(\frac{1+x^2}{1-x^2} \right)$, then $\frac{dy}{dx}$ is

(A) $\frac{-1}{1+x^4}$

(B) $\frac{2x}{1+x^4}$

(C) $\frac{1}{1-x^4}$

(D) None of these.

82. If $y = x^x$, then $\frac{dy}{dx}$ is

(A) $(1+\log x)$

(B) $\frac{1}{\log x - 1}$

(C) $x^x(1+\log x)$

(D) None of these.

(Space For Rough Work)

87. $\int \frac{1}{1+e^{-x}} dx$ is equal to

- (A) $\ln(e^x + 1) + c$
- (B) $\ln(e^{-x} + 1) + c$
- (C) $\ln(e^x + e^{-x}) + c$
- (D) None of these.

89. $\int e^x [f(x) + f'(x)] dx$ is equal to

- (A) $e^x f(x) + c$
- (B) $e^x f'(x) + c$
- (C) $e^x [f(x) + f'(x)] + c$
- (D) None of these.

88. If $\int x \sin x dx = -x \cos x + A$, then A is equal to

- (A) $\cos x + \text{constant}$
- (B) constant
- (C) $\sin x + \text{constant}$
- (D) None of these.

90. $\int \frac{3x-1}{(x-1)(x+1)} dx$ is equal to

- (A) $\log[(x-1)(x+1)] + c$
- (B) $\frac{1}{x-1} + \frac{1}{x+1} + c$
- (C) $\frac{3}{x-1} + \frac{2}{x+1} + c$
- (D) None of these.

(Space For Rough Work)

95. The solution of the differential equa-

$$\frac{dy}{dx} + \frac{\tan y}{\tan x} = 0$$

- (A) $\tan y = \tan x + c$
- (B) $\tan y \cdot \tan x = c$
- (C) $\sin y \cdot \sin x = c$
- (D) None of these.

97. If \vec{a} and \vec{b} are two unit vectors inclined at an angle θ , such that $\vec{a} + \vec{b}$ is a unit vector, then θ is equal to

- (A) $\frac{\pi}{3}$
- (B) $\frac{\pi}{4}$
- (C) $\frac{\pi}{2}$
- (D) $\frac{2\pi}{3}$

96. The differential equation

$$(ay^2 + x + x^3)dx + (y^3 - y + bxy)dy = 0$$

is said to be exact if

- (A) $b = a$
- (B) $b = 2a$
- (C) $a = 1, b = 3$
- (D) $b \neq 2a$

98. The value of $\hat{i} \times (\hat{j} \times \hat{k})$ is

- (A) $\vec{0}$
- (B) \hat{i}
- (C) \hat{j}
- (D) \hat{k}

(Space For Rough Work)

5. A weightlifter lifts a weight off the ground and holds it up.
- (A) Work is done in lifting as well as holding the weight.
- (B) No work is done in both lifting and holding the weight.
- (C) Work is done in lifting the weight, but no work is required to be done in holding it up.
- (D) No work is done in lifting the weight, but work is required to be done in holding it up.
6. The momentum of a body is numerically equal to its kinetic energy. The velocity of the particle will be,
- (A) 1 m/sec
- (B) 4 m/sec
- (C) 8 m/sec
- (D) 2 m/sec

(Space For Rough Work)

11. A metallic rod is continuously heated at its two ends. The flow of heat through the rod does not depend upon

- (A) The area of cross-section of the rod
- (B) The mass of the rod
- (C) Time of heating
- (D) Temperature difference

13. Which of the following statement is correct ?

- (A) Both sound and light waves in air are longitudinal.
- (B) Both sound and light waves in air are transverse.
- (C) Sound waves in air are transverse while light waves are longitudinal.
- (D) Sound waves in air are longitudinal while light waves are transverse.

12. The time period of a simple pendulum is 2 sec. If its length is increased by 4 times, the time period becomes,


- (A) 4 sec
- (B) 6 sec
- (C) 8 sec
- (D) 2 sec

14. The refractive index of water with respect to air is $\frac{4}{3}$ and the refractive index of glass with respect to air is $\frac{3}{2}$. What will be the refractive index of water with respect to glass ?

- (A) $\frac{9}{8}$
- (B) $\frac{8}{9}$
- (C) $\frac{1}{2}$
- (D) 2

(Space For Rough Work)

19. In the figure given below, the current passing through $6\ \Omega$ resistor is



- (A) 0.4 amp
- (B) 0.48 amp
- (C) 0.72 amp
- (D) 0.8 amp

21. The magnetic field \vec{dB} due to a small current element $d\vec{l}$ at a distance r and carrying current I is

- (A) $\vec{dB} = \frac{\mu_0}{4\pi} I \left(\frac{d\vec{l} \times \vec{r}}{r} \right)$
- (B) $\vec{dB} = \frac{\mu_0}{4\pi} I^2 \left(\frac{d\vec{l} \times \vec{r}}{r} \right)$
- (C) $\vec{dB} = \frac{\mu_0}{4\pi} I^2 \left(\frac{d\vec{l} \times \vec{r}}{r^2} \right)$
- (D) $\vec{dB} = \frac{\mu_0}{4\pi} I \left(\frac{d\vec{l} \times \vec{r}}{r^3} \right)$

20. How much electrical energy in kWh is consumed in operating ten number 50 watt bulbs for 10 hours per day in a month of 30 days.

- (A) 1500
- (B) 15000
- (C) 15
- (D) 150

22. Lenz's law is a consequence of the law of conservation of

- (A) Charge
- (B) Mass
- (C) Momentum
- (D) Energy

(Space For Rough Work)

PART-II
CHEMISTRY

26. The formula of a metal nitride is MN.
The formula of its sulphate is






(A) MSO_4

(B) M_2SO_4

(C) $\text{M}_2(\text{SO}_4)_3$

(D) M_3SO_4

27. Which one is the balanced form of the following chemical equation :



(Space For Rough Work)

32. Ammonia molecule can form

- (A) ionic bond
- (B) covalent bond
- (C) co-ordinate bond
- (D) metallic bond

34. What is the equivalent mass of potassium carbonate?

- (A) 49
- (B) 59
- (C) 69
- (D) 79

36. In electrolytic cell

- (A) Chemical energy is converted into electrical energy
- (B) Electrical energy is converted into chemical energy
- (C) Electrical energy is converted into light energy
- (D) Chemical energy is converted into light energy

33. Which of the following is a Lewis acid?

- (A) CaCl_2
- (B) NaCl
- (C) FeCl_3
- (D) SiCl_4

35. pH values of basic solution will be

- (A) greater than 7
- (B) less than 7
- (C) equal to 7
- (D) equal to 6

37. The quantity of electricity which produces one gram equivalent of substance in Faraday's second law of electrolysis is

- (A) Farad
- (B) Volt
- (C) Ampere
- (D) Ohm

(Space For Rough Work)

44. Temporary hardness is due to presence of

- (A) soluble bicarbonates of Calcium and Magnesium
- (B) soluble carbonates of Calcium and Magnesium
- (C) soluble chlorides of Calcium and Magnesium
- (D) soluble sulphates of Calcium and Magnesium

46. Molybdenum disulphide is stable in presence of air up to

- (A) 400 °C
- (B) 600 °C
- (C) 800 °C
- (D) 1000 °C

45. In making lead pencils, which of the following is used?

- (A) Boron trifluoride
- (B) Boron Nitride
- (C) Molybdenum Disulphide
- (D) Graphite

47. Calorific value of a fuel is the amount of heat energy released by complete combustion of

- (A) 10 kg of fuel
- (B) 10 gm of fuel
- (C) 1 gm of fuel
- (D) 1 kg of fuel

(Space For Rough Work)

PART—III
MATHEMATICS

51. The value of the determinant

$$\begin{vmatrix} 1 & a & b+c \\ 1 & b & c+a \\ 1 & c & a+b \end{vmatrix}$$

- (A) 0
- (B) 1
- (C) $a+b+c$
- (D) $ab+bc+ca$

53. If $A = \begin{bmatrix} 1 & -2 \\ 5 & 3 \end{bmatrix}$, then $A + A^T$ equals

- (A) $\begin{bmatrix} 2 & 3 \\ 3 & 6 \end{bmatrix}$
- (B) $\begin{bmatrix} 2 & -4 \\ 10 & 6 \end{bmatrix}$
- (C) $\begin{bmatrix} 2 & 4 \\ -10 & 6 \end{bmatrix}$
- (D) None of these.

52. If K is a scalar and A is a $n \times n$ square matrix, then $|KA|$ is equal to

- (A) $K|A|^n$
- (B) $K|A|$
- (C) $K^n |A^n|$
- (D) $K^n |A|$

54. If $A = \begin{bmatrix} -5 & 2 \\ 1 & -3 \end{bmatrix}$, then adj. A is equal to

- (A) $\begin{bmatrix} -3 & -2 \\ -1 & -5 \end{bmatrix}$
- (B) $\begin{bmatrix} 3 & -2 \\ -1 & 5 \end{bmatrix}$
- (C) $\begin{bmatrix} 5 & 1 \\ 2 & 3 \end{bmatrix}$
- (D) $\begin{bmatrix} 3 & 2 \\ 1 & 5 \end{bmatrix}$

(Space For Rough Work)

59. Resolving into partial fraction if

$$\frac{3x+2}{(x-1)(x-2)(x-3)} = \frac{A}{x-1} + \frac{B}{x-2} + \frac{C}{x-3}$$

then the value of C is

- (A) $\frac{5}{2}$
- (B) $\frac{11}{2}$
- (C) $\frac{9}{2}$
- (D) None of these.

61. The distance between the parallel lines $3x - 4y + 9 = 0$ and $6x - 8y - 15 = 0$ is

- (A) $\frac{33}{10}$
- (B) $\frac{10}{33}$
- (C) $\frac{9}{15}$
- (D) $\frac{15}{9}$

60. The equation of a straight line which passes through the point $(0, 1)$ and has an inclination 45° with X -axis is

- (A) $x + y + 1 = 0$
- (B) $x - y - 1 = 0$
- (C) $y - x - 1 = 0$
- (D) None of these.

62. If p be the length of the perpendicular from the origin on the line whose intercepts on the co-ordinate axes are a and b , then it satisfies the equation is

- (A) $p = \sqrt{a^2 + b^2}$
- (B) $\frac{1}{p^2} = \frac{1}{a^2} + \frac{1}{b^2}$
- (C) $p = \frac{1}{\sqrt{a^2 + b^2}}$
- (D) None of these.

(Space For Rough Work)

LA/MATH (1)

67. The angle between the lines whose direction ratios are $(2, 3, 4)$ and $(1, -2, 1)$ is

- (A) $\frac{\pi}{2}$
- (B) $\frac{\pi}{4}$
- (C) $\frac{\pi}{3}$
- (D) π

69. The equation of a plane perpendicular to Z-axis and passing through the point $(1, -2, 4)$ is

- (A) $x = 1$
- (B) $y + 2 = 0$
- (C) $z - 4 = 0$
- (D) $x + y + z - 3 = 0$

68. If two planes $A_1x + B_1y + C_1z + D_1 = 0$ and $A_2x + B_2y + C_2z + D_2 = 0$ are parallel, then it satisfies the condition is

- (A) $\frac{A_1}{A_2} \neq \frac{B_1}{B_2}$
- (B) $\frac{A_1}{A_2} = \frac{B_1}{B_2} = \frac{C_1}{C_2}$
- (C) $\frac{A_1}{A_2} = \frac{B_1}{B_2} \neq \frac{C_1}{C_2}$
- (D) None of these.

70. If $\cos \theta = -\frac{1}{2}$ and $\pi < \theta < \frac{3\pi}{2}$, then the value of $4 \tan^2 \theta - 3 \operatorname{cosec}^2 \theta$ is

- (A) 8
- (B) -10
- (C) -8
- (D) 10

(Space For Rough Work)

LA/MATH (1)

75. In triangle ABC if

$$\frac{\cos A}{a} = \frac{\cos B}{b} = \frac{\cos C}{c}$$

then the triangle is.

- (A) equilateral
- (B) isosceles
- (C) scalene
- (D) right angle

77. The value of $\lim_{x \rightarrow 0} \left(1 + \frac{x}{2}\right)^{\frac{1}{x}}$ is

- (A) $e^{\frac{1}{2}}$
- (B) e^2
- (C) e
- (D) $\frac{1}{2}$

76. $\lim_{x \rightarrow \infty} \frac{5x - 6}{\sqrt{4x^2 + 9}}$ is equal to

- (A) $\frac{5}{4}$
- (B) $\frac{5}{2}$
- (C) $\frac{5}{9}$
- (D) $-\frac{1}{2}$

78. The value of $\lim_{x \rightarrow 0} \frac{1 - \cos x}{x^2}$ is

- (A) $\frac{1}{4}$
- (B) $\frac{1}{2}$
- (C) 1
- (D) None of these.

(Space For Rough Work)

LA/MATH (1)

83. If $x^y = y^x$, then $\frac{dy}{dx}$ is

(A) $\frac{\ln y + \frac{y}{x}}{y^2}$

(B) $\frac{\ln y - \frac{y}{x}}{\ln x - \frac{x}{y}}$

(C) $\frac{1 + \frac{y}{x}}{1 - \frac{y}{x}}$

(D) None of these.

85. If $f(x) = x^3 - 6x^2 + 9x + 7$, then the local minimum value of $f(x)$ is

(A) 7

(B) 11

(C) 6

(D) -7

84. If $u = t^2$, and $v = \sin t^2$, then $\frac{dv}{du}$ is

(A) $\cos^2 t$

(B) $2t \cos t^2$

(C) $\frac{\cos^2 t}{2t}$

(D) $\cos t^2$

86. $\int \sin\left(a + \frac{x}{b}\right) dx$ is equal to

(A) $\cos\left(a + \frac{x}{b}\right) + c$

(B) $-b \cos\left(a + \frac{x}{b}\right) + c$

(C) $-b \sin\left(a + \frac{x}{b}\right) + c$

(D) $\frac{1}{b} \cos\left(a + \frac{x}{b}\right) + c$

(Space For Rough Work)

LA/MATH (1)

91. The value of the integral

$$\int_0^{\pi} |\cos x| dx \text{ is}$$

- (A) 1
- (B) 2
- (C) 0
- (D) -1

93. The order and degree of the differential

$$\text{equation } \left[1 + \left(\frac{dy}{dx} \right)^2 \right]^{\frac{3}{2}} = 5 \frac{d^2 y}{dx^2} \text{ is}$$

- (A) order 2, degree-2
- (B) order 1, degree-3
- (C) order 2, degree-3
- (D) order 2, degree-1

92. The area under the curve $y = 2\sqrt{x}$, included between the line $x = 0$, $x = 1$ and X -axis is

- (A) $\frac{1}{4}$ sq. units
- (B) $\frac{1}{2\sqrt{2}}$ sq. units
- (C) $\frac{3}{4}$ sq. units
- (D) $\frac{4}{3}$ sq. units

94. The integrating factor of the linear differential equation

$$\frac{dy}{dx} + \frac{2xy}{1+x^2} = \frac{4x}{1+x^2} \text{ is}$$

- (A) $1+x^2$
- (B) $\frac{2x}{1+x^2}$
- (C) $4x$
- (D) None of these.

(Space For Rough Work)

LA/MATH (1)

99. If $z = \sin^{-1}\left(\frac{x}{y}\right)$, then $\frac{\partial z}{\partial y}$ is

(A) $\frac{1}{\sqrt{x^2 - y^2}}$

(B) $\frac{-x}{y\sqrt{y^2 - x^2}}$

(C) $\frac{y}{\sqrt{y^2 - x^2}}$

(D) $\frac{x}{\sqrt{y^2 - x^2}}$

100. If $v = x^3 + axy^2$, satisfies the equation

$$\frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} = 0, \text{ then the value of } a \text{ is}$$

(A) 3

(B) 6

(C) -3

(D) -6

(Space For Rough Work)

**ENGLISH, GENERAL KNOWLEDGE, GENERAL SCIENCE
& BASIC MATHEMATICS**

(For Admission to Non-Engineering Diploma Courses)

Candidate's Roll Number

--	--	--	--	--	--

Undertaking :

I have carefully gone through the instructions given below and hereby agree to follow them.

Application Number

--	--	--	--	--	--

Full Signature of the Candidate

OMR Serial Number

--	--	--	--	--	--

Full Signature of the Invigilator

INSTRUCTIONS TO CANDIDATE

1. After receiving the question booklet, gently pull out the answer sheet without breaking the paper seal of the Question Booklet.
2. Check that the SET CODE printed on the top of this question booklet is same as that printed on the OMR sheet. In case it is different, please get it replaced with a question booklet with the same SET CODE as that of the OMR answer sheet from the invigilator.
3. Fill in the boxes given in the OMR sheet by using Blue or Black Ball-point pen.
4. **OPEN THE SEAL OF THE QUESTION BOOKLET ONLY AFTER THE ANNOUNCEMENT BY THE INVIGILATOR TO DO SO.**
5. **Use HB Pencil/Blue or Black Ball-point Pen to darken the appropriate circles in the OMR sheet. Darken only one circle for a question which you consider to be most correct. If more than one circle(s) are darkened for any question, it will be treated as the incorrect answer. A faintly darkened circle may be interpreted as wrong method of marking and may be rejected by the optical scanner.**
6. All Questions are compulsory.
7. Each correct answer will fetch 04 marks whereas each incorrect answer will lead to deduction of 01 mark. Each unattempted question will fetch zero mark.
8. Use blank spaces provided in the question booklet for rough work. Doing the rough work on the answer sheet is forbidden.
9. The Answer sheet consists of two pages, the top one is the original answer sheet whereas the annexed one is carbon copy. Do not detach the carbon copy of the answer sheet by yourself. If the carbon copy is detached, the answer sheet will be rejected.
10. If you finish answering, remain seated in your seat till the Answer Sheet and other materials are collected by the invigilator from you.
11. The carbon copy of the answer sheet will be detached by the invigilator at the end of the examination and returned to you.
12. You are warned not to adopt any unfair means during the examination.
13. Do not carry any cellular/mobile phone/electronic gadget into the Examination Hall.

This Question Booklet contains 32 pages excluding the cover page. There are 100 Questions [(Basic Math-25) + (General Knowledge-25) + (Eng-25) + (General Science-25)] in all. Check every page of this Question Booklet carefully. If you find it defective in any manner, ask for another Question Booklet of the same set within 10 minutes of the commencement of Examination.

4. If twice the son's age (in years) is added to the father's age, the sum is 70. But if twice the father's age is added to the son's age, the sum is 95. The father's age is—

- (A) 30 years
- (B) 40 years
- (C) 50 years
- (D) 60 years.

5. If $ax^2 + bx + c = 0$ has equal roots then c is equal to :

- (A) $-\frac{b}{2a}$
- (B) $\frac{b}{2a}$
- (C) $-\frac{b^2}{4a}$
- (D) $\frac{b^2}{4a}$

(Space For Rough Work)

NE/MATH (2)

8. The least number that must be added to 269 to make it a perfect square is

- (A) 20
- (B) 18
- (C) 16
- (D) 14

9. If $x = \frac{\sqrt{3} + 1}{\sqrt{3} - 1}$ and $y = \frac{\sqrt{3} - 1}{\sqrt{3} + 1}$, then the value of $x^2 - y^2$ is

- (A) $2\sqrt{3}$
- (B) $4\sqrt{3}$
- (C) $6\sqrt{3}$
- (D) $8\sqrt{3}$

(Space For Rough Work)

13. If $f(x) = \frac{2x+3}{x-2}$ and $x \neq 2, x \in R$, then the value of $\frac{1}{3}f(4)$ is :

- (A) $\frac{6}{11}$
- (B) $\frac{11}{6}$
- (C) $\frac{3}{2}$
- (D) 9

14. If $f : R \rightarrow R$ satisfies $f(x+y) = f(x) + f(y)$ for all $x, y \in R$ and $f(1) = 7$, then

$\sum_{r=1}^n f(r)$ is :

- (A) $\frac{7n}{2}$
- (B) $\frac{7(n+1)}{2}$
- (C) $7n(n+1)$
- (D) $\frac{7n(n+1)}{2}$

(Space For Rough Work)

NE/MATH (2)

17. If $a = 2$ and $b = 3$, then the value of $\left(\frac{1}{a} + \frac{1}{b}\right)^2$ is

- (A) $\frac{5}{6}$
- (B) $\frac{6}{5}$
- (C) $\frac{25}{36}$
- (D) $\frac{36}{25}$

18. The fourth proportional of 2, 3, 8 is

- (A) 12
- (B) 6
- (C) 3
- (D) 1

19. Two numbers are in the ratio 5 : 8. If 9 be added to each, they are in the ratio of 8 : 11. Then the numbers are —

- (A) 10 and 16
- (B) 15 and 24
- (C) 20 and 32
- (D) 25 and 40

(Space For Rough Work)

NE/MATH (2)

23. $V \propto \frac{1}{P}$ and $V = 12$ when $P = 5$. If $V = 10$, then P is equal to

- (A) $\frac{5}{12}$
- (B) $\frac{1}{2}$
- (C) $\frac{12}{5}$
- (D) 6

24. The value of $\frac{1}{2} \log_a 9 + \frac{1}{3} \log_a 64 - \frac{1}{2} \log_a 36$ ($a > 0, a \neq 1$) is

- (A) $\log_a 3$
- (B) $\log_a 2$
- (C) $\log_a 6$
- (D) $\log_a 9$

25. If antilog(0.300) = 1.995, the value of 10^{23} is :

- (A) 0.0001995
- (B) 0.001995
- (C) 0.1995
- (D) 199.5

(Space For Rough Work)

29. Prativa Roy, the famous Odia author is awarded a National Award for 2011. Name the award.

- (A) Padma bhusan
- (B) Padma bibhusan
- (C) Jhanpith
- (D) Sarala Samman

30. Who invented bicycle ?

- (A) Stephenson
- (B) Macmillan
- (C) Edison
- (D) Johnson

31. Who invented telephone ?

- (A) Marconi
- (B) Darwin
- (C) Newton
- (D) Graham Bell

(Space For Rough Work)

36. Who is hanged on 9th Feb' 2013 in Tihar Jail for attack on the Indian Parliament ?

- (A) Azmal Kasab
- (B) Afzal Guru
- (C) Haneef
- (D) Sayeed Mohammad

37. The world famous 'Kumbh Mela' takes place once in :

- (A) 10 years
- (B) 12 years
- (C) 8 years
- (D) 6 years

38. Who presented the Union Budget 2013 ?

- (A) Pranab Mukherjee
- (B) P. Chidambaram
- (C) Sarad Power
- (D) Kapil Sibal

(Space For Rough Work)

42. National Science Day is celebrated on :

- (A) 28th March
- (B) 28th April
- (C) 28th February
- (D) 28th January

43. Kelu Charan Mahapatra was associated with :

- (A) Kuchipudi
- (B) Gotipua Dance
- (C) Odishi
- (D) Manipuri Dance

44. Pandit Rabi Shankar was associated with :

- (A) Flute
- (B) Tabla
- (C) Sitar
- (D) Guitar

(Space For Rough Work)

48. Who took over the regime of Tata Companies from Ratan Tata ?

- (A) Y. Debeswar
- (B) Anil Ambani
- (C) Cyrus Mistry
- (D) C. S. Raju

49. Why is Chandipur in Odisha famous ?

- (A) Crocodile Sanctuary
- (B) Tiger reserve
- (C) Sea beach
- (D) Missile testing

50. Santosh Trophy is associated with :

- (A) Basketball
- (B) Football
- (C) Baseball
- (D) Hockey

(Space For Rough Work)

55. Light — very fast.

- (A) travel
- (B) travels
- (C) is travelling
- (D) has been travelling

56. There is hardly — tea left.

- (A) any
- (B) some
- (C) few
- (D) a few

57. Write the correct answer — the question.

- (A) of
- (B) into
- (C) to
- (D) for

Identify the part A /B /C /D in the following sentences that has an error.

58. Faster you run, the cooler it gets.

- A
- B
- C
- D

59. This is the first time I am going to attend the meeting.

- A
- B
- C
- D

(Space For Rough Work)

running from me like a herd of deer, although I had no intention of attacking them. When I paused in front of a tailor's shop, he abandoned his machine and shut himself in a cupboard, wailing, "Alas, I am undone ! won't someone shoot that tiger ?"

66. The word I in the first line of the passage stands for :

- (A) The author
- (B) The tailor
- (C) The people
- (D) The tiger

67. The tiger had had the opinion before entering the Market Road that human beings were ——————

- (A) strong and fearless
- (B) a herd of deer
- (C) in the attacking mood
- (D) behind the pillars

68. People watching the tiger in the circus were :

- (A) frightened
- (B) happy
- (C) making a noise
- (D) perturbed

(Space For Rough Work)

73. Abandoned :

- (A) stopped to work
- (B) continued to work
- (C) returned to work
- (D) started to work

Choose the right word from among the alternatives which is opposite in meaning :

74. Paused :

- (A) dropped
- (B) stopped
- (C) stood
- (D) paced

75. Like :

- (A) onlike
- (B) unlike
- (C) dislike
- (D) disdain

(Space For Rough Work)

79. The first person to see a living cell was :

- (A) Robert Hooke
- (B) Robert Brown
- (C) M. J. Schieiden
- (D) Antony von Leuwenhook.

80. Which cell is phylogenetically advanced ?

- (A) Unicellular organism
- (B) Multicellular organism
- (C) Eukaryotes
- (D) Prokaryotes.

81. DNA is :

- (A) Always double standard
- (B) Rarely single standard
- (C) Always single standard
- (D) Rarely double standard

82. Lead in water causes

- (A) Eye damage
- (B) Loss of hair
- (C) Kidney damage
- (D) Arthritis.

(Space For Rough Work)

86. Water matching distilled water can be obtained by

- (A) Permutit process
- (B) Lime-soda process
- (C) Boiling
- (D) Ion-exchange method.

87. What is the valency of copper in CuO ?

- (A) 1
- (B) 2
- (C) 3
- (D) 4

88. The bond angle in ammonia is :

- (A) $109^{\circ}28'$
- (B) 90°
- (C) 107°
- (D) $107^{\circ}28'$

(Space For Rough Work)

PHYSICS

92. When sound travels from air to water, the quantity that remains unchanged is

- (A) Speed
- (B) Frequency
- (C) Intensity
- (D) Wavelength.

93. The boiling point of water decreases when surrounding

- (A) Temperature increases
- (B) Temperature decreases
- (C) Pressure increases
- (D) Pressure decreases.

94. Refractive index of water with respect to air is

- (A) $\frac{1}{2}$
- (B) $\frac{3}{4}$
- (C) $\frac{4}{3}$
- (D) $\frac{1}{3}$

(Space For Rough Work)

98. The ratio of displacement to the distance is

- (A) Always ≤ 1
- (B) Always ≥ 1
- (C) Maybe ≤ 1
- (D) Always = 1

99. When a body moves along a straight line, the motion of the body is said to be

- (A) One dimensional
- (B) Two dimensional
- (C) Three dimensional
- (D) Maybe any of these three.

100. What is the position of the boat when a person sitting in it and push one of the wall of the boat ?

- (A) Boat moves forward with a uniform velocity
- (B) Boat moves forward with a non-uniform velocity
- (C) Boat moves backward
- (D) Boat remains at rest.

(Space For Rough Work)

BASIC MATHEMATICS

(Use of Calculator and Logarithm table not allowed)

1. If α and β are two roots of the equation $x^2 + x - 2 = 0$ then the value of $\alpha^{-1} + \beta^{-1}$ is
- 2
 - 2
 - $\frac{1}{2}$
 - $-\frac{1}{2}$
2. The value of α for which the system of equations $\alpha x + 3y = \alpha - 3$
 $12x + \alpha y = \alpha$
has no solution is :
- 6
 - 5
 - 5
 - 6
3. The length of a minute hand on the wall clock is 7 cm. The area swept by the minute hand in 30 minutes is :
- 147 cm^2
 - 210 cm^2
 - 154 cm^2
 - 77 cm^2

(Space For Rough Work)

6. The median of the following distribution is :

Weights (in kg.)	40	45	50	55	60	65	70
Number of persons	5	7	8	15	4	3	1

- (A) 55
- (B) 50
- (C) 45
- (D) 60

7. For the following data

$$-1, 1, 0, 2, 3, 5, 5, 6, 8, 10, 11$$

- (A) Mean = Mode = Median
- (B) Mean = Mode
- (C) Mode = Median
- (D) Mean = 5

(Space For Rough Work)

10. If the side of an equilateral triangle is $4\sqrt{3}$ cm, its area is :

(A) $\frac{12}{\sqrt{3}} \text{ cm}^2$

(B) $\frac{24}{\sqrt{3}} \text{ cm}^2$

(C) $12\sqrt{3} \text{ cm}^2$

(D) $24\sqrt{3} \text{ cm}^2$

11. The sides of a rectangular park are in the ratio 4 : 3. If its area is 1728 m² then the cost of fencing it at Rs. 2.50 per metre is :

(A) Rs. 320.00

(B) Rs. 420.00

(C) Rs. 840.00

(D) Rs. 680.00

12. The height of a parallelogram is one-third the base. If the area is 108 cm², then its height is :

(A) 6 cm

(B) 7 cm

(C) 8 cm

(D) 9 cm

(Space For Rough Work)

15. A cylinder and a cone have the same height and the same radius of the base. The ratio between the volumes of the cylinder and the cone is :

- (A) 1 : 2
- (B) 1 : 3
- (C) 3 : 1
- (D) 2 : 1

16. The mean of the n scores $x_1, x_2, x_3, \dots, x_n$ is M . If $\sum_{i=1}^n (x_i - 12) = -10$ and $\sum_{i=1}^n (x_i - 3) = 62$, then the value of ' n ' is

- (A) 10
- (B) 8
- (C) 12
- (D) 9

(Space For Rough Work)

20. The area of a trapezium is 1080 cm^2 . If the lengths of its parallel sides are 55.6 cm and 34.4 cm , then the distance between them is :

- (A) 48 cm
- (B) 36 cm
- (C) 24 cm
- (D) 12 cm

21. The area of a rhombus is 119 cm^2 and its perimeter is 56 cm . Then its altitude is :

- (A) 8.1 cm
- (B) 8.3 cm
- (C) 8.5 cm
- (D) 8.7 cm

22. The curved surface area of a sphere is 1386 cm^2 . Its volume is

$$\left(\text{Take } \pi = \frac{22}{7} \right)$$

- (A) 2772 cm^3
- (B) 4851 cm^3
- (C) 5544 cm^3
- (D) 4158 cm^3

(Space For Rough Work)

GENERAL KNOWLEDGE

26. The Rajyarani Express in Odisha runs from :

- (A) Bhubaneswar to Jharsuguda
- (B) Bhubaneswar to Koraput.
- (C) Bhubaneswar to Rourkela
- (D) Bhubaneswar to Berhampur.

27. Bill Gates, the famous Computer Software maker of USA, is associated with :

- (A) Infosys
- (B) WIPRO
- (C) Microsoft
- (D) Satyam

28. Delhi is situated on the bank of the river :

- (A) The Ganga
- (B) The Yamuna
- (C) The Bramhaputra
- (D) The Tapti

(Space For Rough Work)

32. What is the number of Squares on a chess board ?

- (A) 72
- (B) 64
- (C) 48
- (D) 54

33. The Latest Census in India was held in

- (A) 2000
- (B) 2010
- (C) 2011
- (D) 2012

34. The Davis Cup is associated with :

- (A) Football
- (B) Lawn Tennis
- (C) Hockey
- (D) Baseball

35. Who is the manufacturer of the Car 'Nano' ?

- (A) Maruti
- (B) Hyundai
- (C) Tata Motors
- (D) Honda

(Space For Rough Work)

39. Who is the Finance Minister of Odisha ?

- (A) Prafulla Ghadei
- (B) Maheswar Mohanty
- (C) Prasanna Acharya
- (D) Raghunath Mohanty

40. Malala Yousafzai, who was shot by the Taliban, belongs to :

- (A) Afghanistan
- (B) India
- (C) Bangladesh
- (D) Pakistan

41. Who was the first women President of India ?

- (A) Sarojini Naidu
- (B) Indira Gandhi
- (C) Pratiba Patil
- (D) J. Jayalalitha

(Space For Rough Work)

45. What is the approximate playing time of the 'National Anthem' of India ?

- (A) 42 seconds
- (B) 52 seconds
- (C) 62 seconds
- (D) 32 seconds

46. Dhanraj Pillay is associated with :

- (A) Cricket
- (B) Football
- (C) Hockey
- (D) Lawn Tennis

47. Who is the only batsman in Indian cricket to score Triple century ?

- (A) Sachin Tendulkar
- (B) Sunil Gavaskar
- (C) Virendra Sehwag
- (D) V. V. S. Laxman

(Space For Rough Work)

ENGLISH*Each question carries ONE mark***Choose the right alternative for each blank space in the following sentences :****51. We often send money —— post.**

- (A) in
- (B) on
- (C) to
- (D) by

52. Do you mind —— a friend in need ?

- (A) helping
- (B) help
- (C) to help
- (D) being helped

53. We should have sympathy —— the poor.

- (A) to
- (B) of
- (C) towards
- (D) off

54. The full form of can't is —— .

- (A) can not
- (B) cannot
- (C) canot
- (D) none of the above.

(Space For Rough Work)

60. A number of people have come to buy the tickets.

A B C D

61. There is no cure of cancer.

A B C D

62. Any school is always praised if it is producing good students.

A B C D

63. The injured is taken to the hospital for treatment.

A B C D

64. When the teacher was entering the class, all the students stood up.

A B C D

65. Are three-fourths of the field empty?

A B C D

Read the following passage mindfully and choose the correct statement in the light of the passage that follow :

It was still a busy hour in the city when I entered the Market Road. People ran for their lives at the sight of me. As I passed through, shutters were pulled down, and people hid themselves under culverts, on trees, and behind pillars. The population was melting out of sight. At the circus I had had no chance to study human beings. They sat in their seats peacefully while I cowered before the captain's whip. I got a totally wrong idea of human beings at that angle. I had thought that they were strong and fearless. But now I found them

(Space For Rough Work)

69. Seeing the tiger in the Market Road, people

- (A) gathered in one place
- (B) threw stones at the tiger
- (C) disappeared
- (D) were still busy in their work.

70. The tiger wanted to —————

- (A) kill the tailor
- (B) frighten the human beings
- (C) kill the deer
- (D) none of the above.

Choose the right word/expression which is very close in meaning to the word in relation to the passage :

71. Cowered :

- (A) shouted in joy
- (B) crouched in fear
- (C) caught the whip in fear
- (D) came forward

72. Culvert means underground passage for

- (A) People
- (B) Birds
- (C) Water
- (D) Wind

(Space For Rough Work)

GENERAL SCIENCE

BIOLOGY

76. Anaerobic respiration after glycosis is also called :

- (A) Multiplication
- (B) Fragmentation
- (C) Fermentation
- (D) Restoration.

77. Bio-degradable materials are :

- (A) Those which spoil the biological environment
- (B) Toxic in nature
- (C) Can be broken down by bacteria
- (D) Used to converting waste into greenery.

78. Frog respires through

- (A) Gills
- (B) Lungs
- (C) Skin
- (D) Gill clefts.

(Space For Rough Work)

CHEMISTRY

83. The total number of fundamental particles in one atom of C¹⁴ is :

- (A) 6
- (B) 8
- (C) 3
- (D) 4

84. Mass of electron is

- (A) 9.1×10^{-28} gm
- (B) 9.1×10^{-25} gm
- (C) 9.1×10^{-10} gm
- (D) 9.1×10^{-18} gm.

85. Hardness of water is due to

- (A) Dissolved organic matter
- (B) Dissolved Na and K salt
- (C) Dissolved Ca and Mg salt
- (D) Suspended matter.

(Space For Rough Work)

89. It is the one in which the atoms of each element are equal in both sides

- (A) Skeleton equation
- (B) Molecular equation
- (C) Atomic equation
- (D) Balanced equation

90. The chemical formula for Aluminium Nitride is

- (A) AlN_3
- (B) Al_3N
- (C) AlN
- (D) Al_2N_3

91. Co-valency is favoured by

- (A) Small cation and large anion
- (B) Large cation and small anion
- (C) Large cation and large anion
- (D) Small cation and small anion.

(Space For Rough Work)

95. The value of Absolute zero on the Fahrenheit scale is :

- (A) 273 °F
- (B) -459.4 °F
- (C) 0 °F
- (D) -182.7 °F

96. The ratio between potential difference and current is known as :

- (A) Conductance
- (B) Resistance
- (C) Heat capacity
- (D) Specific resistance

97. The velocity of sound is maximum in which of the following ?

- (A) Iron
- (B) Water
- (C) Mercury
- (D) Air.

(Space For Rough Work)