- 1. A prokaryotic cell lacks
- (a) nucleus (b) nuclear membrane
- (c) membrane bound organelles (d) all of these
- 2. Extranuclear inheritance is a consequence of the presence of genes in
- (a) ER and mitochondria (b) lysosomes and ribosomes
- (c) ribosomes and chloroplast (d) mitochondria and chloroplasts
- 3. Vesicles of smooth endoplasmic reticulum (SER) are most likely on their way to
- (a) plastids (b) lysosomes
- (c) nucleolus (d) golgi apparatus
- 4. Lysosomes are the store house of
- (a) ATP (b) sugar
- (c) proteins (d) hydrolytic enzymes
- 5. Lipids are insoluble in water, because lipid molecules are
- (a) neutral (b) zwitter ions
- (c) hydrophobic (d) hydrophilic
- 6. Which of the following is the simplest amino acid?
- (a) glycine (b) alanine
- (c) tyrosine (d) asparagine
- 7. Carbohydrates, ingested in the diet, are hydrolyzed by the enzyme
- (a) pepsin (h) cellulase
- (c) cc-amylase (d) glycosidase
- 8. Stomach is the site of digestion mainly for
- (a) fats (b) proteins
- (c) carbohydrates (d) all of these
- 9. Which proteolytic enzyme induces lysis of fibrin during fibrinolysis?
- (a) fibrin (b) thrombin
- (c) plasmin (d) plate let factor VII
- 10. Which of the following enzymes is used to join bits of DNA?
- (a) ligase (b) primase
- (c) endonuctease (d) DNA polymerase
- 11. Ail eukaryotic genes contain two kinds of base sequences. Which of the following plays role in protein synthesis?
- (a) introns (b) exons.
- (c) electrons (d) both 'a' and 'b'

- 12. The genetic material of prokaryotic cell is called
- (a) nucleus (b) nucleolus
- (c) nucleoid (d) centromere
- 13. In prokaryotes, the genetic material is
- (a) linear DNA with histories
- (b) circular DNA with histones
- (c) linear DNA without histones
- (d) circular DNA without histones
- 14. The direction of DNA replication is from
- (a) amino acid end (b) 3' end towards 5'end
- (c) 5' end towards 3' end (d) amino terminus to carboxy terminus
- 15. In operon concept, regulator gene functions as
- (a) repressor (b) regulator
- (c) inhibitor (d) initiator
- 16. The importance of meiosis lies in
- (a) bringing discontinuous variations
- (b) addition in the number of chromosomes
- (c) reduction in die number of chromosomes
- (d) maintaining the number of chromosomes
- 17. la mitotic cell division, the division of centromere and the division of chromatid occurs between
- (a) anaphase and telophase (b) prophase and metaphase
- (c) telophase and interphase (d) anaphase and metaphase
- 18. In which stage of the first meiotic division, each chromosome undergoes longitudinal division to give rise to two sister chromatids?
- (a) zygotene (b) diplotene
- (c) diakinesis (d) pachytene
- 19. Mirabilis jalapa is an example of.
- (a) complete dominance (b) supplementary gene
- (c) incomplete dominance (d) complementary gene
- 20. Which of the following is dominant character according to Mendel?
- (a) dwarf plant and yellow fruit
- (b) terminal fruit and wrinkled seed
- (c) white testa and yellow pericarp
- (d) green coloured fruit and rounded seed

- 21. Lack of independent assortment of genes A and B in fruit fly Drosophila is due to
- (a) repulsion (b) linkage
- (c) crossing-over (d) recombination
- 22. When two mutations are located in the same functional unit or in different functional units, then it is confirmed by
- (a) test cross (b) back cross
- (c) reciprocal cross (d) complementation test
- 23. Prototherians are connectiong links between
- (a) amphibians and aves (b) reptiles and mammals
- (c) fishs and amphibians (d) reptiles and amphibians
- 24. The pioneers in the field of 'organic evolution' are
- (a) Karl Landsieiner, Hugo de Vries, Malthus
- (b) Darwin, Hugo de Vries, Lamarck, Huxley
- (c) Lamarck, Karl Landesteiner, Malthus, Hugo de Vries
- (d) Darwin, Lamarck, Karl Landsteiner, Hugo de Vries
- 25. Drawin finches are related to which of the following evidences?
- (a) fossils (b) embryology
- (c) anatomy (d) geographical distribution
- 26. Allopatric sepeciation is due to
- (a) geographical separation of population
- (b) hybridization between closely related species
- (c) migration of the members of species from one to other population
- (d) both 2 and 3
- 27. Evolutionary convergence is characterized by
- (a) development of characteristics by random mating
- (b) replacement of common characteristic in different groups
- (c) development of dissimilar characteristics in closely related groups
- (d) development of a common set of characteristics in groups of different ancestry
- 28. How many sub-phyla are available in Tracheata, according to Tippo's classification of kingdom plantae?
- (a) 4 (b) 6
- (c) 8 (d) 10
- 29. The usage of binomial names, for plant species, was accepted by all after the publication of the works by
- (a) Hooker (b) Linnaeus
- (c) Bentham (d) Darwin

- 30. What is a key stone species?
- (a) a rare species that has minimal impact on biomass and on other species in community
- (b) a dominant species that constitutes a large proportion of biomass, -which affects many other species
- (c) a common species that has plenty of biomass, yet has a fairly low impact on me community's organization
- (d) a species which makes up only a small proportion of the total biomass of a community, yet has a huge impact on the community's organization and survival
- 31. In biotic community, which of the following can be called protective device?
- (a) mimicry (b) symbiosis
- (c) competition (d) parasitism
- 32. In which of the following population, genetic drift operates
- (a) island (b) smaller
- (c) larger (d) continantal
- 33. The driving force of an ecosystem is
- (a) producers (b) biomass
- (c) solar energy (d) grassland
- 34. The correct match of atmospheric gases is
- (a) nitrogen-0.03%, oxygen-78.08%, argon-0.93% and CO<sub>2</sub>-20.95%
- (b) nitrogen-78.08%,oxygen-20.95%, argon-0.03% and CO<sub>2</sub>-0.03%
- (c) mtrogen-0.03%, oxygen-78.08%, argon-20.95% and CO<sub>2</sub>-0.93%
- (d) nitrogen-78.08%, oxygen-20.95%, argon-O.93% and CO<sub>2</sub>-0.03%
- 35. Zooplanktons are
- (a) parasites (b) primary producers
- (c) primary consumers (d) primary decomposers
- 36. Photochemical smog formed in congested metropolitan cities mainly consists of
- (a) hydrocarbons, ozone and SOx
- (b) hydrocarbons, SO<sub>2</sub> and CO<sub>2</sub>
- (c) smoke, peroxyacetyl nitrate and SO<sub>2</sub>
- (d) ozone, peroxyacetyl nitrate and NOx
- 37. Acid rain is due to increase in atmospheric concentration of
- (a) ozone (b) CO<sub>2</sub> and CO
- (c) SO3 and CO (d) SO<sub>2</sub> and nitrogen oxide
- 38. The true statement about 'green-house effect' is that it Is caused by
- (a) CO<sub>2</sub> only (b) S02 only
- (c) CO<sub>2</sub> and SO<sub>2</sub> (d) CO<sub>2</sub>, CFC, CH4 and NO<sub>2</sub> gases

- 39. Which of the following statement about viruses is correct?
- (a) viruses are obligate parasites
- (b) viruses contain both RNA and DNA
- (c) nucleic acid of viruses is known as capsid
- (d) viruses possess their own metabolic system
- 40. The virus, that infects bacteria, are made up of
- (a) protein only (b) RNA and protein
- (c) DNA and lipid (d) DNA and protein
- 41. The first transgenic crop was
- (a) pea (b) flax
- (c) tobacco (d) cotton
- 42. One of the major difficulties in the biological control of insect pests is the
- (a) practical difficulty of introducing the predator to specific areas
- (b) method is less effective as compared with the use of insecticides
- (c) predator does not always survive when transferred to a new environment
- (d) predator develops a preference to other diets arid may itself become a pest
- 43 Casparian strips are present in
- (a) cortex (b) epidermis
- (c) endodermis (d) hypodermis
- 44. The function of microvilli is
- (a) cellular movement
- (b) specilized uptake a macro molecules, -
- (c) increase in surface area.for absorption
- (d) extensive movement of substances over cell surface
- 45. Chemiosmotic theory of ATP synthesis, in the chloroplast and mitochondria, is based on
- (a) proton gradient (b) membrane potential
- (c) accumulation of K ions (d) accumulation of Na ions
- 46. The plants respond to photoperiods due to the presence of
- (a) enzymes (b) stomatas
- (c) phytochromes (d) phytohormones
- 47. Meaophyll cells, which librate malic acid at night time, are,
- (a) C4-plants (b) C3-plants.
- (c) C,-plants (d) C,-plants[/magz one half]

[magz one half last]

- 48. Photorespiration in C3-plants starts from
- (a) glycine (b) glycerate
- (c). phosphoglycolate. (d) phosphoglycerate
- 49. Anaerobic respiration is also called
- (a) restoration (b) fragmentation
- (c) multiplication (d) fermentation
- 50. Biological oxidation in Kreb's cycle involves
- (a) O<sub>2</sub> (b) N2
- (c)  $CO_2$  (d)  $SO_2$
- 51. The name of process of aerobic respiration, in which energy in provided in steps in electron transport chain, is
- (a) EMP-pathway (b) decarboxylation
- (c) photophosphorylation (d) oxidative phosphorylation
- 52. Asthma is caused due to
- (a) infection of lungs (b) infection of trachea
- (c) bleeding into pleural cavity (d) spasm in bronchial muscles
- 53. A person breathing normally at rest, takes in and expels ap¬proximately half a litre of air during each respiratory cycle. This is called
- (a) tidal volume (b) vital capacity
- (c) inspiratory reserve volume (d) expiratory reserve volume
- 54. The Largest quantity of air that can be expired, after maxi¬mal inspiration, is called
- (a) tidal volume (b) vital capacity
- (c) residual volume (d) total lung volume
- 55. Rate of heart beat is determined by
- (a) AV-node (b) SA-node
- (c) Purkinje fibres (d) papillary muscles
- 56. The first heart sound is produced when
- (a) diastole begins
- (b) semilunar valve close quickly
- (c) interventricular pressure decreases
- (d) bicuspid and tricuspid valve close quickly
- 57. Which of the following layer of heart wall consists cardiac muscles?
- (a) endocardium (b) myocardium
- (c) epicardium (d) all of these

- 58. If heart beats 75 beats/min then what is time for cardiac cycle?
- (a) 0.5 sec (b) 0.8 sec
- (c) 1 sec (d) 1.5 sec
- 59. Blood pressure increases and heart rate decreases in response to
- (a) exercise (b) haemorrage
- (c) exposure to high altitude (d) increased intracranial pressure
- 60. 'P' wave of ECG occurs before the
- (a) onset of ventricular ejection
- (b) end of arterial contraction
- (c) begining of atrial contraction
- (d) none of these
- 61. Liver in our body stores
- (a) vitamin-A (b) vitamin-D
- (c) vitamin-B12 (d) all of these
- 62. Secretin hormone is secreted by
- (a) liver (b) pancreas
- (c) intestine (d) Brunner's glands
- 63. The contraction of gall bladder is due to
- (a) gastrin (b) secretin
- (c) enterogastrone (d) choiecystokinin
- 64. Which of the following is the character of the bile juice?
- (a) it has trypsin (b) it has no enzyme
- (c) it has enterogastrone (d) it has tripophnomide
- 65. Average pH of human urine is
- (a) 60 (b) 90
- (c) 30 (d) 70
- 66. Cells present is the inner lining of kidneys are
- (a) podocytes (b) choanocytes
- (c) pinocytes (d) nephrocytes
- 67. Which of the following is impermeable to water?
- (a) vertical limbjof loop of Henle
- (b) descending limb of loop of Henle
- (c) ascending limb of loop of Henle
- (d) both V and 'b'

- 68. Ducts of Bellini are present in
- (a) liver (b) kidney
- (c) intestive (d) medulla oblongata
- 69. Human brain has greater development of
- (a) cerebrum (b) cerebellum
- (c) optic lobes (d) medulla oblongata
- 70. The 'end organs of Raffini' are receptors of
- (a) heat (b) cold
- (c) pressure (d) touch
- 71. Which of the following part of human brain is associated with integration of sympathetic and parasympathetic activities?
- (a) cerebrum (b) neopallium
- (c) hypothalamus (d) medulla oblongata
- 72. The unidirectional transmission of a nerve impulse through nerve fibre is due to
- (a) neurotransmitters are released by axon endings
- (b) neurotransmitters which are released by dendrites
- (c) nerve fibre which is insulated by a medullary sheath
- (d) sodium pump which starts operating into the nerve fibre
- 73. In the myopia eye defect, the rays of light
- (a) do not enter the eye at all
- (b) meet at a focus in front of the retina
- (c) come to a focus at back of retina
- (d) come to a focus in between retina and iris
- 74. Sensory receptor of warmth located principally at the tip of fingers in known as
- (a) Weber's organ (b) organ of Giraldes
- (c) Ruffini's corpuscles (d) organ of Zuckerkandl
- 75. Hormones secreted by pancreas are
- (a) ACTH (b) oxytocin
- (c) LH and FSH (d) insulin and glucagon
- 76. Neurohypophysis secretes
- (a) ADH and oxytocin (b) oxytocin and estrogen
- (c) vasopression and GH (d) vasopressin and estrogen
- 77. Secretion of androgens by testis is regulated by
- (a) LTH (b) FSH
- (c) ICSH (d) oxytocin

- 78. Pancreatic duct of a healthy dog is blocked. Which of the functions of pancreas will not be affected?
- (a) protein digestion (b) carbohydrate digestion
- (c) neutralization of chime (d) maintenance of normal blood sugar level
- 79. Physiologically active thyroxine exists in which of the follow-ing form?
- (a) unbound (b) bound to albumin
- (c) bound to globulin (d) all of these
- 80. A flower characterised by monadelphous tubular stamens belongs to
- (a) Solanaceae (b) Liliaceae
- (c) Malvaceae (d) Brassicaceae
- 81. In Musa, inflorescence is
- (a) spadix (b) corymb
- (c) capitulum (d) polychasial cyme
- 82. The formation of gametophyte, from sporophyte, without spore formation or without meiosis is known as
- (a) apospory (b) apogamy
- (c) pathenogenesis (d) none of these
- 83. Ancmophillous flowers have
- (a) sessile stigma (b) small and smooth stigma
- (c) coloured-flower (d) large and feathery stigma
- 84. In oogamy, fertilization involves
- (a) a small non-motile, female gamete and a large motile male gamete
- (b) a large motile female gamete and a small non-motile male gamete
- (c) a large non-motile female gamete and small motile male gamete
- (d) a large non-motile female gamete and a smal non-motile male gamete.
- 85. In angiosperms, triple, fusion results in the formation of
- (a) zygotic nucleus (b) polar nucleus
- (c) secondary nucleus (d) primary endosperm nucleus
- 86. During a woman's life time, she produces about
- (a) 40-50 eggs, (b) 300-350 eggs
- (c) 400-500 eggs (d) 750-850 eggs
- 87. The production and maturation of sperm in testis is known as
- (a) oogenesis (b) sporogenesis
- (c) gametogenesis (d) spermatogenesis . :

- 88. The phase of menstrual cycle is humans that lasts for 7-8 days, is
- (a) menstruation (b) luteal phase
- (c) ovulatory phase (d) follicular phase
- 89. Which one of the following statement with regard to the em¬bryonic development in humans is correct?
- (a) cleavage division results in a hollow ball of cells called morula
- (b) cleavage in mammalian ova is unequal holoblastic and horizontal
- (c) rearrangement of blastomeres, acentral cavity is formed inside the morula
- (d) cleavage divisions bring about considerable increase in the mass of protoplasm
- 90. The most accepted theory of ageing is
- (a) less RBC in blood
- (b) thymus gland becomes non-functional
- (c) brain cells die with ageing
- (d) all of these
- 91. Which of the following is not immunised by triple. antigen?
- (a) typhoid (b) tetanus
- (c) diptheria (d) whooping cough
- 92. A person with the sex chromosomes XXY suffers from
- (a) Down's syndrome (b) Turner's syndrome
- (c) gynandromorphism (d) Klinefelter's syndrome
- 93. Which of the following represents Klinefelter's syndrome?
- (a) XX (b)XO
- (c) XY (d) XXY
- 94. Which is the closest pet of human being?
- (a) cat (b) cow
- (d) dog (d) buffalo
- 95. The bacterial disease which is a found in chickens, is
- (a) rickets (b) ranikhets
- (c) fowl fox (d) fowl cholera
- 96. Which of the following is viral disease in silkworm?
- (a) flacherie (b) grasserie
- (c) muscardine (d) pebrinc
- 97. Which of the following is not the example of marine fishes?
- (a) Labeo (b) Mugil
- (c) Hilsa (d) Sardines

- 98. Reproducing new plants by cells, instead of seeds, is known as
- (a) mutation (b) antibiotics
- (c) biofertilizer (d) tissue culture
- 99. Creosote is used to prevent
- (a) rusts of wheat (b) dry rot of wood
- (c) loose smut of oats (d) brown rust of barley
- 100. Which of the following insecticide is obtained from the roots of Denis elliptica?
- (a) cinerin (b) nicotine
- (c) rotenone (d) pyrethrum

[/magz\_one\_half\_last]