www.rrbrecruitment.co.in CCE(P)-2015

AGRICULTURE

KTM-02-XV

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

Subject Code :

Test Booklet No. : 00573

0 2

TEST BOOKLET

AGRICULTURE

Time Allowed : 2 (Two) Hours

Full Marks : 200

INSTRUCTIONS

- The name of the Subject, Roll Number as mentioned in the Admission Certificate, Test Booklet No. and Subject Code shall be written legibly and correctly in the space provided on the Answer Sheet with black ball pen.
- Space provided for Series in the Answer Sheet is not applicable for Optional Subject. So the space shall be left blank.
- All questions carry equal marks. Your total marks will depend only on the number of correct responses marked by you in the Answer Sheet.
- 4. No candidate shall be admitted to the Examination Hall/Room 20 minutes after commencement of distribution of the paper. The Supervisor of the Examination Hall/Room will be the timekceper and his/her decision in this regard is final.
- 5. No candidate shall leave the Examination Hall/Room without prior permission of the Supervisor/ Invigilator. No candidate shall be permitted to hand over his/her Answer Sheet and leave the Examination Hall/Room before expiry of the full time allotted for each paper.
- 6. No Mobile Phone, Pager, etc., are allowed to be carried inside the Examination Hall/Room by the candidates. Any Mobile Phone, Pager, etc., found in possession of the candidate inside the Examination Hall/Room, even if on off mode, shall be liable for confiscation.
- No candidate shall have in his/her possession inside the Examination Hall/Room any book, notebook or loose paper, except his/her Admission Certificate and other connected paper permitted by the Commission.
- Complete silence must be observed in the Examination Hall/Room. No candidate shall copy from the paper of any other candidate, or permit his/her own paper to be copied, or give, or attempt to give, or obtain, or attempt to obtain irregular assistance of any kind.
- 9. After you have completed filling in all your responses on the Answer Sheet and the Examination has concluded, you should hand over to the Invigilator only the Answer Sheet. You are permitted to take away with you the Test Booklet.
- 10. Violation of any of the above Rules will render the candidate liable to expulsion from the Examination Hall/Room and disgualification from the Examination, and according to the nature and gravity of his/her offence, he/she may be debarred from future Examinations and Interviews conducted by the Commission for appointment to Government Service.
- 11. Smoking inside the Examination Hall/Room is strictly prohibited.

12. This Test Booklet contains one sheet (two pages) for Rough Work at the end.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

[No. of Questions : 100]

AGRICULTURE

- Growing four crops in a year in sequence is termed as
 - (A) double cropping
 - (B) multistoried cropping
 - (C) quadruple cropping
 - (D) tetra cropping
 - 2. Shade-loving plants are known as
 - (A) heliophytes
 - (B) hydrophytes
 - (C) xerophytes
 - (D) sciophytes
 - A separate department of agriculture was created first at national level in
 - (A) 1861
 - (B) 1871
 - (C) 1885
 - (D) 1890
 - A silt loam is considered ideal for crop growth when solid : liquid : air proportion by volume is at
 - (A) 70:20:10
 - (B) 60:20:20
 - (C) 50:30:20
 - (D) 50:25:25
 - KTM-02-XV/4

- 5. The oil content of groundnut is
 - (A) 45 percent
 - (B) 35 percent
 - (C) 40 percent
 - (D) 48 percent
- The hormone associated with 'acid growth theory' is
 - (A) GA3
 - (B) cytokinin
 - (C) auxin
 - (D) ethylene
- Translocation of carbohydrates mostly takes place in the form of
 - (A) glucose
 - (B) sucrose
 - (C) fructose
 - (D) maltose
- 8. The end product of phytosynthesis is
 - (A) pyruvic acid
 - (B) protein
 - (C) starch
 - (D) malic acid

- The source of dwarfing gene in wheat is
- (A) Dec-Gee-Woo-Gen
 - (B) Norin-10
 - (C) Opaques
 - (D) Hipsoli
- 10. Seedless watermelon is a
 - (A) diploid
 - (B) triploid
 - (C) tetraploid
 - (D) hexaploid
- 11. Which of the following crops is known as 'white gold?
 - (A) Opium
 - (B) Cotton
 - (C) Maize
 - (D) Soybean
- 12. In India, which of the following fruits has the highest production?
 - (A) Mango
 - (B) Citrus
 - (C) Grape
 - (D) Banana

- 13. The edible portion of pomegranate is
 - (A) aril
 - (B) thalamus
 - (C) mesocarp
 - (D) endocarp
- 14. Botanically pineapple fruit is
 - (A) balusta
 - (B) sorosis
 - (C) berry
 - (D) pome
- 15. Leafless variety of pea is
 - (A) Bonneville
 - (B) T-163
 - (C) L-H6
 - (D) Aparna
- The tuber crop which is rich in protein is
 - (A) Colocasia
 - (B) yam
 - (C) potato
 - (D) sweet potato

KTM-02-XV/4

3

[P.T.O.

- 17. Pungency of radish is due to
 - (A) solanin
 - (B) capsaicin
 - (C) isothiocyanate
 - (D) calcium acetate
- 18. Nozzle is a part of
 - (A) rotary duster
 - (B) cynogas pump
 - (C) hand compressor sprayer
 - (D) ULV applicator
- 19. Which of the following is a genetic parthenocarpic fruit?
 - (A) Guava
 - (B) Apple
 - (C) Sapote
 - (D) Grape
- C₄ plants normally give more biological yield than C₃ plants because of
 - (A) less respiration
 - (B) more photosynthesis
 - (C) more photophosphorylation
 - (D) less photophosphorylation

- 21. Neem products are found effective in reducing
 - (A) fruit borer attack of cucumber
 - (B) stem borer attack of rice
 - (C) fruit borer attack of brinjal
 - (D) fruit borer attack of okra
 - Wilting syndrome, known as 'kresek', occurs in
 - (A) bacterial blight of rice
 - (B) bacterial wilt of cotton
 - (C) brown spot of rice
 - (D) rice blast
 - Citrus tristeza virus is transmitted by
 - (A) beetles
 - (B) thrips
 - (C) aphids
 - (D) nematodes
 - 24. Genetic transfer between bacterial cells mediated by bacteriophage is
 - (A) transformation
 - (B) conjugation
 - (C) transduction
 - (D) temperate phage

KTM-02-XV/4

 Blossom end rot of tomato is due to deficiency of

- (A) Zn
- (B) B
- (C) Mo
- (D) Ca

26. 'Ug 99' is a race specific to

- (A) Puccinia striiformis
- (B) Puccinia recondita
- (C) Puccinia graminis tritici
- (D) Puccinia sorghi
- The Destructive Insect and Pest Act was implemented in India during
 - (A) 1910
 - (B) 1914
 - (C) 1916
 - (D) 1918

28. 'Phyllody' is a common disease of

- (A) scsame
- (B) groundnut
- (C) soybean

(D) niger

- 29. The basic principle of extension education is
 - (A) learning by doing
 - (B) learning by seeding
 - (C) learning by reading
 - (D) learning by hearing
- The T and V system of agricultural extension was first introduced in the year
 - (A) 1954
 - (B) 1964
 - (C) 1974
 - (D) 1984
- Ghare-Pathare, a periodical, is published by the
 - (A) Department of Agriculture, Assam
 - (B) Irrigation Department of Assam
 - (C) Directorate of Extension Education, AAU, Jorhat
 - (D) Directorate of Research, AAU, Jorhat

KTM-02-XV/4

[P.T.O.

Note : The Information Provided here is only for Reference. It may vary the original.

5

- Loose smut' of wheat is a/an ______ disease.
 - (A) soil-borne
 - (B) ' internally seed-borne
 - (C) externally seed-borne
 - (D) airborne
- The concept of 'zero' tillage was first postulated by
 - (A) Jethro Tull
 - (B) Wilcox
 - (C) Gardner and Gardner
 - (D) Russell
- 34. Plant growth is measured by
 - (A) photometer
 - (B) auxanometer
 - (C) luxmeter
 - (D) manometer
- Indian Agricultural Research Institute (IARI) was set up at Pusa (Bihar) in
 - (A) 1905
 - (B) 1929
 - (C) 1934
 - (D) 1942

- 36. Glyphosate is a ____ herbicide.
 - (A) selective
 - (B) pre-emergence
 - (C) non-selective
 - (D) pre-planting
- A short-duration crop in between two main crops is termed as
 - (A) cash crop
 - (B) catch crop
 - (C) companion crop
 - (D) nurse crop
- Thinning is an important cultural process of
 - (A) potato
 - (B) jute
 - (C) sugarcane
 - (D) rice
- In India, pigeon pea is the secondmost important pulse crop after
 - (A) green gram
 - (B) black gram
 - (C) lentil
 - (D) gram

KTM-02-XV/4

6

- The main constituent of chlorophyll is
 - (A) manganese
 - (B) magnesium
 - (C) copper
 - (D) iron
- 41. Which of the following parts of the plant cell is known as 'powerhouse?
 - (A) Mitochondrion
 - (B) Ribosome
 - (C) Chloroplast
 - (D) Golgi apparatus

42. Papaya is a rich source of

- (A) vitamin A
- (B) vitamin B
- (C) vitamin C
- (D) vitamin E
- Indian Institute of Vegetable Research is located at
 - (A) Ajmer
 - (B) Varanasi
 - (C) Lucknow
 - (D) Kanpur

- 44. A plant in which a gene has been transferred through genetic engineering is called
 - (A) hybrid plant
 - (B) pure line
 - (C) backcross line
 - (D) transgenic plant
- NBPGR was established by ICAR in New Delhi in the year
 - (A) 1976
 - (B) 1966
 - (C) 1956
 - (D) 1946
- The bordeaux mixture was discovered in
 - (A) 1885
 - (B) 1875
 - (C) 1865
 - (D) 1855

47. NABARD was established in

- (A) 1956
- (B) 1966
- and the second
- (C) 1976
- (D) 1986

KTM-02-XV/4

7

[P.T.O.

48. MANAGE was established in

- (A) 1986
- (B) 1987
- (C) 1988
- (D) 1989
- To be effective, extension works should be started from the
 - (A) grassroot level
 - (B) district level
 - (C) state level
 - (D) national level
- In Ireland, the potato famine occurred in
 - (A) 1845
 - (B) 1945
 - (C) 1854
 - (D) 1645

 Maximum genetic diversity of crop plants occurs where agriculture is

- (A) modern
- (B) rainfed
- (C) primitive
- (D) subsistence
- KTM-02-XV/4

- Natural resistance of Phytophthora infestans in potato is present in
 - (A) Solanum tuberosum
 - (B) Solanum acaule
 - (C) Solanum stoloniferum
 - (D) Solanum demissum
- The gynophore of groundnut is commonly known as
 - (A) peg
 - (B) penrith
 - (C) moradesph
 - (D) ovale

54. CIMMYT is working primarily for

- (A) cotton
- (B) maize
- (C) wheat
- (D) rice
- 55. Indian Standard Institute was established in
 - (A) 1948
 - (B) 1945
 - (C) 1947
 - (D) 1946

8

- The establishment of ICAR is based on the recommendation of
 - (A) Famine Commission
 - (B) Grow More Food Commission
 - (C) Royal Commission of Agriculture
 - (D) Balwant Rai Mehta Commission
- The optimum temperature for rotting of jute is
 - (A) 21 °C
 - (B) 30 °C
 - (C) 40 °C
 - (D) 34 °C
- 58. According to Levitt, which of the following ions is responsible for stomatal movement?
 - (A) Fe2+
 - (B) K⁺
 - (C) Zn2+
 - (D) Na+
- In light phase of photosynthesis, there is formation of
 - (A) ATP
 - (B) NADPH₂
 - (C) carbohydrates
 - (D) both ATP and NADPH 2

- 60. The isotope of carbon used extensively for studies in phytosynthesis is
 - (A) 12C
 - (B) 14 C
 - (C) 13C
 - (D) 16C
- The nutrient requirement for ATP synthesis is
 - (A) Ca
 - (B) P
 - (C) S
 - (D) Fe
- 62. Which of the following is not a phytohormone?
 - (A) IAA
 - (B) GA
 - (C) Florigen
 - (D) Phytochrome
- 63. If plants stop photosynthesis, which gas will disappear?
 - (A) N2
 - (B) 02
 - (C) NH3
 - (D) H₂

KTM-02-XV/4

9

[P.T.O.

64. Which one of the following is an essential amino acid?

- (A) Adenine
- (B) Proline
- (C) Lysine
- (D) Serine

65. Solar treatment is used for

- (A) loose smut of wheat
- (B) stem rust of wheat
- (C) blast of rice
- (D) wilting of tomato
- 66. Which one of the following is an insect trap crop?
 - (A) Bhendi
 - (B) Rice
 - (C) Potato
 - (D) Pigeon pea

67. The process of desuckering is essential in

- (A) potato
- (B) tobacco
- (C) sugarcane
- (D) paddy

68. 'Hay' is prepared from crop rich in

- (A) protein
- (B) crude fibre
- (C) fat
- (D) vitamins

 Most of the plants absorb nitrogen from the soil in the form of

- (A) nitrate
- (B) nitrite
- (C) nitric acid
- (D) free nitrogen gas
- Autumn rice in Assam is also known as
 - (A) Boro
 - (B) Sali
 - (C) Ahu
 - (D) Aman
- The inflorescence of sugarcane is termed as
 - (A) arrow
 - (B) panicle
 - (C) tassel
 - (D) head

KTM-02-XV/4

10

- 72. Suitable age of paddy seeding for transplantation in normal Kharif season is
 - (A) 21-25 days
 - (B) 27-32 days
 - (C) 15-20 days
 - (D) 11-14 days
- Kjeldahl method is used to determine
 - (A) total nitrogen in soil
 - (B) total phosphorus in soil
 - (C) total potassium in soil
 - (D) total organic carbon in soil
- 74. Weeds that occur within the geographical limits of the origin are termed as
 - (A) noxicious weeds
 - (B) obligate weeds
 - (C) alien weeds
 - (D) native weeds

KTM-02-XV/4

75. Gramaxone is a trade name of

- (A) MCPA
- (B) Simazine
- (C) Paraquat
- (D) Moraron

 Hard fruit of citrus is due to deficiency of

- (A) B
- (B) N
- (C) Ca
- (D) Fe
- At optimum level of output, the marginal return should be
 - (A) positive
 - (B) negative
 - (C) equal to average return
 - (D) zero
- 78. Which of the following is not a factor of production?
 - (A) Land
 - (B) Labour
 - (C) Capital
 - (D) Crop

P.T.O.

79. Which one of the following is not a method of mass contact?

- (A) Circular letter
- (B) Television
- (C) Result demonstration
- (D) Leaflet

80. Wilt pathogen is mainly

- (A) airborne
- (B) seed-borne
- (C) waterborne
- (D) soil-borne

81. Which of the following is organochlorine?

- (A) Malathion
- (B) Parathion
- (C) DDT
- (D) Aldicarb

82. Pedology is a study of

- (A) soil
- (B) water
- (C) rock
- (D) diseases

83. Tilt angle of disc furrow is

- (A) 10°
- (B) 20°
- (C) 30"
- (D) 40°

84. Corn stunt disease is caused by

- (A) spiroplasma
- (B) phytoplasma
- (C) viroid
- (D) virusoid
- 85. The length of a body tube of a compound microscope is
 - (A) 10 cm
 - (B) 16 cm
 - (C) 20 cm
 - (D) 25 cm
- Crystallization of virus was first done by
 - (A) Adolf Mayer
 - (B) M. W. Beijerinck
 - (C) D. I. Ivanovsky
 - (D) W. M. Stanley

KTM-02-XV/4

12

- 87. That phytoplasma can cause plant disease was first reported by
 - (A) T. O. Diener
 - (B) Dei et al
 - (C) E. Kassaria
 - (D) P. d'hereile

88. The first semilactic discovered was

- (A) persecular
- (B) attractionspecies
- (C) Intraction
- (D) _____
- Who first proved that fungus causes plant domain?
 - (A) P. R. Mintell
 - (B)
 - (C) Present
 - (D) P. R. Williamber
- The first sectorial bacterial disease of plant, the limit hight of apple, was discovered by
 - (A) M. E. Parris

 - (C) E = 1
 - (D) Addal Manerer

- 91. The recommended seed rate for direct-seeded upland rice for Assam is
 - (A) 25 kg/ha
 - (B) 50 kg/ha
 - (C) 75 kg/ha
 - (D) 100 kg/ha
- 92. In which of the following groups of crops, the requirement of sulphur is more?
 - (A) Sugar crop
 - (B) Pulses
 - (C) Forage crop
 - (D) Oilseeds
- 93. Who among the following is considered as the father of phytopathology in India?
 - (A) M. K. Patel
 - (B) S. P. Raychaudhuri
 - (C) E. J. Butler
 - (D) B. B. Mundkur
- The scientific journal, Phytopathology is regularly published from
 - (A) India
 - (B) Russia
 - (C) China
 - (D) USA

KTM-02-XV/4

13

[P.T.O.

95. The system of rice intensification (SRI) was developed in

- (A) China
- (B) Indonesia
- (C) Madagascar
- (D) Japan
- 96. Triticale' is a cross between
 - (A) wheat and barley
 - (B) wheat and rye
 - (C) wheat and oat
 - (D) wheat and maize
- 97. The main source of agar-agar is
 - (A) alga
 - (B) bacterium
 - (C) fungus
 - (D) virus

- 98. Which of the following parts of roots absorbs water and minerals?
 - (A) Root hair
 - (B) Root cap
 - (C) Epidermis
 - (D) Endodermis
 - 99. Citrus greening diseases are transmitted in Asian countries by
 - (A) Trioza erytreae
 - (B) Diaphorina citri
 - (C) nematode
 - (D) fungi

100. The place of origin of potato is

- (A) South America
- (B) USSR
- (C) India
- (D) Afghanistan

KTM-02-XV/4

14