Shyam-Vidya Ayurved P.G. Entrance Coaching Center, Bhopal (M.P.) Hyderabad PG - 2011

By- Dr. Narendra Singh Lodhi (M.D.) Mob. 09300961664, 9993961427

- (1) This is considered as "Tantra dosha"
 - (1) Vikalpa
 - (2) Viparyaya
 - (3) Vidhana
 - (4) Vyahaja
- (2) These are called Trisutra
 - (1) Sattwa, Atma, Sarira
 - (2) Prana, Dana, Paraloka
 - (3) Vata, Pitta, Kapha
 - (4) Hetu, Linga, Aushadha
- (3) Katuka and Lavanatwa are the characteristic features of
 - (1) Kshara
 - (2) Lavana
 - (3) Mutra
 - (4) Sneha
- (4) The Common lakshana in Vaidya and Paricharika
 - (1) Upacharajnata
 - (2) Dakshyam
 - (3) Anuragam
 - (4) Drishtakarmata
- (5) In this Adhyaya Chatushka of Charaka Samhita, the description of Trayopastambha is
 - (1) Svastha Vritta
 - (2) Nirdesa
 - (3) Annapana
 - (4) Kalpana
- (6) In which chapter of Charaka Samhita, is the description of Aturalaya?
 - (1) Sveda Vidhi
 - (2) Sneha Vidhi
 - (3) Upakalpaniya
 - (4) Phalamatra Siddhi
- (7) The author who mentioned Dhamani marma
 - (1) Charaka
 - (2) Bhavamisra
 - (3) Sarugadbara
 - (4) Vagbhata
- (8) Anubandha is the synonym of
 - (1) Sattva
 - **(2) Atma**
 - (3) Ayu
 - (4) Shareera
- (9) The length of tongue-cleaner according to Charaka
 - (1) 10 Angula
 - (2) 8 Angula
 - (3) 12 Angula
 - (4) 16 Angula
- (10) Purisha Veganirodha causes
 - (1) Sirassula
 - (2) Pindikodveshtana
 - (3) Adhmana
 - (4) All these

(11) Chatrapani suggested the proceedure of Ksharasutra in
(1) Arsas
(2) Bhagandara
(3) Nadivrana
(4) All these
(12) Dvividha Vipaka Vada is the contribution of
(1) Charaka Samhita
(2) Susruta Samhita
(3) Ashtanga Sangraha
(4) Ashtanga Hridaya
(13) Number of Dasemani groups mentioned in Charaka Samhita
(1) 10
(2) 37
(3) 25
(4) 50
(14) This is to be known by Karmanishtha
(1) Veerya
(2) Rasa
(3) Vipaka
(4) Prabhava
(15) Vipaka is the end product of
(1) Rasa
(2) Jirnakriya
(3) Ahara
(4) Guna
(16) Nindyarasa in Tarunajwara according to Charaka
(1) Lavana
(2) Madhura
(3) Tikta
(4) Kashaya
(17) Number of Paradi Gunas
(1) 20
(2) 5
(3) 10
(4) 41
(18) This the best Medo-Anilahara drug
(1) Kanchanara
(2) Pura
(3) Nirgundi
(4) Sallaki
(19) The Panchabhautic components of Kashayarasa
(1) Vayu + Prithivi
(2) Vayu + Akasa
(3) Vayu + Agni
(4) Vayu + Jala
(20) Dosha Chaya means -
(1) Increase in Dosha
(2) Spread of Dosha
(3) Swasthane Dosha Vriddhi
(4) Vataprakopa

(21) Different types of Vatsanabha are first described in
(1) Bhava Prakasa Nighantu
(2) Sodhala Nighantu
(3) Susruta Samhita
(4) Bhela Samhita
(22) Karnavedha is first described in
(1) Susruta Samhita
(2) Kashyapa Samhita
(3) Haritha Samhita
(4) Bhela Samhita
(23) The author who mentioned Ritusandhi for the first time
(1) Charaka
(2) Susruta
(3) Vagbhata
(4) Sarugadbara
(24) In which chapter of Susruta Samhita, the practical training of Surgery is described?
(1) Dvivraneeya
(2) Pranashta Salyavijuaniya
(3) Yogyasutriya
(4) Prabhashaniya
(25) Ayurveda is termed as Panchama Veda by
(1) Kashyapa
(2) Vagbhata
(3) Charaka
(4) Susruta
(26) Pramana of Janumarma
(1) 3 Angula
(2) 2 Angula
(3) 1 Angula
(4) None of these
(27) The name of Chaturthakala
(1) Medohara
(2) Sleshmadhara
(3) Purishadhara
(4) Raktadhara
(28) Dantha comes under this types of Asthi
(1) Tarunasthi
(2) Ruchakasthi
(3) Valyasthi
(4) Kapalasthi
(29) Number of Sira according to Susruta
(1) 700 (2) 202
(2) 800
(3) 600
(4) 725
(30) Sira, after taking the Sneha of Medas, attains Kharapaka and produces
(1) Peshi
(2) Kandara

(3) Snayu

(4) Twacha

(31) The Number of Sandhis in the Koshtha
(1) 54
(2) 59
(3) 58
(4) 56
(32) The Panchendriyatwo of Kurcha Sira marma
(1) Vayu + Agneya
(2) Agneya
(3) Saumyagneya
(4) Vayavya
(33) Ayama of Purusha according to Susrutha
(1) 120 Angula
(2) 130 Angula
(3) 140 Angula
(4) 110 Angula
(34) Number of Kurchas in the Medhra
(1) 1
(2) 2
(3) 6
(4) 3
(35) According to Susruta Phupphusa is formed by
(1) Sonita
(2) Sonita Phena
(3) Kapha
(4) Kaphaphena
(36) As per structure, Nabhimarma is considered as
(1) Mamsamarma
(2) Siramarma
(3) Snayumarma
(4) Sandhimarma
(37) The number of Sattvika manogunas as per Susruta
(1) 12
(2) 11
(3) 10
• •
(4) 14 (38) The number of Raktavahini Siras in Yakrit and Pliha
(36) The number of Kaktavamin Siras in Takrit and Tima (1) 180
(2) 195
(3) 175
(3) 173 (4) 170
(39) The result of performing Sira Vyadha on Mamsa-Sira-Asthi-Snayu-Sandhi-Marmas
(1) Sopha (2) Voikelye
(2) Vaikalya
(3) Marana
(4) All these
(40) The injury to this marma is not fatal
(1) Sadyah Pranaharamarma
(2) Kalantara Pranaharamarma
(3) Vaikalya karamarma
(4) All these

(41) Majishtha belongs to this family (1) Ramnaceae

- (2) Rubiaceae
- (3) Rutaceae
- (4) Anacardiaeeae
- (42) No plants survive in the surroundings of this species
 - (1) Ahiphena
 - (2) Vishatinduka
 - (3) Vatsanabha
 - (4) Vishapushpaka
- (43) Harithaki is given with guda in this season
 - (1) Sarat
 - (2) Sisira
 - (3) Vasantha
 - (4) Grishma
- (44) Drug of choice in Asthibhanga
 - (1) Pterocarpus marsupeum
 - (2) Saraea Indica
 - (3) Cissus quadrangularis
 - (4) Trichodesma Indicum
- (45) The drug of choice in Rakta Pitta
 - (1) Adathoda Vasica
 - (2) Fumaria Parviflora
 - (3) Pongamia glabra
 - (4) Withania Sommifera
- (46) "Samhita" is the synonym of
 - (1) Vamsalochana
 - (2) Parasikayavani
 - (3) Ajamoda
 - (4) Satapushpa
- (47) Berigmia Ligulata is the latin name of
 - (1) Patala
 - (2) Paravatapadi
 - (3) Pashanabhedi
 - (4) Piehumarda
- (48) The useful part of Agnimantha
 - (1) Root
 - (2) Root-bark
 - (3) Stem
 - (4) Stem-bark
- (49) This is known as Sigruni
 - (1) Sigrubija
 - (2) Sigrutwak
 - (3) Sigruswarasa
 - (4) Sigruvriksha
- (50) The useful part of Lavanga
 - (1) Fruit
 - (2) Flower
 - (3) Twak
 - **(4) Stem**

(51) Bhramara is the variety of (1) Japa (2) Jhandu (3) Madhuparni (4) Madhu

- (52) The action of Kritamala is
 - (1) Anulomana
 - (2) Rechana
 - (3) Sramsana
 - (4) Bhedana
- (53) This is known as sweet flag in English
 - (1) Acorus calamas
 - (2) Anacylus pyrethrum
 - (3) Erythrina Indica
 - (4) Withania Sammifera
- (54) The fruit of Chavya is known as
 - (1) Pippali
 - (2) Gajapippali
 - (3) Phalapippali
 - (4) Kapi Pippali
- (55) Rohini is the variety of this drug
 - (1) Amalaki
 - (2) Lasuna
 - (3) Ahiphena
 - (4) Harithaki
- (56) Mushaka is the synonym of
 - (1) Harathala
 - (2) Kapardika
 - (3) Mriddarusringa
 - (4) None of these
- (57) This is known as Red Oxide of Mercury
 - (1) Rasasindura
 - (2) Rasakarpura
 - (3) Rasanjana
 - (4) None of these
- (58) Ideal part of Mercury in the Preparation of Swarnavanga
 - (1) Half of tin
 - $(2) 1/8^{th} of tin$
 - $(3) 1/4^{th} of tin$
 - $(4) 1/12^{th} of tin$
- (59) Parada attains Nashta pishtatwa after this process
 - (1) Bahyadruti
 - (2) Garbha druti
 - (3) Murchana
 - (4) Mardana
- (60) Mercury attains curative property after this Samskara
 - (1) Mardana
 - (2) Jarana
 - (3) Murchana
 - (4) Bodhana

(61) Sulphur dioxide is released during the preparation of

- (1) Makaradhwaja
- (2) Siddha Makaradhwaja
- (3) Dwiguna Balijarita rasasindhura
- (4) All these

(62) Rodhana comes under

- (1) Parada dosha
- (2) Parada Samskara
- (3) Rasa pujana
- (4) Rasa gathi

(63) Therapeutically useful Paka of Rasaparpati

- (1) Apaka
- (2) Madhyama
- (3) Khara
- (4) Dagdha

(64) Time of Mukhamudhrana during preparation of Makaradhwaja

- (1) After sublimation of medicine
- (2) Mter fumes are released
- (3) On ceasation of flames
- (4) After the gold deposits at the neck of the bottle

(65) Parpati is considered as this bandha

- (1) Pota
- (2) Arota
- (3) Pottali
- (4) Abhasa

(66) The chemical name of Rasa Sindura

- (1) Red Oxide of Mercury
- (2) Red Sulphide of Mercury
- (3) Black Sulphide of Mercury
- (4) Yellow Oxide of Mercury

(67) These are the minerals of mercury

- (1) Realgar-Orpiment
- (2) Quick silver-German silver
- (3) Cinnabar-Meta Cinnabar
- (4) Calamine-Cassiterite

(68) The Bahirmala of parada are removed by this Samskara

- (1) Mardana
- (2) Murchana
- (3) Utthapana
- (4) Dipana

(69) Ishtika Churna is used for purification of

- (1) Parada
- (2) Bhallataka
- (3) Parada and Bhallataka
- (4) Hingula

(70) Rasaka is one of the ingredients of this Medicine

- (1) Somanatharasa
- (2) Vasantha Malathirasa
- (3) Pradaranthakarasa
- (4) All these

(71) Atipravritti means -(1) Easy flow

- (2) A variety of Srotodushti
- (3) Doshadhikya
- (4) Dushyadhikya
- (72) Samprapti is -
 - (1) Mutra Pariksha
 - (2) Part of diagnosis
 - (3) Rogi Pariksha
 - (4) Roga Chikitsa
- (73) Hridroga conies under
 - (1) Abhyantara Rogamarga
 - (2) Bahya Rogamarga
 - (3) Madhyama Rogamarga
 - (4) Purisha Vahasrotas
- (74) Nadi Pariksha comes under
 - (1) Sabda Pariksha
 - (2) Ashtasthana Pariksha
 - (3) Rakta Pariksha
 - (4) Prasna Pariksha
- (75) Yapya means
 - (1) Lakshna
 - (2) Dosha
 - (3) Treatment gives temporary relief
 - (4) Sadhya
- (76) "Samkshapatah Kriyayogo - - "
 - (1) Chiktsa
 - (2) Nidanaparivarjanam
 - (3) Vamanam
 - (4) Virechanam
- (77) Kavaigunya leads to
 - (1) Vedana
 - (2) Sotha
 - (3) Vyadhi Utpatti
 - (4) Lakshana
- (78) Hetu means
 - (1) Dosha
 - (2) Mala
 - (3) Mutra
 - (4) Roga Karana
- (79) Roga Pariksha is done with the help of
 - (1) Nidana Panchaka
 - (2) Prayogashala
 - (3) Vaidyasala
 - (4) Vidyarthi
- (80) Purvarupa manifests at this stage
 - (1) Avayava
 - (2) Sthanasansraya
 - (3) Vyadhi
 - (4) Lakshana

- (81) "Skhalatah Samprathishthanam" is the benefit of (1) Padatradharana (2) Vastradharana (3) Dandadharana (4) Chatradharana (82) The Ritu in which va mana etc., can be performed (1) Sisira (2) Varsha (3) Hemantha (4) Vasantha (83) This disease is the result of supressing Kshavathu (1) Manyastambha (2) Shirahsula (3) Ardita (4) All these (84) "Klesa Sahishnuta" is the result of (1) Vyayama (2) Pranayama (3) Dhanurasana (4) Ahara (85) This thaila is most useful for Nasya (1) Dhanvanthari Thailam (2) Anu Thailam (3) Nirgundi Thailam (4) Bilaw Thailam (86) "Jihwa bhavatyarasa Vedini" - This sign is caused by (1) Vishayukta Vayu Sevana (2) Vishayukta Anna Sevana (3) Vishayukta Jala Sevana (4) None of these (87) This type of Visha is considered to have dasadhishthana (1) Sthavara visha (2) Jangama visha (3) Gara visha (4) Dushi visha (88) Haritala is considered as this type of Visha (1) Kanda visha (2) Dhatu visha (3) Phala visha (4) Mula visha
- (89) Sighragamitwa is the features of this serpant
 - (1) Rajimanta
 - (2) Mandali
 - (3) Darvikara
 - (4) None of these
- (90) This is used to apply on the Dundubhi
 - (1) MahaAgada
 - (2) Rajagada
 - (3) Ksharagada
 - (4) None of these

(91) Kaphadosha should be removed in this month (1) Sravana (2) Asvayuja (3) Chaitra (4) All these (92) The result of Chikitsa (1) Dharma (2) Artha (3) Maithri (4) All these (93) This is not a synonym of 'Kaya' (1) Kalevara (2) Varshma (3) Vigraha (4) Oja (94) This is not one of the Saptavidha Samana (1) Pachana (2) Dipana (3) Kshudha (4) Stambhana (95) This is not the synonym of Vyadhi (1) Adhi (2) Tama (3) Papma (4) Visha (96) Vidbheda is the Nanatmaja Vyadhi of this dosha (1) Vataja (2) Pittaja (3) Kaphaja (4) None of these (97) The feature of Vishamajwara (1) Vishamarambha (2) Vishamakriya (3) Anushangi (4) All these (98) This is known as Nishpratyanika Jwara (1) Santata (2) Satata (3) Tritiyaka (4) Chaturthaka (99) Susruta has suggested pranayama in thies disease (1) Swasa (2) Hikka (3) Kasa (4) All these (100) "Upadamsavat" features are seen in this disease (1) Phiranga (2) Dhwajabhanga (3) Sukaroga (4) All these

(101) The rasayanayoga useful in Avrithavata
(1) Guggulu
(2) Silajathu
(3) Chayvanaprasa
(4) All these
(102) Sarpi guda is useful in this disease
(1) Urakshata
(2) Sotha
(3) Grahani
(4) All these
(103) This is considered as Sreshtha Vajikarana
(1) Stri
(2) Aswagandha
(3) Abiphena
(4) Abhyanga
(104) This is part of Achararasayana
(1) Abimsa
(2) Gurita
(3) Kshira
(4) All these
(105) This is one of the "Abheshaja"
(1) Badhana
(2) Abadhana
(3) Ahita
(4) Apathya
(106) Basti suitable for all times
(1) Asthapana
(2) Anu Vasana
(3) Yapana
(4) Kshira
(107) The Pramana of pushpanethra of uttarabasti in females according to Charaka
(1) 10 Angula
(2) 12 Angula
(3) 14 Angula
(4) 16 Angula
(108) Ullupta comes under this types of Basti Vyapat
(1) Netra
(2) Putaka
(3) Pranetha
(4) All these
(109) As per Charaka Samhita Chitrakadivati is mainly indicated in
(1) Atisara
(2) Grahani
(3) Vishuchika
(4) Visha
(110) As per Charaka Samhita - Danthi Harithaki is mainly useful in
(1) Gulma
(2) Prameha
(3) Rakta Pitta
(4) Unmada
(T) Omnaua

(111) The nature of fever in Vata Balasaka (1) Tikshna (2) Manda (3) Avisargi (4) None of these (112) This causes Cerebral Malaria (1) P.Vivax **(2) P.Ovale** (3) P. Palciforum (4) P. Malarie (113) ASO Titre is specific test for (1) Rhumatic fever (2) Rheumatoid Arthritis (3) (A) and (B) (4) S.L.E (114) This is Chikitsa Sutra of Krimiroga (1) Prakrithisnapana (2) Prakritivighata (3) Krimivighata (4) None of these (115) Kesada is the type of Krimi (1) Raktaja (2) Purishaja (3) Kaphaja (4) Bahya (116) The number of varieties of Samdamsa Yantra (1) 3(2)4(3) 2**(4) None** (117) The number of Yantrakarmas (1) 101(2) 12(3)24(4) 20(118) The length of Tala yantra **(1) 16 inches** (2) 14 inches (3) 12 inches **(4) 10 inches** (119) Karapatrasastra in modern surgery can be taken as (1) Knife (2) Scalpel (3) Saw (4) Finger Knife (120) Bhagandara-Arshoyantra belongs to this category (1) Upa Yantra (2) Samdamsa Yantra (3) Nadi Yantra (4) Salaka Yantra

(121) The Pramana of Eshani Yantra
(1) 6 Angula
(2) 4 Angula
(3) 8 Angula
(4) 10 Angula
(122) Main use of Kutharika Sastra
(1) Chedana
(2) Bhedana
(3) Lekhana
(4) Vyadhana
(123) The number of Anusastras
(1) 12
$(2) \frac{13}{13}$
(3) 14
(4) 15
(124) Number of Doshajavrana according to Charaka
(1) 14
(2) 15
(3) 10
(4) 20
(125) According to this author Grahana is a type of Sastra Karma
(1) Vagbhata
(2) Charaka
(3) Bhavamisra
(4) Susrutha (126) Dyshyadara is another name of
(126) Dushyodara is another name of
(1) Sannipatodara
(2) Dakodara
(3) Parissavyudara
(4) Buddhagudodara
(127) This is not a type of Sandhibhagna
(1) Utpishta
(2) Vislishta
(3) Picchita
(4) Vivartita
(128) Number of Sukradoshas according to Susrutha
(1) 8
(2) 10
(3) 11
(4) 12
(129) The place suitable for Siravyadhana in Plihodara
(1) Rt. Arm
(2) Lt. Foot
(3) Lt. Arm
(4) Rt. Foot
(130) Agnikarma is Contra-indicated in
(1) Ushtragriva
(2) Parisravi
(3) Sataponaka
(4) None of these

(131) Upakusa is the disease related to (1) Nasa (2) Danta (3) Dantamula (4) Talu

- (132) Kalaka Churna is useful in
 - (1) Karnaroga
 - (2) Siroroga
 - (3) Mukharoga
 - (4) Udararoga
- (133) Dipta roga is
 - (1) Karnaroga
 - (2) Dantamula gata roga
 - (3) Netraroga
 - (4) Nasaroga
- (134) This is useful in Vataja Pratisyaya
 - (1) Anu Thaila
 - (2) Pathyadi Thaila
 - (3) Manahsiladi Thaila
 - (4) Bharugyadi Thaila
- (135) Pitakachurna is useful in
 - (1) Mukharoga
 - (2) Siroroga
 - (3) Nasaroga
 - (4) Karnaroga
- (136) Rapid growth is the characteristic feature of this Cataract
 - (1) Traumatic
 - (2) Senile
 - (3) Cortical
 - (4) Capsular
- (137) The part of the eye that is collected in eye-donation
 - (1) Sclera
 - (2) Cornea
 - (3) Retina
 - (4) Whole eye-ball
- (138) Egg yolk like discharge is seen in
 - (1) Kumbhika
 - (2) Anjananamika
 - (3) Utsangini
 - (4) Lagana
- (139) This is synonym of Pindi
 - (1) Kavalika
 - (2) Avagundana
 - (3) Putapaka
 - (4) Vidalaka
- (140) Kalakasthi means
 - (1) Netrabandhana
 - (2) Tarunasthi
 - (3) Netrasandhi
 - (4) Netramala

(141) What happens in the uterus during purperium?
(1) Inversion
(2) Involution Foetal
(3) Placental Expulsion
(4) expulsion
(142) A non pregnant uterus Weighs
(1) 50-80 gms
(2) 20-40 gms
(3) 800-1000 gms
(4) 200-300 gms
(143) Complication of 3 rd stage of labour
(1) Haemorrhage
(2) Inversion
(3) Rupture uterus
(4) Haemorrhage and inversion
(144) Robert's sign means
(1) Neonatal Asphexia
(2) Intra-uterine death
(3) Pregnancy
(4) A stage of labour
(145) The time taken for first and second stage of labour in multigravid
(1) 8 hrs
(2) 10 hrs
(3) 6 hrs
(4) 9 hrs
(146) Haemarrhage in early pregnancy is due to
(1) Abortion
(2) Polyp
(3) Ruptured varicosevein
(4) All these
(147) This is indicated in Garbhini Chardi
(1) Laja
(2) Bhunimba
(3) Bilwamajja
(4) All these
(148) Number of Yonivyapats according to Charaka
(1) 24
(2) 64
(3) 20
(4) 8
(149) The main symptom of Arajaska according to Susruta
(1) Atyartava
(2) Kashtartava
(3) Artavaadarsana
(4) Artavakshya
(150) The coitus with a low age group girl leads to
(1) Acharana
(1) Acharana (2) Aticharana

· -
day
th day
th day
th day
rasana Kala according to Kasyapa is
month
¹ month
th month
th month
ilk of a black.cow is
ntakaraka
ntasamaka
idoshakaraka
idoshasamaka
ne of Nishkramana Samskara
ter two months
ter two months
amediately after birth Ter six months
er of Dvija Dantas
ne of Upavesana Samskara
month
month
month
th month
ushadhamatra to be given to/year old child according to Sarugadhara
Ratti
Rattis
Masha
Mashas
otas that Vitiates in Sosharoga
nsavaha
nktavaha
amsavaha
edovaha
umber of Nabhi rogas according to Charaka
pe of stanya dushti that leads to Kshiralasaka
ntaja
aphaja
ntakaphaja
ridoshaja
ndosnaja

DR. N.T.R. UNIVERSITY OF HEALTH SCIENCES, A.P., VIJAYAWADA - 520 008 KEY FOR M.D. (AYURVEDA) ENTRANCE TEST 2011-12 HELD ON 16-10-2011

Q.No.	Answer
1	4
2	4
3	2
4	2
5	2
6	2
7	3
8	3
9	1
10	4
11	1
12	2
13	4
14	3
15	2
16	4
17	3
18	2
19	1
20	3
21	2
22	2
23	3
24	3
25	1
26	1
27	2
28	2
29	- 1
30	3
31	2
32	1
33	1
34	1
35	2
36	2
37	1
38	3
39	4
40	.3

Q.No.	Answei
41	2
42	3
43	4
44	3
45	1
46	4
47	2
48	2,
49	1
50	2
51	4
52	3
53	1
54	21
55	L
56	3
57	1+
58	1
59	7
60	2.
61	14
62	2.
63	2.
64	7
65	5
66	2.
67	2
68	1
69	7
70	1,
71	2.
	2
72	2
73	9.
74	2
75	9.
76	2
77	.5
78	4
9	/

80

Q.No.	Answer
81	3
82	4
83	4
84	1
85	2
86	2
87	1
88	2
89	3
90	3
91	3
92	4
93	4
94	4
95	4
96	1
97	4
98	2
99	2
100	2
101	4
102	1
103	1
104	1
105	1
106	3
107	1
108	3
109	2
110	1
111	2
112	3
113	1
114	2
115	1
116	3
117	3
118	3
119	3
120	2

Q.No.	Answer
121	3
122	4
123	3
124	4
125	1
126	1
127.	3
128	3
129	4
130	2
131	3
132	2
133	4
134	1
135	1
136	1
137	4
138	2
139	1
140	1
141	2,
142	1
143	4
144	2
145	.3
146	4
147	4
148	3
149	3
150	3
151	2
152	3
153	2
154	2
155	4
156	2
157	3
158	1
159	2
160	4