

Homeopathy ArCade of Products

AlfavitoArC	: for weakness, anaemia, anorexia.
ImmunoArC	: for improvement of body immunity.
HeadachoArC	: for headache.
MigrainoArC	: for migraine or hemicrania.
PainoArC	: for rheumatic pain.
JointoArC	: for joint pain, osteo arthritis.
RheumoArC	: for gout & rheumatic disorder.
TraumaArC	: for injury, fracture.
VaricoArC	: for varicose vein.
RhinoArC	: for rhinitis.
BronchoArC	: for bronchitis.
PneumoArC	: for moist cough, pneumonia.
AsthmoArC	: for allergic bronchitis.
SinusoArC	: for sinusitis.
TonsiloArC	: for tonsillitis.
ApathoArC	: for mouth ulcer, apthae.
AcidoArC	: for acidity, heartburn.
HepatoArC	: for liver affections.
DigestoArC	: for indigestion, sour eructation.
DysentoArC	: for amoebic dysentery.
LaxatoArC	: for constipation.
PiloArC	: for bleeding or painful piles.
SpasmoArC	: for abdominal colic.
CalculoArC	: for renal stone & gall stone.
ProstatoArC	: for prostate enlargement.
SexoArC	: for sexual debility, spermatorrhea.
ViagaroArC	: for erectile dysfunction.

FemoArC : for female disorders.
LeucoArC : for leucorrhea.
MensoArC : for excessive bleeding during menses.
InfantoArC : for troubles of infants.
KidoArC : for kids trouble.
HeightoArC : for retarded height.
WormoArC : for all type of worms.
EneuroArC : for bed wetting.
DermatoArC : for dry eczema, psoriasis.
SkinoArC : for wet eczema.
LeucodermaArC : for vitilgo, leucoderma.
WartoArC : for warts & corns.
AcnoArC : for acne vulgaris.
PimploArC : for pimple of pustular type.
HairoArC Fall : for falling of hair.
HairoArC Gray : for premature graying of hair.
TeethoArC : for dental affections.
ThyroArC : for malfunction of thyroid.
DiabetoArC : for diabetes.
SlimoArC : for obesity.
HypertensoArC : for high blood pressure.
GainoArC : for low blood pressure.
EpilepsoArC : for epilepsy.
HysterioArC : for hysteria.
RefreshoArC : for mental exhaustion.
SleepoArC : for insomnia.
FeveroArC : for any type of fever, typhoid, malaria.

AlfavitoArC

Indication : for general weakness, anaemia, anorexia.

Composition :

Alfalfa 30
Avena sat 30
China off 30
Five phos 30
Hydrastis 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

1. Alfalfa 30 Weakness due to anorexia & slow digestion.
2. Avena 30 Acts on nervous system improves nutritive function.
3. China 30 Weakness due to loss of vital fluids or after chronic diseases.
4. Five phos 30 Provides nutrition to nerves & brain, impaired memory.
5. Hydrastis 30 Anaemia after acute disease & chronic wasting disease.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

ImmunoArC

Indication: for improvement of body immunity

Composition :

Acid phos 30
Arnica 30
Avena 30
Bryonia 30
Calc phos 30

Pharmacological & Clinical Notes:

1. Acid phos 30 Mental & physical debility with nervous exhaustion.
2. Arnica 30 Counteracts the effects of undue stress & remote injury.
3. Avena 30 Acts on nervous system improves nutritive function.
Best tonic for debility after exhausting disease.
4. Bryonia 30 Acts on all serous membranes of all the visceral organ.
5. Calc phos 30 Anaemia after acute disease & chronic wasting disease.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HeadchoArC

Indication: for treatment of headache.

Composition :

Belladonna 30
Glonine 30
Natrum mur 30
Nux vom 30
Sang can 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

Belladonna 30	Sudden onset of pain with throbbing carotid.
Glonine 30	Frontal headache with throbbing carotid, worse by heat.
Natrum mur 30	Headache relived by sleep.
Nux vom 30	Headache due to sedentary life with ineffectual urging.
Sangunaria can 30	Occipital headache settles above right eye pain, relived by rest.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

MigrainoArC

Indication: for treatment of migraine or hemicrania.

Composition :

Belladonna 30
Gelsemium 30
Glonine 30
Iris ver 30
Sanguinaria can 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

Belladonna 30	Sudden onset of pain with throbbing carotid.
Gelsemium 30	Occipital headache with thirstlessness.
Glonine 30	Frontal headache with throbbing carotid, worse by heat.
Iris ver 30	Migraine with nausea due to acidity relived by sleep.
Sanguinaria can 30	Occipital headache settles above right eye.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

PainoArC

Indication: for treatment of muscular or neuralgic pain.

Composition :

Acid benzoic 30
Arnica 200
Coffea 30
Hypericum 30
Rhus tox 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|--|
| 1. Acid benzoic 30 | Painful gouty nodes with high colored offensive urine. |
| 2. Arnica 30 | Bruised feeling with great feeling of being touched. |
| 3. Coffea 30 | Intense pain worse by noise & open air. |
| 4. Hypericum 30 | Neuritis due to mechanical injury. |
| 5. Rhus tox 30 | Tearing pain, worse by cold fresh air. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

JointoArC

Indication: for treatment of joint pain, osteo arthritis.

Composition :

Arnica 200
Bryonia 30
Calcarea phos 30
Eupatorium perf 30
Lithium carb 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|--|
| 1. Arnica 200 | Osteoarthritis after mechanical injury |
| 2. Bryonia 30 | Joints red, hot, swollen with stitching pain, worse by motion. |
| 3. Calc phos 30 | Pain with stiffness & numbness, worse change of weather. |
| 4. Eupatorium 30 | Aching pain with soreness of muscle. |
| 5. Lithium carb 30 | Swelling & tenderness of finger, better by hot water. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

RheumoArC

Indication : for gout & rheumatic disorder.

Composition :

Berberis vul 30
Bryonia 30
Causticum 30
Rhus tox 30
Urtica urens 30.

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|--|
| 1. Berberis vul 30 | Rheumatic paralytic pain in shoulder. |
| 2. Bryonia 30 | Joints red, hot, swollen with stitching pain, worse by motion. |
| 3. Causticum 30 | Tearing pain with numbness, better by bed warmth |
| 4. Rhus tox 30 | Tearing pain, worse by cold fresh air. |
| 5. Urtica urens 30 | Rheumatism associated with urticaria like eruptions. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

TraumaArC

Indication: for treatment of injury, fracture.

Composition :

Arnica montana 30
Bellis per 30
Hypericum 30
Ruta 30
Symphytum 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Arnica 30 | Muscle sore, lame, bruised feeling with or without bluish spots. |
| 2. Bellis per 30 | Injuries to deeper muscle involving nerves, intense soreness. |
| 3. Hypericum 30 | Punctured wounds, causing injury to nerves with intense pain. |
| 4. Ruta 30 | Pain in bone, tendons sore & muscle bruised with restlessness. |
| 5. Symphytum 30 | Wounds penetrating to perineum & the bones. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

VaricoArC

Indication: for treatment of varicose vein.

Composition :

Acid flour 30
Aesculus hip 30
Calendula 30
Hamamelis 30
Vipera 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|---|
| 1. Acid flour 30 | Varicose vein worse by warm, relived by cold. |
| 2. Aesculus 30 | Venous stasis causing purple & swollen vein. |
| 3. Calendula 30 | Varicose ulcer with throbbing of veins. |
| 4. Hamamelis 30 | Varicose vein or varicose ulcer with bruised feeling. |
| 5. Vipera 30 | Bursting pain in varicose vein. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

RhinoArC

Indication: for treatment of Allergic Rhinitis.

Composition :

Allium cepa 30
Arsenic alb 30
Euphrasia 30
Sabadilla 30
T.M.V 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|--|
| 1. Allium cepa 30 | Profuse, watery, acrid coryza with lacrymation more in room. |
| 2. Arsenic alb 30 | Profuse, watery coryza, relived by heat. |
| 3. Euphrasia 30 | Profuse, watery, bland coryza & acrid lacrymation. |
| 4. Sabadilla 30 | Profuse watery coryza with lacrymation, worse in open air. |
| 5. Teucrium.M.V 30 | Excessive sneezing with large discharge & loss of smell. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

BronchoArC

Indication: for treatment of Bronchitis.

Composition :

Bryonia 30
Drosera 30
Hepar sulph 30
Ipecac 30
Spongia 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Bryonia 30 | Dry & harsh cough with pain in the chest. |
| 2. Drosera 30 | Convulsive cough with cyanosis & suffocation. |
| 3. Hepar sulf 30 | Bronchitis with lump sensation, worse by cold air. |
| 4. Ipecac 30 | Dry cough with spasm in glottis causing nausea & vomiting. |
| 5. Spongia 30 | Hollow cough, worse at night. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

PneumoArC

Indication: for treatment of Moist cough, Pneumonia.

Composition :

Antim tart 30
Belladonna 30
Ipecac 30
Kali bich 30
Senega 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes :

- | | |
|------------------|--|
| 1. Antim tart 30 | Loud rattling of mucus in chest with white coated tongue. |
| 2. Belladonna 30 | Dry, short relapsing tickling cough more at night. |
| 3. Ipecac 30 | Spasmodic cough with constant nausea - vomiting. |
| 4. Kali- bich 30 | Tough, stringy, whitish mucous with neuralgic pain of chest. |
| 5. Senega 30 | Dyspnoea with tough profuse mucus & cough ends in sneeze. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

AsthmoArC

Indication : for allergic bronchitis.

Composition :

Aralia race 30
Blatta ori 30
Ipecac 30
Senega 30
Yerba santa 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Aralia race 30 | Dyspnoea on lying down especially at first part of sleep. |
| 2. Blatta ori 30 | Pus like mucus causing dyspnoea. |
| 3. Ipecac 30 | Spasmodic cough with constant nausea - vomiting. |
| 4. Senega 30 | Dyspnoea with tough profuse mucus & cough ends in sneeze. |
| 5. Yerba santa 30 | Asthma relived by expectoration. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SinusoArC

Indication: for treatment of sinusitis.

Composition :

Arsenic alb 30
Calc carb 30
Hydrastis 30
Kali bich 30
Pulsatilla 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Arsenic alb 30 | Profuse, watery discharge, relived by heat. |
| 2. Calc carb 30 | Thick, yellow, sour mucus discharge, only during the day. |
| 3. Hydrastis 30 | Thick, tenacious discharge, tends to blow nose all the time. |
| 4. Kali bich 30 | Thick fetid yellow – green discharge with loss of smell. |
| 5. Pulsatilla 30 | Chronic sinusitis, greenish yellow discharge, better in open air. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

TonsiloArC

Indication: for treatment of tonsillitis.

Composition :

Baryta carb 30
Belladonna 30
Hepar sulph 30
Merc iod fla 30
Phytolacca 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|---|
| 1. Baryta carb 30 | Recurrent tonsillitis on change of weather. |
| 2. Belladonna 30 | Red enlarged tonsil with pain up to ear, with high fever. |
| 3. Hepar sulf 30 | Enlarge with white indurated base worse by cold. |
| 4. Merc iod fla 30 | Left sided tonsillitis with pain on swallowing. |
| 5. Phytolacca 30 | Enlarged, dark red tonsil with radiating pain to ears. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

ApathoArC

Indication: for treatment of mouth ulcer, apthae.

Composition :

Acid nit 30
Arsenic alb 30
Borax 30
Kali mur 30
Merc sol 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Acid nitric 30 | Painful bleeding apthae with acrid & offensive saliva. |
| 2. Arsenic alb 30 | Burning dark color apthae with offensive odour, great thirst. |
| 3. Borax 30 | Painful apthae with whitish base which bleeds easily. |
| 4. Kali mur 30 | White membranous apthae. |
| 5. Merc-sol 30 | Painful apthae with foul smell, excessive saliva & thirst. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

AcidoArC

Indication: for treatment of acidity, heartburn.

Composition :

Abies nig 30
Acid sulph 30
Carbo veg 30
Nat phos 30
Pepsin 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Abies nig 30 | Dyspepsia after eating. |
| 2. Acid sulph 30 | Excessive hydrochloric acid causing heart burn, nausea. |
| 3. Carbo veg 30 | Dyspepsia with heart burn due to excessive gases after meal. |
| 4. Nat phos 30 | Dyspepsia due to excessive sugar intake. |
| 5. Pepsin 30 | Dyspepsia due to lack of digestive enzymes. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HepatoArC

Indication: for treatment of liver affections.

Composition :

Chelidonium 30
China 30
Hydrastis 30
Kalmegh 30
Lycopodium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Chelidonium 30 | Swelling of the liver with pain in right shoulder blade. |
| 2. China off 30 | Vomiting of undigested food, milk & fruit disagree. |
| 3. Hydrastis 30 | Bitter taste in mouth with severe constipation. |
| 4. Kalmegh 30 | No appetite with heaviness of abdomen due to enlarge liver. |
| 5. Lycopodium 30 | Easily satisfied by few bites, worse by cold drink & food. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

DigestoArC

Indication: for treatment of indigestion, sour eructation.

Composition :

Alfalfa 30
Carbo veg 30
Hydrastis 30
Nux vom 30
Pulsatilla 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|---|
| 1. Alfalfa 30 | It tones up appetite & digestion. |
| 2. Carbo veg 30 | Weak digestion in prolong ill person. |
| 3. Hydrastis 30 | Bitter taste in mouth with severe constipation. |
| 4. Nux vom 30 | Gastric derangement due to sedentary life. |
| 5. Pulsatilla 30 | Indigestion after fatty rich food. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

DysentoArC

Indication: for treatment of amoebic dysentery.

Composition :

Aloes 30
Colocynthis 30
Croton tig 30
Gambogia 30
Merc cor 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Aloes 30 | Anus prolepses, passes much flatus, pain relieved after stool. |
| 2. Colocynthis 30 | Dysentery with cutting pain, relived by bending double. |
| 3. Croton tig 30 | Yellow watery with much force, worse by food movement. |
| 4. Gambogia 30 | Forcible bilious stool with burning at anus. |
| 5. Merc cor 30 | Blood mixed stools, colicky pain with excessive tenesmus. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

LaxatoArC

Indication : for treatment of constipation.

Composition :

Alumina 30
Bryonia 30
Cascara 30
Hydrastis 30
Senna 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes :

- | | |
|---------------------|--|
| 1. Alumina 30 | Soft stool with much straining & no urge for stool. |
| 2. Bryonia 30 | Stool hard & very long black, as if burnt dry. |
| 3. Cascara sag 30 | Obstinate constipation with rheumatism of muscle & joints. |
| 4. Hydrastis can 30 | Constipation with dull headache. |
| 5. Senna 30 | Stool dark, hard with bad taste in mouth & great weakness. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

PiloArC

Indication: for treatment of bleeding or painful piles.

Composition :

Acid nitric 30
Aesculus 30
Collinsonia 30
Graphites 30
Hamamelis 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Acid nit 30 | Cutting type pain for hours after stool, bright red bleeding. |
| 2. Aesculus 30 | Blind or bleeding piles with severe backache. |
| 3. Collinsonia 30 | Piles with intense itching, pain & bleeding. |
| 4. Graphites 30 | Piles & fissure due severe constipation. |
| 5. Hamamelis 30 | Profuse, dark, bleeding piles. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SpasmoArC

Indication: for treatment of abdominal colic.

Composition :

Belladonna 30
Coffea 30
Colocynthis 30
Mag phos 30
Pulsatilla 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Belladonna 30 | Sudden pain, worse by touch, relived by hard pressure |
| 2. Coffea 30 | Severe colic, worse at night & by heat. |
| 3. Colocynthis 30 | Neuralgic pain relieved by bending double, hard pressure. |
| 4. Mag phos 30 | Spasmodic pain relieved by bending double & by heat. |
| 5. Pulsatilla 30 | Colic changes position rapidly, caused by rich food. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

CalculoArC

Indication: for treatment of renal stone & gall stone.

Composition :

Acid nitric 30
Berberis vul 30
Calc renalis 30
Lycopodium 30
Sarsaparilla 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|--|
| 1. Acid nitric 30 | Dark, bloody, offensive urine like horse urine. |
| 2. Berberis vul 30 | Oxalates with thick mucus & bright red sediments. |
| 3. Calc renalis 30 | Intense cramping pain with vomiting. |
| 4. Lycopodium 30 | Heavy red sediments, child cries before urinating. |
| 5. Sarsaparilla 30 | Severe pain at conclusion of urination. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

ProstatoArC

Indication: for treatment of prostate enlargement.

Composition :

Chimaphilla 30
Clematis 30
Conium 30
Populus tre 30
Sabal 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

1. Chimaphilla 30 Turbid due to mucus content with difficulty in passing urine.
2. Clematis 30 Must wait long, urine start in drop then flows freely.
3. Conium mac 30 Can pass urine only in standing position.
4. Populous tre 30 Severe tenesmus with pus & mucus in urine.
5. Sabal serulata 30 Constant urge to pass urine at night.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SexoArC

Indication: for treatment of sexual debility, spermatorrhea.

Composition :

Acid phos 30
Damiana 30
Ginseng 30
Selenium 30
Titanium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-----------------|--|
| 1. Acid phos 30 | Spermatorrhoea even when passing a soft stool. |
| 2. Damiana 30 | Neurasthenic impotency with sexual debility. |
| 3. Ginseng 30 | Frequent emission followed by rheumatic pain. |
| 4. Selenium 30 | Frequent emission during sleep. |
| 5. Titanium 30 | Early ejaculation during coition. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

ViagaroArC

Indication: for treatment of erectile dysfunction.

Composition :

Agnus 30
Caladium 30
Damiana 30
Lycopodium 30
Onosmodium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes

- | | |
|------------------|---|
| 1. Agnus cast 30 | No desire, no erection, part cold & relaxed. |
| 2. Caladium 30 | Increased desire with no erection, erection during sleep. |
| 3. Damiana 30 | Neurasthenic impotency with sexual debility. |
| 4. Lycopodium 30 | Increase desire but incomplete erection with fear of failure. |
| 5. Onosmodium 30 | Lack of desire with deficient erection. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

FemoArC

Indication: for treatment of female disorders.

Composition :

Asoka 30
Caullophyllum 30
Pulsatilla 30
Sabina 30
Secale cor 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|---------------------|--|
| 1. Asoka 30 | Delayed & irregular menses, amenorrhea or metrorrhagia. |
| 2. Caullophyllum 30 | Leucorrhea instead of menses with moth spot on forehead. |
| 3. Pulsatilla 30 | Scanty & dark clotted menses, during daytime only. |
| 4. Sabina 30 | Clotted bleeding either bright red or dark in color. |
| 5. Secale cor 30 | Menstrual colic with coldness but intolerance of heat. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

LeucoArC

Indication: for treatment of leucorrhea.

Composition :

Alumina 30
Aurum m.n 30
Hydrastis 30
Kreosote 30
Ova tosta 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Alumina 30 | Acrid, water like profuse leucorrhea flows upto heel. |
| 2. Aurum m. n 30 | Leucorrhea with spasmodic contraction of vagina. |
| 3. Hydrastis 30 | Profuse, acrid corroding leucorrhea more after menses. |
| 4. Kreosote 30 | Acrid, offensive, yellowish leucorrhea more before menses. |
| 5. Ova tosta 30 | Offensive leucorrhea with intense backache. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

MensoArC

Indication: for excessive bleeding during menses.

Composition :

Asoka 30
Ficus rel 30
Hamamelis 30
Millefolium 30
Trillium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Asoka 30 | Delayed menses results in excessive bleeding. |
| 2. Ficus rel 30 | Profuse, bright red bleeding with bearing down pain. |
| 3. Hamamelis 30 | Profuse, dark blood of passive bleeding. |
| 4. Millefolium 30 | Profuse, painless, bright red bleeding. |
| 5. Trillium 30 | Gushing of bright red blood on least movement. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

InfantoArC

Indication: for treatment of troubles of infants.

Composition :

Calc carb 30
Chamomilla 30
Cina 30
Jalapa 30
Silicea 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|---|
| 1. Calc carb 30 | Delayed walking of fatty children. |
| 2. Chamomilla 30 | Irritable, restless child with piteous moaning. |
| 3. Cina 30 | Emaciation with boring nose, worm complaints. |
| 4. Jalapa 30 | Child cry whole night. |
| 5. Silicea 30 | Emaciated body with enlarge head & abdomen. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

KidoArC

Indication: for treatment of kids trouble.

Composition :

Avena sat 30
Baryta iod 30
China off 30
Ferrum phos 30
Lecithin 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Avena 30 | Acts on nervous system improves nutritive function. |
| 2. Baryta iod 30 | Stunted growth with enlarged tonsil & cervical glands. |
| 3. China off 30 | Painless, watery diarrhea with much flatus. |
| 4. Ferrum phos 30 | Nervous, sensitive, anaemic with false flushing of face. |
| 5. Lecithin 30 | Lack of appetite with marked anaemia. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HeightoArC

Indication: for treatment of retarded height.

Composition :

Baryta carb 30
Baryta Phos 30
Calc phos 30
Silicea 30
Thyroidinum 200

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Baryta carb 30 | Dwarf child who are mentally or physically backward. |
| 2. Baryta phos 30 | Cell genesis or cellular reproduction in any part of body. |
| 3. Calc phos 30 | Deficiency in calcium production, perturbation of bone growth. |
| 4. Silicea 30 | Stimulants of growth. |
| 5. Thyroidinum 30 | Useful in arrested development in children. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

WormoArC

Indication: for treatment of all type of intestinal worms.

Composition :

Chelone 30
Cina 30
Natrum phos 30
Santonine 30
Teucreum M. varum 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes :

1. Chelone 30 Thread worm & round worm.
2. Cina 30 Great irritability with boring finger in nose.
3. Cucurbita 30 Tape worm & nausea after eating.
4. Santonine 30 Round worm.
5. Teucrium M.V 30 Pin worm causing intense itching in rectum.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

EneuroArC

Indication: for treatment of bed wetting.

Composition :

Belladonna 30
Causticum 30
Kali phos 30
Plantago 30
Sepia 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Belladonna 30 | Enuresis in drop of dark turbid urine with great tenesmus. |
| 2. Causticum 30 | Enuresis in first part of sleep with paralysis of sphincter. |
| 3. Kali phos 30 | Nervous exhaustion & disturbance in nerve conduction. |
| 4. Plantago 30 | Enuresis in mid night with weakness of sphincter. |
| 5. Sepia 30 | Enuresis in first part of sleep more in winter. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

DermaArC

Indication: for treatment of dry eczema, psoriasis.

Composition :

Antim crud 30
Arsenic alb 30
Echinacea 30
Petroleum 30
Rhus tox 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Antim crud 30 | Scaly, pustular eruption with burning & itching worse at night. |
| 2. Arsenic alb 30 | Intense itching & burning, fetid discharge, worse by cold. |
| 3. Echinacea 30 | Blood purifier, useful for recurrent boils, carbuncle. |
| 4. Petroleum 30 | Psoriasis of hand with fissure, worse by winter. |
| 5. Rhus tox 30 | Eczema in any part with scale formation on dry, red blisters. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SkinoArC

Indication: for treatment of wet eczema.

Composition :

Berberis aq 30
Graphites 30
Kali sulph 30
Rhus tox 30
Silicea 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Berberis aq 30 | Dry scaly eruptions especially of face & neck. |
| 2. Graphites 30 | Skin cracked & oozing sticky, honey like discharge. |
| 3. Kali sulph 30 | Vesicle with yellow pus & dry skin. |
| 4. Rhus tox 30 | Small, red eruption with much itching & burning. |
| 5. Silicea 30 | Chronic abscess, oozing fetid pus. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

WartoArC

Indication: for treatment of warts & corns.

Composition :

Acid nitric 30
Antim crud 30
Causticum 30
Dulcamara 30
Thuja 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Acid nitric 30 | Bleeding, large warts with itching. |
| 2. Antim crud 30 | Hard, corny warts on palm & sole. |
| 3. Causticum 30 | Horny wart with itching & bleeding. |
| 4. Dulcamara 30 | Smooth flat, transparent warts. |
| 5. Thuja 30 | Cauliflower like head large & base narrow. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

LeucodermoArC

Indication: for treatment of vitilgo, leucoderma.

Composition :

Ars sulph flavum 200
Calotropis 30
Hydrocotyle 30
Psorlea 30
Silicea 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Ars S.F. 30 | White circular patches scattered throughout the body. |
| 2. Calotropis 30 | Increases the circulation in the skin, removes blotches of skin. |
| 3. Hydrocotyle 30 | Circular spots with thickening of epidermoid layer. |
| 4. Psorlea 30 | Circular spots with intense itching. |
| 5. Silicea 30 | Acts as constitutional remedy for permanent restoration. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

AcnoArC

Indication: for treatment of Acne vulgaris.

Composition :

Berberis aqu 30
Hydrocotyle 30
Kali brom 30
Radium brom 30
Sulphur iod 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Berberis aq 30 | Acne due to hormonal imbalance at puberty. |
| 2. Hydrocotyle 30 | Great thickening of epidermoid layer of acne. |
| 3. Kali brom 30 | Removes scars of pustular type acne. |
| 4. Radium brom 30 | Painful red acne with intense burning. |
| 5. Sulphur iod 30 | Red, painless, indurated acne, worse by heat. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

PimploArC

Indication : for treatment of pustular type pimples.

Composition :

Antim tart 30
Berberis aqui 30
Calc sulph 30
Eugenia 30
Silicea 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Antim tart 30 | Large acne with thick white pus. |
| 2. Berberis aq 30 | Acne due to hormonal imbalance at puberty. |
| 3. Calc sulph 30 | Small acne with thick yellow pus, worse by heat. |
| 4. Eugenia jam 30 | Indurated acne, painful around some distance. |
| 5. Silicea 30 | Red colored acne with thick yellow offensive pus. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HairoArC Fall

Indication: for treatment of falling of hair.

Composition :

Acid flour 30
Selenium30
Silicea 30
Ustilago 30
Vinca minor 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|--|
| 1. Acid flour 30 | Brittle hair, falls in small bunches. |
| 2. Selenium 30 | Hair fall with soreness of scalp on touch. |
| 3. Silicea 30 | Lusterless hair, falling due to malnutrition. |
| 4. Ustilago 30 | Falling of hair with small eruption on scalp. |
| 5. Vinca minor 30 | Falling of hair with ring worm like eruptions. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HairoArC Gray

Indication: for treatment of premature graying of hair.

Composition :

Acid phos 30
Jaborandi 30
Lycopodium 30
Natrum mur 30
Thyroidinum 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Acid phos 30 | Checks premature graying & falling of hair. |
| 2. Jaborandi 30 | Graying of hair with excessive sweating. |
| 3. Lycopodium 30 | Premature graying of hair with digestion trouble. |
| 4. Natrum mur 30 | Hair gray with dandruff. |
| 5. Thyroidinum 30 | Checks premature graying of hair. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

TeethoArC

Indication: for treatment of dental affections.

Composition :

Calc flour 30
Calc phos 30
Chamomilla 30
Plantago 30
Staphysagria 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|---|
| 1. Calc flour 30 | Decay of edges of the teeth. |
| 2. Calc phos 30 | Increases calcium assimilation in the teeth & bones. |
| 3. Chamomilla 30 | Worse by warm water or drink & at night. |
| 4. Plantago 30 | Pain extend to ear sensitive to touch, relived by eating. |
| 5. Staphysagria 30 | Great sensitive to touch or cold. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

ThyroArC

Indication: for treatment of malfunction of thyroid.

Composition :

Iodum 30
Lycopus vir 30
Natrum mur 30
Spongia 30
Thyroidinum 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-------------------|---|
| 1. Iodum 30 | Induration of goiter with rapid emaciation of body. |
| 2. Lycopus vir 30 | Toxic goiter. |
| 3. Natrum mur 30 | Emaciation of neck region with great dryness of mouth. |
| 4. Spongia 30 | Burning & stinging in throat region after eating sweet. |
| 5. Thyroidinum 30 | Goiter with retarded physical & mental growth. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

DiabetoArC

Indication: for treatment of diabetes mellitus.

Composition :

Acid phos 30
Insulin 30
Rhus aromatica 30
Syzigium 30
Uranium nit 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|----------------------|---|
| 1. Acid phos 30 | Milky profuse urine, frequent at night with great prostration. |
| 2. Insulin 30 | Acts on pancreatic cells to secrete adequate insulin hormone. |
| 3. Rhus aromatica 30 | Profuse urine of low specific gravity, intense pain on beginning. |
| 4. Syzigium 30 | Large quantity of urine with increased specific gravity. |
| 5. Uranium nit 30 | Polyuria unbearable pain on retaining urine. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SlimoArC

Indication: for treatment of obesity.

Composition :

Fucus ves 30
Graphites 30
Kali carb 30
Nat sulph 30
Phytolacca 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|---|
| 1. Fucus ves 30 | Obesity associated with goiter. |
| 2. Graphites 30 | Tendency of obesity with dirty, filthy skin. |
| 3. Kali carb 30 | Dissolve adipose fat & makes muscle firmer. |
| 4. Nat sulph 30 | Acts on hydrogenoid constitution, removes water from cells. |
| 5. Phytolacca 30 | Acts on thyroid glands and fibrous tissue & cells. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HypertensoArC

Indication: for treatment of high blood pressure.

Composition :

Aurum met 30
Baryta mur 30
Cactus 30
Crategus 30
Kalmia 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Aurum met 30 | Hypertension with suicidal disposition. |
| 2. Baryta mur 30 | Hypertension with kidney affection. |
| 3. Cactus 30 | Sensation of suffocation with symptoms of angina pectoris. |
| 4. Crategus 30 | Increases muscular strength of the heart. |
| 5. Kalmia 30 | Chronic heart weakness with difficult breathing. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

GainoArC

Indication: for treatment of low blood pressure.

Composition :

Acid phos 30
Carbo veg 30
China off 30
Digitalis 30
Gelsemium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|-----------------|--|
| 1. Acid phos 30 | Hypotension due to excessive loss of seminal fluids. |
| 2. Carbo veg 30 | Hypotension in chronic illness, desire constant fanning. |
| 3. China off 30 | Hypotension due to loss of vital fluids. |
| 4. Digitalis 30 | Palpitation on least movement. |
| 5. Gelsemium 30 | Hypotension with dullness, dizziness & delirium, thirstless. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

EpilepsoArC

Indication: for treatment of epilepsy.

Composition :

Avena 30
Belladonna 30
Cicuta vir 30
Helleborus 30
Ignatia 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|--------------------|---|
| 1. Avena sativa 30 | Epilepsy with loss of strength in extremities. |
| 2. Belladonna 30 | Epilepsy with nausea – vomiting. |
| 3. Cicuta vir 30 | Head involves first & back bent backward like arch. |
| 4. Helleborus 30 | Epilepsy with screaming & involuntary sighing. |
| 5. Ignatia 30 | Epilepsy caused due to suppression of emotions. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

HysterioArC

Indication: for treatment of hysteria.

Composition :

Absinthium 30
Bufo rana 30
Cuprum met 30
Hyoscyamus 30
Oenanthae cro 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|---------------------|---|
| 1. Absinthium 30 | Hysteria with twitching of facial muscles. |
| 2. Bufo rana 30 | Hysteria at night, excessive desire for masturbation. |
| 3. Cuprum met 30 | Finger involve first & extremities bent inwards. |
| 4. Hyoscyamus 30 | Hysteria with profuse dribbling of saliva. |
| 5. Oenanthae cro 30 | Hysteria in females during menses & pregnancy. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

RefreshoArC

Indication : for mental exhaustion.

Composition :

Avena sat 30
Ignatia 30
Kali phos 30
Valeriana 30
Zinc aceticum 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

1. Avena 30 Acts on nervous system improves nutritive function.
Best tonic for debility after exhausting disease.
2. Ignatia 30 Indifference caused due to suppression of emotions.
3. Kali phos 30 Nervous exhaustion & irritability with sleeplessness.
4. Valeriana 30 Nervous hypersensitivity, nervous agitation, changing humour.
5. Zinc aceticum 30 Brain fag of intellectuals or night watchers.

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

SleepoArC

Indication: for treatment of insomnia.

Composition :

Avena 30
Coffea 30
Kali phos 30
Piscidia 30
Pulsatilla 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|---|
| 1. Avena sat 30 | Sleepless due to alcohol or sedatives. |
| 2. Coffea 30 | Sleepless due to happiness & excitement with endless thought. |
| 3. Kali phos 30 | Nervous exhaustion & irritability with sleeplessness. |
| 4. Piscidia 30 | Sleeplessness due to mental worries. |
| 5. Pulsatilla 30 | Sleeplessness & restlessness during first part of sleep. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.

FeveroArC

Indication: for treatment of fever (pyrexia).

Composition :

Aconite nap 30
Baptisia 30
Belladonna 30
Eupatorium 30
Gelsemium 30

All dilution in equal proportion to medicate globules.

Pharmacological & Clinical Notes:

- | | |
|------------------|--|
| 1. Aconite 30 | Sudden onset of high fever with marked thirst. |
| 2. Baptisia 30 | Typhoid fever with stupor, ulceration of mucous membrane. |
| 3. Belladonna 30 | Extremely hot with flushed & throbbing face, thirstlessness. |
| 4. Eupatorium 30 | Fever with severe pain in bones & excessive vomiting. |
| 5. Gelsemium 30 | Prostration, dizziness, sleepiness with congestive headache. |

Dosage : 2 pills, 4 times per day or as directed by the physician.

Contra indication : Not known.

Side Effects : Nil.